



**GUARANTEED™
FOREVER**



A full line of quality hand tools from the brand trusted for over 100 years.

The wait is over. With 300+ open stock items and numerous multi-piece sets available, the Crescent hand tool line is one of the most complete on the market.

With master set or open-stock availability of pliers, adjustable and combination wrenches, sockets, ratchets, extensions, screwdrivers, and more, this new Crescent line has your tool needs covered.

Crescent Quality designed into every tool

From the flawless chrome finish of its wrenches, ratchets, and sockets to the perfectly balanced and shaped dual-material handles of its screwdrivers, this line of industrial hand tools has an extraordinarily high level of quality. Crescent Quality tools get jobs done faster and increase overall productivity.

Manufactured for exceptional durability

Crescent tools are made from chrome vanadium steel alloy, specially formulated and heat-treated for high strength and superior resistance to abrasion and corrosion.

Every part of every tool - from the vapor-blasted screwdriver tips to the hardened ratchet gears and pawls - is designed for extremely long life.



The box ends of Crescent combination wrenches feature Surface Drive® technology - a design that virtually eliminates rounding of fasteners

*Surface Drive® is a registered trademark of Apex Brands, Inc., a division of Apex Tool Group, LLC.




The wide selection of Crescent tools satisfies today's rigorous mechanics tool demands.

Tools that always meet the specs

Crescent mechanics tools meet the specs and more. All sockets and ratchets meet or exceed Industry Standards. The open-end jaw surfaces on the combination wrenches are parallel to within $\pm 0.001"$. And the tip of every screwdriver is vapor blasted. These additional processes and extra steps result in tools you can count on to be strong, well-designed, and durable enough to get the job done right, time after time.



All Crescent® ratchets have a highly polished chrome finish so they're easy to keep clean and feature a quick release socket retention button so socket change-out is simple and quick.



A set for every situation

Whether you need a full set of tools or are looking for something more compact, Crescent has a set that will fit your requirements. The 170-piece CTK170 master set has an extensive component selection, featuring new heavy-duty blow molded storage case with long-life pro-grade latches.

CONTENTS

X6 Series Tools	04 - 05
Sockets, Ratchets, Drive Tools	06 - 32
Wrenches	33 - 47
Screwdrivers, Nutdrivers	48 - 55
Pliers	56 - 72

**GUARANTEED™
FOREVER**

20 PC. X6™ PASS-THRU RATCHET & SOCKET SET

- Pass-thru socket and ratchet system eliminates the need for deep sockets
- Fits 6 fastener types: Hex, Square, 12 pt., E-Torx®, Rounded Hex, Spline
- Up to 40% stronger than standard ratchets
- 5° ratcheting arc provides great access to fasteners
- Up to 50% thinner than standard ratchets for greater access
- Adapter converts X6 to a standard ratchet for traditional square drive sockets



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CX6PT20	X6™ Pass-Thru Ratchet & Socket Set	Storage Tray	3	1.30 kg

COMBINATION

7 PC. X6™ RATCHETING OPEN WRENCH SETS

- Ratcheting open end turns nuts and bolts without removing wrench from fastener
- Fits 6 fastener types - Hex, Square, 12 pt., E-Torx®, Rounded Hex, and Spline
- Metric 8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm
- Smooth profile allows for more torque to be comfortably applied to the fastener



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CX6RWM7	X6™ Metric Open End Ratcheting Wrench Set	Storage Tray	3	1.20 kg

8 PC. X6™ RATCHETING OPEN WRENCH SETS

- Ratcheting open end turns nuts and bolts without removing wrench from fastener
- Fits 6 fastener types - Hex, Square, 12 pt., E-Torx®, Rounded Hex, and Spline
- SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16"
- Smooth profile allows for more torque to be comfortably applied to the fastener





Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CX6RWS7	X6™ SAE Open End Ratcheting Wrench Set	Storage Tray	3	1.20 kg



2 PC. X6™ 4-IN-1 RATCHETING WRENCH SETS

- Innovative stepped box ends deliver access and clearance
- 5 degree ratcheting arc provides great access to fasteners
- Fits 6 fastener types - Hex, Square, 12 pt., E-Torx®, Rounded Hex, and Spline
- Smooth profile allows for more torque to be comfortably applied to the fastener
- Each wrench is capable of 4 sizes: 5/16", 3/8", 7/16", 1/2", and 9/16", 5/8", 11/16", 3/4" for a total of 8 sizes in just 2 wrenches



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CX6DBM2	X6™ Ratcheting Metric Wrench Set 	Carded	3	0.50 kg
CX6DBS2	X6™ Ratcheting SAE Wrench Set 	Carded	3	0.50 kg

1/4" DRIVE

12 PC. 1/4" DRIVE 6 POINT SAE SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS0	1/4" Drive 6 Point SAE Socket Wrench Tool Set	Blow Mold Case	0.53 kg

20 PC. 1/4" DRIVE 6 POINT METRIC/SAE SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CSWS1	1/4" Drive 6 Point SAE/Metric Socket Wrench Tool Set	Storage Rack	10	0.60 kg

22 PC. 1/4" DRIVE 6 POINT METRIC STANDARD AND DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS3	1/4" Drive 6 Point Metric Standard and Deep Socket Wrench Tool Set	Blow Mold Case	0.97 kg



1/4" DRIVE

21 PC. 1/4" DRIVE 6 POINT SAE STANDARD & DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS2	1/4" Drive 6 Point SAE Standard & Deep Socket Wrench Set	Blow Mold Case	0.89 kg

43 PC. 1/4" DRIVE 6 POINT METRIC/SAE STANDARD AND DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS5	1/4" Drive, 6 Point SAE/Metric Standard and Deep Socket Wrench Tool Set	Blow Mold Case	2.03 kg

42 PC. 1/4" DRIVE BIT AND SOCKET SET

- 1/4" Ratchet Screwdriver Bit and Socket Set with 42 Tools for Daily Use
- Ratchet Screwdriver with Telescopic Shaft (max 130mm)
- Magnetic Bit Holder and Co-Molded Handle for Maximum Comfort and Ergonomic Working
- Socket Chrome-Vanadium with "SuperLock" Design
- All Components are fixed in a Handy plastic Case



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK42EU	1/4" Drive Bit and Socket Set	Blow Mold Case	6	0.95 kg

1/4" DRIVE

45 PC. 1/4" DRIVE MECHANICS TOOL SET

- Chrome-Vanadium and Superlock
- Sockets, Matte, in Chrome-Vanadium And Superlock-Quality
- All Pieces Are Fixed in a Handy Plastic Case with Carrying Handle



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK45NEU	1/4" Drive Mechanics Tool Set	Blow Mold Case	5	1.32 kg

64 PC. 1/4" DRIVE BIT SET

- 1/4" Bit Set with Quick Release Holder
- 64 Pieces
- Large Assortment for Private Industrial and Handcraft Applications
- All Components Are Fixed in a Handy Plastic Case



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CBK64EU	1/4" Drive Bit Set	Blow Mold Case	6	0.54 kg

1/4" DRIVE SPINNER HANDLE

- Dual Material Handle for Improved Comfort and Performance
- Chrome Plated Blades Provide Corrosion Resistance and Easy Cleaning
- Hang Hole can be used to Hang on Wall or with an Additional Driver to Create a T-Handle



Cat. No.	Description	Overall Length	Shelf Pack Qty.	Weight
CRW4	1/4" Drive Spinner Handle	235 mm	6	0.09 kg



3/8" DRIVE

30 PC. 3/8" DRIVE 12 POINT METRIC/SAE STANDARD AND DEEP MECHANICS TOOL SET

- World Famous Crescent® Brand
- Providing Quality Tools Since 1907
- Professional Quality, Cr-V Steel



Cat. No.	Description	Packaging	Weight
CTK30SET	30 Piece Socket and Tool Set with Hard Case and Wrap	Blow Mold Case	2.81 kg

3 PC. EXTENSION BAR SET

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CDTA15	3/8" Drive Extension Bar Set	Carded	6	0.47 kg

3/8" DRIVE

11 PC. 3/8" DRIVE 12 POINT SAE SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS6	3/8" Drive 12 Point SAE Socket Wrench Tool Set	Blow Mold Case	1.20 kg

20 PC. 3/8" DRIVE 12 POINT METRIC/SAE SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CSWS7	3/8" Drive 12 Point SAE/Metric Socket Wrench Tool Set	Blow Mold Case	10	1.26 kg

25 PC. 3/8" DRIVE 6 & 12 POINT SAE STANDARD & DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS8	3/8" Drive 6 and 12 Point SAE Standard and Deep Socket Wrench Tool Set	Blow Mold Case	2.86 kg



3/8" DRIVE

27 PC. 3/8" DRIVE 6 & 12 POINT METRIC STANDARD & DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection



Cat. No.	Description	Packaging	Weight
CSWS9	3/8" Drive 6 and 12 Point Metric Standard and Deep Socket Wrench Tool Set	Blow Mold Case	2.74 kg

52 PC. 3/8" DRIVE 6 AND 12 POINT METRIC/SAE STANDARD AND DEEP SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish




Cat. No.	Description	Packaging	Weight
CSWS10	3/8" Drive 6 and 12 Point SAE/Metric Standard and Deep Socket Wrench Tool Set	Blow Mold Case	4.98 kg

3/8" DRIVE

128 PC. 3/8" DRIVE 12 POINT METRIC/SAE MECHANICS TOOL SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Magnetic bit driver with dual material grip for increased leverage



Cat. No.	Description	Packaging	Weight
CTK128MP2	3/8" Drive 12 Point SAE/Metric Mechanics Tool Set	Blow Mold Case	6.12 kg

1/2" DRIVE

12 PC. 1/2" DRIVE 12 POINT SAE SOCKET WRENCH TOOL SET WITH CASE

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS11	1/2" Drive 12 Point SAE Socket Wrench Tool Set with Case	Blow Mold Case	2.08 kg



1/2" DRIVE

12 PC. 1/2" DRIVE 12 POINT SAE SOCKET WRENCH SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CSWS12	1/2" Drive 12 Point SAE Socket Wrench Tool Set	Storage Rack	5	1.71 kg

25 PC. 1/2" DRIVE MECHANICS TOOL SET

- The Set includes 25 pieces in high-quality, Chrome Vanadium and SuperLock
- All pieces are fixed in a handy plastic case with carrying handle
- Sockets matte in Chrome-Vanadium and SuperLock -Quality



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK25NEU	1/2" Drive Mechanics Tool Set	Blow Mold Case	5	3.95 kg

3/4" DRIVE

3/4" DRIVE SLIDING T-BAR

- Chrome Vanadium Steel for maximum strength
- Nickel Chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Shelf Pack Qty.	Weight
CRW24	3/4" Drive Sliding T-Handle	511 mm	2	1.33 kg

ADAPTERS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Female Drive Size	Male Drive Size	Shelf Pack Qty.	Weight
CDTA0	1/4" Drive 1/4" F x 3/8" M Adapter	87 mm	1/4"	3/8"	6	0.02 kg
CDTA1	3/8" Drive F x 1/4" Drive M, Adapter	87 mm	3/8"	1/4"	6	0.03 kg
CDTA2	3/8" Drive F x 1/2" Drive M, Adapter	95 mm	3/8"	1/2"	6	0.05 kg
CDTA3	1/2" Drive F x 3/8" Drive M, Adapter	95 mm	1/2"	3/8"	6	0.05 kg
CDTA4	1/2" Drive F x 3/4" Drive M, Adapter	107 mm	1/2"	3/4"	6	0.14 kg
CDTA5	3/4" Drive F x 1/2" Drive M, Adapter	131 mm	3/4"	1/2"	6	0.22 kg

EXTENSION BARS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection

Cat. No.	Description	Length	Overall Length	Shelf Pack Qty.	Weight
CDA6	1/4" Drive Extension, 2"	51 mm	110 mm	6	0.03 kg
CDA7	1/4" Drive Extension, 6"	153 mm	211 mm	6	0.07 kg
CDA8	3/8" Drive Extension, 3"	77 mm	136 mm	6	0.08 kg
CDA9	3/8" Drive Extension, 6"	153 mm	211 mm	6	0.15 kg
CDA10	3/8" Drive Extension, 10"	254 mm	313 mm	6	0.24 kg
CDA11	1/2" Drive Extension, 3"	77 mm	136 mm	6	0.13 kg
CDA12	1/2" Drive Extension, 5"	127 mm	186 mm	6	0.28 kg
CDA13	1/2" Drive Extension, 10"	254 mm	313 mm	6	0.40 kg
CRW20	3/4" Drive Extension, 4"	102 mm	176 mm	4	0.43 kg
CRW21	3/4" Drive Extension, 8"	204 mm	280 mm	3	0.80 kg
CRW22	3/4" Drive Extension, 16"	407 mm	470 mm	4	1.55 kg



FLEX HANDLES / BREAKER BARS

- Chrome Vanadium Alloy Steel for Maximum Strength
- Nickel Chrome Plated for Long Lasting Protection



Cat. No.	Description	Overall Length	Shelf Pack Qty.	Weight
CRW5	1/4" Drive Flex Handle / Breaker Bar	200 mm	6	0.13 kg
CRW15	3/8" Drive Flex Handle / Breaker Bar, 10"	300 mm	6	0.33 kg
CRW16	1/2" Drive Flex Handle / Breaker Bar, 18"	490 mm	6	0.87 kg
CRW23	3/4" Drive Flex Handle / Breaker Bar, 19"	535 mm	2	1.80 kg



3 PC. UNIVERSAL JOINT & ADAPTER SET

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection
- Maximum operation angle of 45 degrees

Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CDTA14	Universal Joint & Adapter Set	Blow Mold Case	6	0.13 kg



12 PC. 1/4" AND 3/8" DRIVE TORX® BIT SOCKET SET

- Full Polish Nickel Chrome Plated Base
- Includes Storage Rack



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CBSS2	1/4" and 3/8" Drive Torx® Bit Socket Set	Storage Rack	12	0.42 kg

UNIVERSAL JOINTS

- Maximum operation angle of 45 degrees
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Female Drive Size	Male Drive Size	Overall Length	Shelf Pack Qty.	Weight
CDTA16	1/4"	1/4"	94 mm	6	0.03 kg
CDTA17	3/8"	3/8"	110 mm	6	0.07 kg
CDTA18	1/2"	1/2"	129 mm	6	0.15 kg

MECHANICS TOOL SETS

170 PC. 1/4", 3/8", AND 1/2" DRIVE 6 AND 12 POINT METRIC/SAE MECHANICS TOOL SET

- Carefully selected assortment of Crescent® brand hand tools
- Set contains all the tools needed for most applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes
- All tools in this set meet stringent new Industry Standards and come with a full satisfaction guarantee
- CTK170CMP2 same as CTK170MP but case is closed



Cat. No.	Description	Packaging	Weight
CTK170CMP	170 Piece Mechanics' Tool Set	Blow Mold Case	9.16 kg
CTK170MP	170 Piece Mechanics' Tool Set	Blow Mold Case	9.16 kg
CTK170CMP2	170 Piece Mechanics' Tool Set	Blow Mold Case	9.16 kg

148 PC. 1/4", 3/8", AND 1/2" DRIVE 6 AND 12 POINT METRIC/SAE MECHANICS TOOL SET

- Carefully selected assortment of Crescent® brand hand tools
- Set contains all the tools needed for most applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes
- All tools in this set meet stringent new Industry Standards and come with a full satisfaction guarantee



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK148MP	1/4", 3/8", and 1/2" Drive 6 and 12 Point SAE/Metric Mechanics Tool Set	Blow Mold Case	2	7.17 kg

140 PC. 1/4", 3/8", AND 1/2" DRIVE 6 AND 12 POINT METRIC/SAE MECHANICS TOOL SET

- Carefully selected assortment of Crescent® brand hand tools
- Set contains all the tools needed for most industrial applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes
- All tools are industrial-quality, meeting stringent new Industry Standards, and come with a full satisfaction guarantee



Cat. No.	Description	Packaging	Weight
CTK140CMP	1/4", 3/8", and 1/2" Drive 6 and 12 Point SAE/Metric Mechanics Tool Set	Blow Mold Case	11.02 kg



110 PC. 1/4" AND 1/2" DRIVE MECHANICS TOOL SET

- The Set includes 110 pieces in high Chrome-Vanadium quality
- All pieces are fixed in a handy plastic case
- Sockets matte chromed
- Pliers Chrome Vanadium mirror finished with co-molded handles



mm 6 12

Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK110NEU	Professional 1/4" and 1/2" Drive Tool Set with 110 pieces	Blow Mold Case	3	8.39 kg

95 PC. HOME OWNER SET

- Professional Home Owner Tool Set with 95 Pieces, Specially Designed for Home and Professional Applications.
- All Components Are Fixed in a Handy Plastic Case with Carrying Handle.




mm 6 12

Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK95NEU	Professional Home Owner Tool Set with 95 Tools	Blow Mold Case	3	8.30 kg

84 PC. 1/4" AND 3/8" DRIVE 6 AND 12 POINT METRIC/SAE MECHANICS TOOL SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Magnetic bit driver with dual material grip for increased leverage



mm SAE 6 12

Cat. No.	Description	Packaging	Weight
CTK84CMP	1/4" and 3/8" Drive 6 and 12 Point SAE/Metric Mechanics Tool Set	Blow Mold Case	3.10 kg

61 PC. 1/2" DRIVE TOOL SET IN METAL BOX

- Professional Tool Box with 61 Tools.
- For Mechanical Works – for Home an Professional Applications
- All Components Are Fixed in a Robust, Red Metal Box With Carrying Handle.




mm 6 12

Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTB61EU	1/2" Drive Tool Set	Metal Box	1	13.15 kg

70 PC. 1/4" AND 3/8" DRIVE 6 AND 12 POINT METRIC/SAE MECHANICS TOOL SET


- Carefully selected assortment of Crescent® brand hand tools
- Set contains 1/4" and 3/8" quick-release ratcheting drives, 32 SAE and metric sockets, 12 SAE and metric combination wrenches, plus 24 other tools, this is one of the most versatile tool selections ever assembled
- All tools meet stringent new Industry Standards, and come with a full satisfaction guarantee



Cat. No.	Description	Packaging	Weight
CTK70MP	70 Piece Socket and Tool Set with Hard Case and Wrap	Blow Mold Case	3.29 kg

45 PC. 1/4" AND 3/8" DRIVE 6 AND 12 POINT METRIC/SAE SOCKET WRENCH TOOL SET

- 72-tooth Ratchet requires only a 5° swing
- Large quick-release button for easy operation
- Sockets feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSWS13	1/4" and 3/8" Drive 6 and 12 Point SAE/Metric Socket Wrench Tool Set	Blow Mold Case	2.53 kg

47 PC. 1/4" DRIVE BIT AND SOCKET SET

- Bit and Socket Set 1/4", Reversible Ratchet Handle With Flexible Head, 47 Components
- All Sockets Are in High Quality Chrome-Vanadium and Superlock-Design, Bits Are Made From High Quality Steel And Are Perfect for Almost All Applications
- All Components Are Fixed in a Handy Plastic Case



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTK47EU	1/4" Drive Bit and Socket Set	Blow Mold Case	6	0.95 kg



QUICK RELEASE RATCHETS

- 72 Tooth Ratchet requires only a 5° swing
- Full Polish for Comfort
- Chrome Vanadium Alloy Steel for maximum strength
- Nickel Chrome Plated for Long Lasting Protection
- Dual Material Grip for added Comfort



Cat. No.	Description	Head Width	Overall Length	Shelf Pack Qty.	Weight
CRW0	1/4" Drive Quick Release Ratchet - Polished Handle	51 mm	202 mm	6	0.18 kg
CRW6	3/8" Drive Quick Release Ratchet - Polished Handle	51 mm	261 mm	6	0.37 kg
CRW12	1/2" Drive Quick Release Ratchet - Polished Handle	61 mm	312 mm	6	0.68 kg
CRH12EU	1/2" Drive Quick Release Ratchet - Dual Material Handle		270 mm	6	0.64 kg

QUICK RELEASE DUAL MATERIAL RATCHETS

- 72 Tooth Ratchet requires only a 5° swing
- Dual Material Grip for added Comfort
- Chrome Vanadium Alloy Steel for maximum strength
- Nickel Chrome Plated for Long Lasting Protection



Cat. No.	Description	Head Width	Overall Length	Shelf Pack Qty.	Weight
CRW1	1/4" Drive Quick Release Ratchet - Dual Material Handle	51 mm	216 mm	6	0.20 kg
CRW7	3/8" Drive Quick Release Ratchet - Dual Material Handle	51 mm	273 mm	6	0.40 kg
CRW13	1/2" Drive Quick Release Ratchet - Dual Material Handle	61 mm	325 mm	6	0.70 kg

1/4" QUICK RELEASE RATCHET HANDLES

- Solid Version Made of Chrome-Vanadium Steel
- Ratchet Mechanism with 72 Teeth
- Spring Loaded Square Drive
- Quick Release Button
- Left-right-switch
- Non-Slip, Ergonomic Co-Molded Grip



Cat. No.	Description	Overall Length	Packaging	Shelf Pack Qty.	Weight
CRH14EU	1/4" Quick Release Ratchet Handles	155 mm	Carded	6	0.14 kg

RATCHETS

1/4" DRIVE PEAR HEAD RATCHET

- Pear-Head Design
- 72 Tooth Gear System Requires Only 5 Degree Swing
- Reversible
- Chrome Vanadium for Maximum Strength
- Meets or Exceeds Industry Standard Load Specs



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
RD08BK	Ratchet Drive, 1/4", Chrome-plated	Bagged	5	0.11 kg

3/8" DRIVE QUICK RELEASE CUSHION GRIP RATCHET

- 72 Tooth Ratchet requires only a 5° swing
- Dual Material Grip for added Comfort
- Chrome Vanadium Alloy Steel for maximum strength
- Nickel Chrome Plated for Long Lasting Protection



Cat. No.	Description	Overall Length	Packaging	Shelf Pack Qty.	Weight
CRH38EU	3/8" Drive Quick Release Cushion Grip Ratchet	220 mm	Carded	6	0.32 kg

ROTO RATCHETS

- Ratchet Head Rotates 180° for Greater Access When Working in Confined Spaces and Around Obstructions
- Fine Tooth Ratchet Requires less than 5° Swing Arc to get Fastener Started and Greater Access
- Dual Material Cushion Grip, Holds up well Against Oil and Grease, for Comfortable Non-Slip Grip



Cat. No.	Description	Head Width	Overall Length	Shelf Pack Qty.	Weight
CRW2	1/4" Drive Rotator Ratchet	32 mm	172 mm	5	0.16 kg
CRW8	3/8" Drive Rotator Ratchet	44 mm	250 mm	5	0.39 kg

2 PC. ROTO RATCHET SET

- Ratchet Head Rotates 180° for Greater Access When Working in Confined Spaces and Around Obstructions
- Fine Tooth Ratchet Requires less than 5° Swing Arc to get Fastener Started and Greater Access
- Dual Material Cushion Grip, Holds up well Against Oil and Grease, for Comfortable Non-Slip Grip



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CRW17	1/4" and 3/8" Drive Roto Ratchet Set	Carded	4	0.55 kg



3/8" DRIVE STUBBY RATCHET

- 72 Tooth Ratchet requires only a 5° swing
- Full Polish for Comfort
- Chrome Vanadium Alloy Steel for maximum strength



Cat. No.	Description	Head Width	Overall Length	Shelf Pack Qty.	Weight
CRW11	3/8" Drive Quick Release Stubby Ratchet - Polished Handle	51 mm	176 mm	6	0.27 kg

FLEX HEAD RATCHETS

- 72 Tooth Ratchet requires only a 5° swing
- Full Polish for Comfort
- Chrome Vanadium Alloy Steel for maximum strength



Cat. No.	Description	Head Width	Overall Length	Shelf Pack Qty.	Weight
CRW10	3/8" Drive Quick Release Flex Head Ratchet - Polished Handle	35 mm	289 mm	6	0.49 kg
CRW14	1/2" Drive Quick Release Flex Head Ratchet - Polished Handle	42 mm	384 mm	6	0.80 kg

3/4" DRIVE RATCHET HANDLE

- Chrome Vanadium Steel for maximum strength
- Nickel Chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Shelf Pack Qty.	Weight
CRW19	3/4" Drive Ratchet	563 mm	2	2.40 kg

SOCKETS

3/8" DRIVE HEX BIT SOCKETS

- Chrome Vanadium alloy steel socket base for long lasting durability
- Nickel chrome plated socket base for long lasting protection



Cat. No.	Description	Fastener Size	Length	Shelf Pack Qty.	Width	Weight
CHBS7	3/8" Drive Hex Bit Socket, 4mm	4 mm	108 mm	6	19 mm	0.04 kg
CHBS8	3/8" Drive Hex Bit Socket, 5mm	5 mm	108 mm	6	19 mm	0.04 kg
CHBS9	3/8" Drive Hex Bit Socket, 6mm	6 mm	108 mm	6	19 mm	0.05 kg
CHBS10	3/8" Drive Hex Bit Socket, 7mm	7 mm	108 mm	6	19 mm	0.05 kg
CHBS11	3/8" Drive Hex Bit Socket, 8mm	8 mm	108 mm	6	19 mm	0.05 kg
CHBS12	3/8" Drive Hex Bit Socket, 10mm	10 mm	108 mm	6	19 mm	0.06 kg
CHBS0	3/8" Drive Hex Bit Socket, 1/8"	1/8"	108 mm	6	19 mm	0.04 kg
CHBS1	3/8" Drive Hex Bit Socket, 5/32"	5/32"	108 mm	6	19 mm	0.04 kg
CHBS2	3/8" Drive Hex Bit Socket, 3/16"	3/16"	108 mm	6	19 mm	0.04 kg
CHBS3	3/8" Drive Hex Bit Socket, 7/32"	7/32"	108 mm	6	19 mm	0.04 kg
CHBS4	3/8" Drive Hex Bit Socket, 1/4"	1/4"	108 mm	6	19 mm	0.05 kg
CHBS5	3/8" Drive Hex Bit Socket, 5/16"	5/16"	108 mm	6	19 mm	0.05 kg
CHBS6	3/8" Drive Hex Bit Socket, 3/8"	3/8"	108 mm	6	19 mm	0.06 kg

1/4" AND 3/8" DRIVE TORX® BIT SOCKETS

- Chrome Vanadium alloy steel socket base for long lasting durability
- Nickel chrome plated socket base for long lasting protection



Cat. No.	Description	Fastener Size	Length	Shelf Pack Qty.	Width	Weight
CDTS0	1/4" Drive TORX® Bit Socket, T-10	T-10	98 mm	6	14 mm	0.02 kg
CDTS1	1/4" Drive TORX® Bit Socket, T-15	T-15	98 mm	6	14 mm	0.02 kg
CDTS2	1/4" Drive TORX® Bit Socket, T-20	T-20	98 mm	6	14 mm	0.02 kg
CDTS3	1/4" Drive TORX® Bit Socket, T-25	T-25	98 mm	6	14 mm	0.02 kg
CDTS4	1/4" Drive TORX® Bit Socket, T-27	T-27	98 mm	6	14 mm	0.02 kg
CDTS5	1/4" Drive TORX® Bit Socket, T-30	T-30	98 mm	6	14 mm	0.02 kg
CDTS6	3/8" Drive TORX® Bit Socket, T-40	T-40	108 mm	6	19 mm	0.04 kg
CDTS7	3/8" Drive TORX® Bit Socket, T-45	T-45	108 mm	6	19 mm	0.05 kg
CDTS8	3/8" Drive TORX® Bit Socket, T-47	T-47	108 mm	6	19 mm	0.05 kg
CDTS9	3/8" Drive TORX® Bit Socket, T-50	T-50	108 mm	6	19 mm	0.05 kg
CDTS10	3/8" Drive TORX® Bit Socket, T-55	T-55	108 mm	6	19 mm	0.05 kg
CDTS11	3/8" Drive TORX® Bit Socket, T-60	T-60	108 mm	6	19 mm	0.06 kg



7 PC. 3/8" DRIVE HEX BIT SOCKET SETS

- Full Polish Nickel Chrome Plated Base
- Includes Storage Rack



Cat. No.	Description	Packaging	Weight
CBSS1	3/8" Drive Metric Hex Bit Socket Set	Storage Rack	0.33 kg
CBSS0	3/8" Drive SAE Hex Bit Socket Set	Storage Rack	0.33 kg

SPARK PLUG SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Length	Width	Shelf Pack Qty.	Weight
CSPS0	3/8" Drive Spark Plug Socket, 5/8"	125 mm	23 mm	6	0.10 kg
CSPS1	3/8" Drive Spark Plug Socket, 3/4"	125 mm	26 mm	6	0.15 kg
CSPS2	3/8" Drive Spark Plug Socket, 13/16"	125 mm	27 mm	6	0.15 kg
CSPS3	1/2" Drive 6 Point 5/8" Spark Plug Socket	126 mm	23 mm	6	0.10 kg
CSPS4	1/2" Drive 6 Point 13/16" Spark Plug Socket	126 mm	23 mm	6	0.15 kg

8 PC. 1/2" DRIVE 12 POINT STANDARD SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CSAS1	8 Pc. 1/2" Drive 12 Point Metric Socket Set	Storage Rack	12	0.60 kg
CSAS0	8 Pc. 1/2" Drive 12 Point SAE Socket Set	Storage Rack	12	0.70 kg

8 PC. 1/2" DRIVE 6 POINT DEEP SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSAS3	8 Pc. 1/2" Drive 6 Point Metric Deep Socket Set	Storage Rack	1.20 kg
CSAS2	8 Pc. 1/2" Drive 6 Point SAE Deep Socket Set	Storage Rack	1.39 kg

9 PC. 3/8" DRIVE 12 POINT STANDARD SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CSAS5	3/8" Drive 12 Point Metric Socket Set	Storage Rack	1	0.39 kg
CSAS4	3/8" Drive 12 Point SAE Socket Set	Storage Rack	1	0.38 kg

9 PC. 3/8" DRIVE 6 POINT DEEP SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSAS7	3/8" Drive 6 Point Metric Deep Socket Set	Storage Rack	0.80 kg
CSAS6	3/8" Drive 6 Point SAE Deep Socket Set	Storage Rack	0.79 kg



10 PC. 1/4" DRIVE 6 POINT SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSAS9	1/4" Drive 6 Point Metric Socket Set	Storage Rack	0.22 kg
CSAS8	1/4" Drive 6 Point SAE Socket Set	Storage Rack	0.20 kg



10 PC. 1/4" DRIVE 6 POINT DEEP SOCKET SETS

- Feature Surface Drive® technology to virtually eliminate fastener rounding
- Chrome Vanadium Steel
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CSAS11	1/4" Drive 6 Point Metric Deep Socket Set	Storage Rack	0.37 kg
CSAS10	1/4" Drive 6 Point SAE Deep Socket Set	Storage Rack	0.34 kg



8 PC. 1/2" DRIVE 6 POINT IMPACT SOCKET SETS

- Chrome Vanadium Steel for maximum strength
- Corrosion resistant black oxide coating
- Laser markings for easy identification
- Exceeds Industry Standards



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CIMS1	1/2" Drive 6 Point Metric Impact Socket Set	Storage Rack	12	0.83 kg
CIMS3	1/2" Drive 6 Point Metric Impact Deep Socket Set	Storage Rack		1.66 kg
CIMS0	1/2" Drive 6 Point SAE Impact Socket Set	Storage Rack	12	0.84 kg
CIMS2	1/2" Drive 6 Point SAE Impact Deep Socket Set	Storage Rack		1.72 kg



1/4" DRIVE 6 POINT STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDS11	1/4" Drive 6 Point Standard Metric Socket 4mm	4 mm	86 mm	12 mm	6	0.02 kg
CDS12	1/4" Drive 6 Point Standard Metric Socket 5mm	5 mm	86 mm	12 mm	6	0.02 kg
CDS13	1/4" Drive 6 Point Standard Metric Socket 6mm	6 mm	86 mm	12 mm	6	0.02 kg
CDS14	1/4" Drive 6 Point Standard Metric Socket 7mm	7 mm	86 mm	12 mm	6	0.02 kg
CDS15	1/4" Drive 6 Point Standard Metric Socket 8mm	8 mm	86 mm	12 mm	6	0.02 kg
CDS16	1/4" Drive 6 Point Standard Metric Socket 9mm	9 mm	86 mm	15 mm	6	0.02 kg
CDS17	1/4" Drive 6 Point Standard Metric Socket 10mm	10 mm	86 mm	15 mm	6	0.02 kg
CDS18	1/4" Drive 6 Point Standard Metric Socket 11mm	11 mm	86 mm	18 mm	6	0.03 kg
CDS19	1/4" Drive 6 Point Standard Metric Socket 12mm	12 mm	86 mm	19 mm	6	0.03 kg
CDS20	1/4" Drive 6 Point Standard Metric Socket 13mm	13 mm	86 mm	19 mm	6	0.04 kg
CDS0	1/4" Drive 6 Point Standard SAE Socket 5/32"	5/32 in	86 mm	12 mm	6	0.02 kg
CDS1	1/4" Drive 6 Point Standard SAE Socket 3/16"	3/16 in	86 mm	12 mm	6	0.02 kg
CDS2	1/4" Drive 6 Point Standard SAE Socket 7/32"	7/32 in	86 mm	12 mm	6	0.02 kg
CDS3	1/4" Drive 6 Point Standard SAE Socket 1/4"	1/4 in	86 mm	12 mm	6	0.02 kg
CDS4	1/4" Drive 6 Point Standard SAE Socket 9/32"	9/32 in	86 mm	12 mm	6	0.02 kg
CDS5	1/4" Drive 6 Point Standard SAE Socket 5/16"	5/16 in	86 mm	12 mm	6	0.02 kg
CDS6	1/4" Drive 6 Point Standard SAE Socket 11/32"	11/32 in	86 mm	12 mm	6	0.02 kg
CDS7	1/4" Drive 6 Point Standard SAE Socket 3/8"	3/8 in	86 mm	12 mm	6	0.03 kg
CDS8	1/4" Drive 6 Point Standard SAE Socket 7/16"	7/16 in	86 mm	15 mm	6	0.03 kg
CDS9	1/4" Drive 6 Point Standard SAE Socket 1/2"	1/2 in	86 mm	15 mm	6	0.04 kg



1/4" DRIVE 6 POINT DEEP SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDDS11	1/4" Drive 6 Point Deep Metric Socket 4mm	4 mm	110 mm	13 mm	6	0.03 kg
CDDS12	1/4" Drive 6 Point Deep Metric Socket 5mm	5 mm	110 mm	13 mm	6	0.03 kg
CDDS13	1/4" Drive 6 Point Deep Metric Socket 6mm	6 mm	110 mm	13 mm	6	0.03 kg
CDDS14	1/4" Drive 6 Point Deep Metric Socket 7mm	7 mm	110 mm	13 mm	6	0.03 kg
CDDS15	1/4" Drive 6 Point Deep Metric Socket 8mm	8 mm	110 mm	13 mm	6	0.03 kg
CDDS16	1/4" Drive 6 Point Deep Metric Socket 9mm	9 mm	110 mm	13 mm	6	0.04 kg
CDDS17	1/4" Drive 6 Point Deep Metric Socket 10mm	10 mm	110 mm	13 mm	6	0.04 kg
CDDS18	1/4" Drive 6 Point Deep Metric Socket 11mm	11 mm	110 mm	15 mm	6	0.05 kg
CDDS19	1/4" Drive 6 Point Deep Metric Socket 12mm	12 mm	110 mm	18 mm	6	0.06 kg
CDDS0	1/4" Drive 6 Point Deep SAE Socket 5/32"	5/32 in	110 mm	13 mm	6	0.03 kg
CDDS1	1/4" Drive 6 Point Deep SAE Socket 3/16"	3/16 in	110 mm	13 mm	6	0.03 kg
CDDS2	1/4" Drive 6 Point Deep SAE Socket 7/32"	7/32 in	110 mm	13 mm	6	0.03 kg
CDDS3	1/4" Drive 6 Point Deep SAE Socket 1/4"	1/4 in	110 mm	13 mm	6	0.03 kg
CDDS4	1/4" Drive 6 Point Deep SAE Socket 9/32"	9/32 in	110 mm	13 mm	6	0.03 kg
CDDS5	1/4" Drive 6 Point Deep SAE Socket 5/16"	5/16 in	110 mm	13 mm	6	0.04 kg
CDDS6	1/4" Drive 6 Point Deep SAE Socket 11/32"	11/32 in	110 mm	13 mm	6	0.04 kg
CDDS7	1/4" Drive 6 Point Deep SAE Socket 3/8"	3/8 in	110 mm	15 mm	6	0.05 kg
CDDS8	1/4" Drive 6 Point Deep SAE Socket 7/16"	7/16 in	110 mm	18 mm	6	0.05 kg
CDDS9	1/4" Drive 6 Point Deep SAE Socket 1/2"	1/2 in	110 mm	19 mm	6	0.06 kg
CDDS9	1/4" Drive 6 Point Deep SAE Socket 1/2"	1/2 in	110 mm	19 mm	6	0.06 kg

3/8" DRIVE 12 POINT STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDS37	3/8" Drive 12 Point Standard Metric Socket 7mm	7 mm	89 mm	19 mm	6	0.03 kg
CDS38	3/8" Drive 12 Point Standard Metric Socket 8mm	8 mm	89 mm	19 mm	6	0.03 kg
CDS39	3/8" Drive 12 Point Standard Metric Socket 9mm	9 mm	89 mm	19 mm	6	0.03 kg
CDS40	3/8" Drive 12 Point Standard Metric Socket 10mm	10 mm	89 mm	19 mm	6	0.03 kg
CDS41	3/8" Drive 12 Point Standard Metric Socket 11mm	11 mm	89 mm	19 mm	6	0.03 kg
CDS42	3/8" Drive 12 Point Standard Metric Socket 12mm	12 mm	89 mm	19 mm	6	0.03 kg
CDS43	3/8" Drive 12 Point Standard Metric Socket 13mm	13 mm	89 mm	19 mm	6	0.04 kg
CDS44	3/8" Drive 12 Point Standard Metric Socket 14mm	14 mm	89 mm	21 mm	6	0.05 kg
CDS45	3/8" Drive 12 Point Standard Metric Socket 15mm	15 mm	89 mm	23 mm	6	0.05 kg
CDS46	3/8" Drive 12 Point Standard Metric Socket 16mm	16 mm	89 mm	23 mm	6	0.05 kg
CDS47	3/8" Drive 12 Point Standard Metric Socket 17mm	17 mm	89 mm	25 mm	6	0.06 kg
CDS48	3/8" Drive 12 Point Standard Metric Socket 18mm	18 mm	89 mm	25 mm	6	0.06 kg
CDS49	3/8" Drive 12 Point Standard Metric Socket 19mm	19 mm	89 mm	28 mm	6	0.07 kg
CDS51	3/8" Drive 12 Point Standard Metric Socket 21mm	21 mm	89 mm	28 mm	6	0.09 kg
CDS52	3/8" Drive 12 Point Standard Metric Socket 22mm	22 mm	89 mm	28 mm	6	0.10 kg
CDS23	3/8" Drive 12 Point Standard SAE Socket 1/4"	1/4 in	89 mm	17 mm	6	0.03 kg
CDS24	3/8" Drive 12 Point Standard SAE Socket 5/16"	5/16 in	89 mm	17 mm	6	0.03 kg
CDS25	3/8" Drive 12 Point Standard SAE Socket 3/8"	3/8 in	89 mm	17 mm	6	0.03 kg
CDS26	3/8" Drive 12 Point Standard SAE Socket 7/16"	7/16 in	89 mm	17 mm	6	0.03 kg
CDS27	3/8" Drive 12 Point Standard SAE Socket 1/2"	1/2 in	89 mm	19 mm	6	0.04 kg
CDS28	3/8" Drive 12 Point Standard SAE Socket 9/16"	9/16 in	89 mm	21 mm	6	0.04 kg
CDS29	3/8" Drive 12 Point Standard SAE Socket 5/8"	5/8 in	89 mm	21 mm	6	0.05 kg
CDS30	3/8" Drive 12 Point Standard SAE Socket 11/16"	11/16 in	89 mm	24 mm	6	0.06 kg
CDS31	3/8" Drive 12 Point Standard SAE Socket 3/4"	3/4 in	89 mm	26 mm	6	0.07 kg
CDS32	3/8" Drive 12 Point Standard SAE Socket 13/16"	13/16 in	89 mm	28 mm	6	0.09 kg
CDS33	3/8" Drive 12 Point Standard SAE Socket 7/8"	7/8 in	89 mm	30 mm	6	0.10 kg



3/8" DRIVE 6 POINT DEEP LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDDS38	3/8" Drive 6 Point Deep Metric Socket 8mm	8 mm	124 mm	18 mm	6	0.06 kg
CDDS39	3/8" Drive 6 Point Deep Metric Socket 9mm	9 mm	124 mm	18 mm	6	0.06 kg
CDDS40	3/8" Drive 6 Point Deep Metric Socket 10mm	10 mm	124 mm	18 mm	6	0.06 kg
CDDS41	3/8" Drive 6 Point Deep Metric Socket 11mm	11 mm	124 mm	19 mm	6	0.06 kg
CDDS42	3/8" Drive 6 Point Deep Metric Socket 12mm	12 mm	124 mm	21 mm	6	0.07 kg
CDDS43	3/8" Drive 6 Point Deep Metric Socket 13mm	13 mm	124 mm	21 mm	6	0.08 kg
CDDS44	3/8" Drive 6 Point Deep Metric Socket 14mm	14 mm	124 mm	21 mm	6	0.09 kg
CDDS45	3/8" Drive 6 Point Deep Metric Socket 15mm	15 mm	124 mm	22 mm	6	0.10 kg
CDDS46	3/8" Drive 6 Point Deep Metric Socket 16mm	16 mm	124 mm	23 mm	6	0.10 kg
CDDS47	3/8" Drive 6 Point Deep Metric Socket 17mm	17 mm	124 mm	25 mm	6	0.12 kg
CDDS48	3/8" Drive 6 Point Deep Metric Socket 18mm	18 mm	124 mm	26 mm	6	0.14 kg
CDDS49	3/8" Drive 6 Point Deep Metric Socket 19mm	19 mm	124 mm	26 mm	6	0.14 kg
CDDS23	3/8" Drive 6 Point Deep SAE Socket 1/4"	1/4 in	124 mm	18 mm	6	0.07 kg
CDDS24	3/8" Drive 6 Point Deep SAE Socket 5/16"	5/16 in	124 mm	18 mm	6	0.07 kg
CDDS25	3/8" Drive 6 Point Deep SAE Socket 3/8"	3/8 in	124 mm	18 mm	6	0.07 kg
CDDS26	3/8" Drive 6 Point Deep SAE Socket 7/16"	7/16 in	124 mm	18 mm	6	0.07 kg
CDDS27	3/8" Drive 6 Point Deep SAE Socket 1/2"	1/2 in	124 mm	20 mm	6	0.08 kg
CDDS28	3/8" Drive 6 Point Deep SAE Socket 9/16"	9/16 in	124 mm	21 mm	6	0.09 kg
CDDS29	3/8" Drive 6 Point Deep SAE Socket 5/8"	5/8 in	124 mm	24 mm	6	0.10 kg
CDDS30	3/8" Drive 6 Point Deep SAE Socket 11/16"	11/16 in	124 mm	25 mm	6	0.12 kg
CDDS31	3/8" Drive 6 Point Deep SAE Socket 3/4"	3/4 in	124 mm	26 mm	6	0.15 kg
CDDS32	3/8" Drive 6 Point Deep SAE Socket 13/16"	13/16 in	124 mm	28 mm	6	0.16 kg
CDDS33	3/8" Drive 6 Point Deep SAE Socket 7/8"	7/8 in	124 mm	30 mm	6	0.19 kg

1/2" DRIVE 12 POINT STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDS72	1/2" Drive 12 Point Standard Metric Socket 12mm	12 mm	101 mm	23 mm	6	0.05 kg
CDS73	1/2" Drive 12 Point Standard Metric Socket 13mm	13 mm	101 mm	23 mm	6	0.06 kg
CDS74	1/2" Drive 12 Point Standard Metric Socket 14mm	14 mm	101 mm	23 mm	6	0.06 kg
CDS75	1/2" Drive 12 Point Standard Metric Socket 15mm	15 mm	101 mm	23 mm	6	0.06 kg
CDS76	1/2" Drive 12 Point Standard Metric Socket 16mm	16 mm	101 mm	23 mm	6	0.06 kg
CDS77	1/2" Drive 12 Point Standard Metric Socket 17mm	17 mm	101 mm	25 mm	6	0.08 kg
CDS78	1/2" Drive 12 Point Standard Metric Socket 18mm	18 mm	101 mm	26 mm	6	0.08 kg
CDS79	1/2" Drive 12 Point Standard Metric Socket 19mm	19 mm	101 mm	26 mm	6	0.08 kg
CDS80	1/2" Drive 12 Point Standard Metric Socket 20mm	20 mm	101 mm	28 mm	6	0.10 kg
CDS81	1/2" Drive 12 Point Standard Metric Socket 21mm	21 mm	101 mm	28 mm	6	0.10 kg
CDS82	1/2" Drive 12 Point Standard Metric Socket 22mm	22 mm	101 mm	30 mm	6	0.11 kg
CDS84	1/2" Drive 12 Point Standard Metric Socket 24mm	24 mm	101 mm	33 mm	6	0.13 kg
CDS87	1/2" Drive 12 Point Standard Metric Socket 27mm	27 mm	101 mm	37 mm	6	0.18 kg
CDS53	1/2" Drive 12 Point Standard SAE Socket 7/16"	7/16 in	101 mm	23 mm	6	0.06 kg
CDS54	1/2" Drive 12 Point Standard SAE Socket 1/2"	1/2 in	101 mm	23 mm	6	0.06 kg
CDS55	1/2" Drive 12 Point Standard SAE Socket 9/16"	9/16 in	101 mm	23 mm	6	0.06 kg
CDS56	1/2" Drive 12 Point Standard SAE Socket 5/8"	5/8 in	101 mm	23 mm	6	0.06 kg
CDS57	1/2" Drive 12 Point Standard SAE Socket 11/16"	11/16 in	101 mm	25 mm	6	0.08 kg
CDS58	1/2" Drive 12 Point Standard SAE Socket 3/4"	3/4 in	101 mm	26 mm	6	0.09 kg
CDS59	1/2" Drive 12 Point Standard SAE Socket 13/16"	13/16 in	101 mm	28 mm	6	0.10 kg
CDS60	1/2" Drive 12 Point Standard SAE Socket 7/8"	7/8 in	101 mm	30 mm	6	0.12 kg
CDS61	1/2" Drive 12 Point Standard SAE Socket 15/16"	15/16 in	101 mm	33 mm	6	0.14 kg
CDS62	1/2" Drive 12 Point Standard SAE Socket 1"	1 in	104 mm	36 mm	6	0.16 kg
CDS63	1/2" Drive 12 Point Standard SAE Socket 1-1/16"	1-1/16 in	104 mm	37 mm	6	0.18 kg
CDS64	1/2" Drive 12 Point Standard SAE Socket 1-1/8"	1-1/8 in	104 mm	39 mm	6	0.20 kg
CDS66	1/2" Drive 12 Point Standard SAE Socket 1-1/4"	1-1/4 in	104 mm	42 mm	6	0.26 kg



1/2" DRIVE 6 POINT DEEP LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Shelf Pack Qty.	Weight
CDDS71	1/2" Drive 6 Point Deep Metric Socket 12mm	12 mm	137 mm	23 mm	6	0.13 kg
CDDS72	1/2" Drive 6 Point Deep Metric Socket 13mm	13 mm	137 mm	23 mm	6	0.13 kg
CDDS73	1/2" Drive 6 Point Deep Metric Socket 14mm	14 mm	137 mm	23 mm	6	0.13 kg
CDDS74	1/2" Drive 6 Point Deep Metric Socket 15mm	15 mm	137 mm	23 mm	6	0.13 kg
CDDS75	1/2" Drive 6 Point Deep Metric Socket 16mm	16 mm	137 mm	23 mm	6	0.13 kg
CDDS76	1/2" Drive 6 Point Deep Metric Socket 17mm	17 mm	137 mm	25 mm	6	0.15 kg
CDDS77	1/2" Drive 6 Point Deep Metric Socket 18mm	18 mm	137 mm	26 mm	6	0.17 kg
CDDS78	1/2" Drive 6 Point Deep Metric Socket 19mm	19 mm	137 mm	26 mm	6	0.17 kg
CDDS80	1/2" Drive 6 Point Deep Metric Socket 21mm	21 mm	137 mm	28 mm	6	0.20 kg
CDDS55	1/2" Drive 6 Point Deep SAE Socket 7/16"	7/16 in	137 mm	23 mm	6	0.12 kg
CDDS56	1/2" Drive 6 Point Deep SAE Socket 1/2"	1/2 in	137 mm	23 mm	6	0.12 kg
CDDS57	1/2" Drive 6 Point Deep SAE Socket 9/16"	9/16 in	137 mm	23 mm	6	0.12 kg
CDDS58	1/2" Drive 6 Point Deep SAE Socket 5/8"	5/8 in	137 mm	23 mm	6	0.12 kg
CDDS59	1/2" Drive 6 Point Deep SAE Socket 11/16"	11/16 in	137 mm	25 mm	6	0.15 kg
CDDS60	1/2" Drive 6 Point Deep SAE Socket 3/4"	3/4 in	137 mm	27 mm	6	0.17 kg
CDDS61	1/2" Drive 6 Point Deep SAE Socket 13/16"	13/16 in	137 mm	28 mm	6	0.20 kg
CDDS62	1/2" Drive 6 Point Deep SAE Socket 7/8"	7/8 in	137 mm	30 mm	6	0.24 kg
CDDS63	1/2" Drive 6 Point Deep SAE Socket 15/16"	15/16 in	137 mm	33 mm	6	0.27 kg
CDDS64	1/2" Drive 6 Point Deep SAE Socket 1"	1 in	137 mm	35 mm	6	0.31 kg
CDDS65	1/2" Drive 6 Point Deep SAE Socket 1-1/16"	1-1/16 in	137 mm	37 mm	6	0.34 kg
CDDS66	1/2" Drive 6 Point Deep SAE Socket 1-1/8"	1-1/8 in	137 mm	39 mm	6	0.39 kg
CDDS67	1/2" Drive 6 Point Deep SAE Socket 1-1/4"	1-1/4 in	137 mm	43 mm	5	0.48 kg

3/4" DRIVE 12 POINT SAE STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Fastener Size	Length	Width	Packaging	Shelf Pack Qty.	Weight
CDS91	3/4" Drive 12 Point Socket 7/8"	7/8 in	125 mm	37 mm	Carded	6	0.21 kg
CDS92	3/4" Drive 12 Point Socket 15/16"	15/16 in	125 mm	37 mm	Carded	6	0.21 kg
CDS93	3/4" Drive 12 Point Socket 1"	1 in	126 mm	39 mm	Carded	6	0.26 kg
CDS94	3/4" Drive 12 Point Socket 1-1/16"	1-1/16 in	126 mm	39 mm	Carded	6	0.26 kg
CDS95	3/4" Drive 12 Point Socket 1-1/8"	1-1/8 in	126 mm	41 mm	Carded	6	0.27 kg
CDS97	3/4" Drive 12 Point Socket 1-1/4"	1-1/4 in	131 mm	44 mm	Carded	6	0.31 kg
CDS98	3/4" Drive 12 Point Socket 1-5/16"	1-5/16 in	132 mm	46 mm	Carded	6	0.34 kg
CDS99	3/4" Drive 12 Point Socket 1-3/8"	1-3/8 in	133 mm	46 mm	Carded	6	0.34 kg
CDS100	3/4" Drive 12 Point Socket 1-7/16"	1-7/16 in	133 mm	51 mm	Carded	6	0.43 kg
CDS101	3/4" Drive 12 Point Socket 1-1/2"	1-1/2 in	136 mm	53 mm	Carded	6	0.49 kg
CDS102	3/4" Drive 12 Point Socket 1-5/8"	1-5/8 in	137 mm	56 mm	Carded	6	0.57 kg
CDS103	3/4" Drive 12 Point Socket	1-11/16 in	140 mm	58 mm	Carded	6	0.65 kg
CDS104	3/4" Drive 12 Point Socket 1-3/4"	1-3/4 in	140 mm	60 mm	Carded	6	0.65 kg
CDS105	3/4" Drive 12 Point Socket	1-13/16 in	142 mm	66 mm	Carded	6	0.68 kg
CDS106	3/4" Drive 12 Point Socket 1-7/8"	1-7/8 in	146 mm	66 mm	Carded	6	0.72 kg
CDS107	3/4" Drive 12 Point Socket 2"	2 in	148 mm	71 mm	Carded	6	0.79 kg

SOCKET RAILS

- Perfect to store, organize, and easily find all your sockets
- Drilled at end for easy attachment to wall, workbench, or drawer



Cat. No.	Description	Shelf Pack Qty.	Weight
CSR0	1/4" Drive Socket Rail	12	0.18 kg
CSR1	3/8" Drive Socket Rail	12	0.20 kg
CSR2	1/2" Drive Socket Rail	12	0.21 kg

10 PC. 3/8" DRIVE FLARE NUT CROWFOOT WRENCH SETS

- Carbon Steel
- Full polish finish
- Large stamp markings for easy size identification



Cat. No.	Description	Packaging	Weight
CCFWS1	3/8" Drive Metric Flare Nut Crowfoot Wrench Set	Plastic Rail	0.56 kg
CCFWS0	3/8" Drive SAE Flare Nut Crowfoot Wrench Set	Plastic Rail	0.56 kg





**5 PC. 4, 6, 8, 10, 12" CHROME PLATED
ADJUSTABLE WRENCH SET, FIRST GENERATION**

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Regular, Satin Finished Handle



Cat. No.	Description	Packaging	Weight
AC5	Chrome Finish Adjustable Wrench Set	Boxed	1.29 kg

**3 PC. 6, 8, 10" CHROME PLATED ADJUSTABLE
WRENCH SET, FIRST GENERATION**

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Regular, Satin Finished Handle



Cat. No.	Description	Packaging	Weight
AC3	Chrome Finish Adjustable Wrench Set	Boxed	0.97 kg

CHROME PLATED ADJUSTABLE WRENCHES, FIRST GENERATION

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Regular, Satin Finished Handle



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AC14	4" Chrome Finish Adjustable Wrench	13 mm	102 mm	Bagged	6	0.05 kg
AC14BK	4" Chrome Finish Adjustable Wrench, Bulk	13 mm	102 mm	Bulk / No UPC		0.05 kg
AC14V	4" Chrome Finish Adjustable Wrench, Carded	13 mm	102 mm	Carded	6	0.09 kg
AC16	6" Chrome Finish Adjustable Wrench	24 mm	153 mm	Bagged	6	0.14 kg
AC16BK	6" Chrome Finish Adjustable Wrench, Bulk	24 mm	153 mm	Bulk / No UPC		0.16 kg
AC16V	6" Chrome Finish Adjustable Wrench, Carded	24 mm	153 mm	Carded	6	0.19 kg
AC18	8" Chrome Finish Adjustable Wrench	29 mm	204 mm	Bagged	6	0.27 kg
AC18BK	8" Chrome Finish Adjustable Wrench, Bulk	29 mm	204 mm	Bulk / No UPC		0.18 kg
AC18V	8" Chrome Finish Adjustable Wrench, Carded	29 mm	204 mm	Carded	6	0.27 kg
AC110	10" Chrome Finish Adjustable Wrench	34 mm	254 mm	Boxed	6	0.49 kg
AC110BK	10" Chrome Finish Adjustable Wrench, Bulk	34 mm	254 mm	Bulk / No UPC		0.36 kg
AC110V	10" Chrome Finish Adjustable Wrench, Carded	34 mm	254 mm	Carded	6	0.53 kg
AC112	12" Chrome Finish Adjustable Wrench	39 mm	305 mm	Boxed	6	0.79 kg
AC112BK	12" Chrome Finish Adjustable Wrench, Bulk	39 mm	305 mm	Bulk / No UPC		0.68 kg
AC112V	12" Chrome Finish Adjustable Wrench, Carded	39 mm	305 mm	Carded	6	0.84 kg

3 PC. 6, 8, 10" BLACK OXIDE ADJUSTABLE WRENCH SET, FIRST GENERATION

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Oxide Finish Resists Corrosion
- Polished Head and Regular Handle, Non-Slip Grip



Cat. No.	Description	Packaging	Weight
AT3	Black Oxide Finish Adjustable Wrench Set	Boxed	0.86 kg



BLACK OXIDE ADJUSTABLE WRENCHES, FIRST GENERATION

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Oxide Finish Resists Corrosion
- Polished Head and Regular Handle, Non-Slip Grip



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AT14	4" Black Oxide Finish Adjustable Wrench	13 mm	102 mm	Bagged	6	0.07 kg
AT14BK	4" Black Oxide Finish Adjustable Wrench, Bulk	13 mm	102 mm	Bulk / No UPC		0.05 kg
AT14V	4" Black Oxide Finish Adjustable Wrench, Carded	13 mm	102 mm	Carded	6	0.09 kg
AT16	6" Black Oxide Finish Adjustable Wrench	24 mm	153 mm	Bagged	6	0.16 kg
AT16BK	6" Black Oxide Finish Adjustable Wrench, Bulk	24 mm	153 mm	Bulk / No UPC		0.14 kg
AT16V	6" Black Oxide Finish Adjustable Wrench, Carded	24 mm	153 mm	Carded	6	0.18 kg
AT18	8" Black Oxide Finish Adjustable Wrench	29 mm	204 mm	Bagged	6	0.23 kg
AT18BK	8" Black Oxide Finish Adjustable Wrench, Bulk	29 mm	204 mm	Bulk / No UPC		0.28 kg
AT18V	8" Black Oxide Finish Adjustable Wrench, Carded	29 mm	204 mm	Carded	6	0.29 kg
AT110	10" Black Oxide Finish Adjustable Wrench	29 mm	254 mm	Boxed	6	0.49 kg
AT110BK	10" Black Oxide Finish Adjustable Wrench, Bulk	34 mm	254 mm	Bulk / No UPC	6	0.36 kg
AT110V	10" Black Oxide Finish Adjustable Wrench, Carded	34 mm	254 mm	Carded	6	0.52 kg
AT112	12" Black Oxide Finish Adjustable Wrench	39 mm	305 mm	Boxed	6	0.79 kg
AT112BK	12" Black Oxide Finish Adjustable Wrench, Bulk	39 mm	305 mm	Bulk / No UPC		0.68 kg
AT112V	12" Black Oxide Finish Adjustable Wrench, Carded	39 mm	305 mm	Carded	6	0.84 kg

3 PC. 6, 8, 10" BLACK PHOSPHATE CUSHION GRIP ADJUSTABLE WRENCH SET, SECOND GENERATION

- Wider Knurl for Easier Adjustment
- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Phosphate Finish Resists Corrosion
- Polished Head and Regular Handle, Non-Slip Grip



Cat. No.	Description	Packaging	Weight
AC26810CV	6, 8, 10" Black Phosphate Cushion Grip Adjustable Wrench Set, Second Generation	Boxed	1.1 kg

CHROME PLATED ADJUSTABLE WRENCHES, SECOND GENERATION

- Wider Knurl for Easier Adjustment
- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Regular, Satin Finished Handle



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AC24BK	4" Chrome Finish Adjustable Wrench	13 mm	102 mm	Bagged	6	0.06 kg
AC24VS	4" Chrome Finish Adjustable Wrench	13 mm	102 mm	Carded	3	0.07 kg
AC26BK	6" Chrome Finish Adjustable Wrench	24 mm	153 mm	Bagged	6	0.15 kg
AC26VS	6" Chrome Finish Adjustable Wrench	24 mm	153 mm	Carded	3	0.17 kg
AC28BK	8" Chrome Finish Adjustable Wrench	29 mm	204 mm	Bagged	6	0.27 kg
AC28VS	8" Chrome Finish Adjustable Wrench	29 mm	204 mm	Carded	3	0.28 kg
AC210BK	10" Chrome Finish Adjustable Wrench	34 mm	254 mm	Boxed	6	0.54 kg
AC210VS	10" Chrome Finish Adjustable Wrench	34 mm	254 mm	Carded	3	0.48 kg
AC212BK	12" Chrome Finish Adjustable Wrench	39 mm	305 mm	Boxed	6	0.87 kg
AC212VS	12" Chrome Finish Adjustable Wrench	39 mm	305 mm	Carded	3	0.82 kg

TAPERED HANDLE CHROME PLATED ADJUSTABLE WRENCHES, FIRST GENERATION

- For Professional, Industrial or Home Use
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Tapered, Satin Finished Handle for Better Two-Hand Grip and Less Weight



Cat. No.	Description	Jaw Capacity	Length	Packaging	Weight
AC115	15" Chrome Finish, Tapered Handle, Adjustable Wrench	43 mm	381 mm	Carded	1.22 kg
AC118	18" Chrome Finish, Tapered Handle, Adjustable Wrench	53 mm	458 mm	Carded	2.20 kg
AC124	24" Chrome Finish, Tapered Handle, Adjustable Wrench	62 mm	610 mm	Carded	3.40 kg



TAPERED HANDLE CHROME PLATED ADJUSTABLE WRENCHES, FIRST GENERATION

- For Professional, Industrial or Home Use
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Oxide Finish Resists Corrosion
- Tapered Handle for Better Two-Handed Grip and Less Weight



Cat. No.	Description	Jaw Capacity	Length	Packaging	Weight
AT115	15" Black Oxide Finish, Tapered Handle, Adjustable Wrench	43 mm	381 mm	Boxed	1.41 kg
AT118	18" Black Oxide Finish, Tapered Handle, Adjustable Wrench	53 mm	458 mm	Boxed	2.29 kg

BLACK OXIDE TAPERED HANDLE ADJUSTABLE WRENCHES, SECOND GENERATION

- Wider Knurl for Easier Adjustment
- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Oxide Finish Resists Corrosion
- Tapered Handle for Better Two-Handed Grip and Less Weight



Cat. No.	Description	Jaw Capacity	Length	Packaging	Weight
AT215BK	15" Black Oxide Finish, Tapered Handle, Adjustable Wrench	43 mm	381 mm	Boxed	1.45 kg
AT218BK	18" Black Oxide Finish, Tapered Handle, Adjustable Wrench	53 mm	458 mm	Boxed	2.40 kg

CONSTRUCTION WRENCH, BLACK OXIDE FINISH

- World Famous Crescent® Brand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Tapered Tang for Aligning Bolt Holes or Other Mating Parts
- Alloy Steel and Heat Treated for Toughest Jobs
- Black Oxide Finish Resists Corrosion



Cat. No.	Description	Jaw Capacity	Length	Packaging	Weight
AT10SPUD	10 5/8" Black Oxide Finish Construction Wrench	29 mm	254 mm	Carded	0.43 kg
AT115SPUD	16" Black Oxide Finish Construction Wrench	38 mm	407 mm	Carded	1.07 kg

3 PC. 6, 8, 10" CUSHION GRIP CHROME PLATED ADJUSTABLE WRENCH SET, FIRST GENERATION

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Red Non-Slip Cushion Grip



Cat. No.	Description	Packaging	Weight
AC3C	Chrome Finish Adjustable Wrench Set, Cushion Grip	Boxed	1.05 kg

CUSHION GRIP ADJUSTABLE WRENCHES, FIRST GENERATION

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Red Non-Slip Cushion Grip



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AC14C	4" Chrome Finish Adjustable Wrench, Cushion Grip	13 mm	102 mm	Bagged	6	0.09 kg
AC14CBK	4" Chrome Finish Adjustable Wrench, Cushion Grip, Bulk	13 mm	102 mm	Bulk / No UPC		0.03 kg
AC14CV	4" Chrome Finish Adjustable Wrench, Cushion Grip, Carded	13 mm	102 mm	Carded	6	0.06 kg
AC16C	6" Chrome Finish Adjustable Wrench, Cushion Grip	24 mm	153 mm	Bagged	6	0.18 kg
AC16CBK	6" Chrome Finish Adjustable Wrench, Cushion Grip, Bulk	24 mm	153 mm	Bulk / No UPC		0.16 kg
AC16CV	6" Chrome Finish Adjustable Wrench, Cushion Grip, Carded	24 mm	153 mm	Carded	6	0.14 kg
AC18C	8" Chrome Finish Adjustable Wrench, Cushion Grip	29 mm	204 mm	Bagged	6	0.27 kg
AC18CV	8" Chrome Finish Adjustable Wrench, Cushion Grip, Carded	29 mm	204 mm	Carded	6	0.27 kg
AC110C	10" Chrome Finish Adjustable Wrench, Cushion Grip	34 mm	254 mm	Boxed	6	0.53 kg
AC110CV	10" Chrome Finish Adjustable Wrench, Cushion Grip, Carded	34 mm	254 mm	Carded	6	0.57 kg
AC112C	12" Chrome Finish Adjustable Wrench, Cushion Grip	39 mm	305 mm	Boxed	6	0.88 kg
AC112CV	12" Chrome Finish Adjustable Wrench, Cushion Grip, Carded	39 mm	305 mm	Carded	6	0.84 kg
AC115C	15" Chrome Finish, Tapered Handle, Adjustable Wrench, Cushion Grip	43 mm	381 mm	Boxed		1.54 kg



**2 PC. 6, 10" BLACK PHOSPHATE CUSHION GRIP
ADJUSTABLE WRENCH SET, SECOND GENERATION**

- Wider Knurl for Easier Adjustment
- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Phosphate Finish Resists Corrosion
- Polished Head and Regular Handle, Non-Slip Grip



Cat. No.	Description	Shelf Pack Qty.	Packaging	Weight
AT2610CVS	6, 10" Black Oxide Cushion Grip Adjustable Wrench Set, Second Generation	3	Boxed	0.91 kg

**BLACK OXIDE CUSHION GRIP ADJUSTABLE
WRENCHES, FIRST GENERATION**

- For Professional, Industrial or Home Use
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Black Oxide Finish Resists Corrosion
- Polished Head and Regular Handle, Non-Slip Grip



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AT16C	6" Black Oxide Finish Adjustable Wrench, Cushion Grip	24 mm	153 mm	Bagged	6	0.14 kg
AT18C	8" Black Oxide Finish Adjustable Wrench, Cushion Grip	29 mm	204 mm	Bagged	6	0.29 kg
AT18CV	8" Black Oxide Finish Adjustable Wrench, Cushion Grip, Carded	29 mm	204 mm	Carded	6	0.27 kg
AT110C	10" Black Oxide Finish Adjustable Wrench, Cushion Grip	29 mm	254 mm	Boxed	6	0.45 kg
AT110CV	10" Black Oxide Finish Adjustable Wrench, Cushion Grip, Carded	29 mm	254 mm	Carded	6	0.52 kg
AT112C	12" Black Oxide Finish Adjustable Wrench, Cushion Grip	39 mm	305 mm	Boxed	6	0.77 kg
AT112CV	12" Black Oxide Finish Adjustable Wrench, Cushion Grip, Carded	39 mm	305 mm	Carded	6	0.77 kg

CUSHION GRIP ADJUSTABLE WRENCHES, SECOND GENERATION

- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Wider Knurl for Easier Adjustment
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Red Non-Slip Cushion Grip
- AC215CBK Features Tapered Handle



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AC24CBK	4" Chrome Finish Adjustable Wrench, Cushion Grip	13 mm	102 mm	Bagged	6	0.06 kg
AC24CVS	4" Chrome Finish Adjustable Wrench, Cushion Grip	13 mm	102 mm	Carded	3	0.07 kg
AC26CBK	6" Chrome Finish Adjustable Wrench, Cushion Grip	24 mm	153 mm	Bagged	6	0.15 kg
AC26CVS	6" Chrome Finish Adjustable Wrench, Cushion Grip	24 mm	153 mm	Carded	3	0.17 kg
AC28CBK	8" Chrome Finish Adjustable Wrench, Cushion Grip	29 mm	204 mm	Bagged	6	0.27 kg
AC28CVS	8" Chrome Finish Adjustable Wrench, Cushion Grip	29 mm	204 mm	Carded	3	0.28 kg
AC210CBK	10" Chrome Finish Adjustable Wrench, Cushion Grip	34 mm	254 mm	Boxed	6	0.54 kg
AC210CVS	10" Chrome Finish Adjustable Wrench, Cushion Grip	34 mm	254 mm	Carded	3	0.48 kg
AC212CBK	12" Chrome Finish Adjustable Wrench, Cushion Grip	39 mm	305 mm	Boxed	6	0.87 kg
AC212CVS	12" Chrome Finish Adjustable Wrench, Cushion Grip	39 mm	305 mm	Carded	3	0.82 kg
AC215CBK	15" Chrome Finish, Tapered Handle, Adjustable Wrench, Cushion Grip	43 mm	381 mm	Boxed		1.45 kg

3 PC. 6, 8, 10" CHROME PLATED ADJUSTABLE WRENCH SET, SECOND GENERATION

- Wider Knurl for Easier Adjustment
- Laser Etched Scale Provides a Quick and Convenient Way to Determine Fastener Size in Either SAE or Metric
- Wide Capacity Jaw Allows Each Tool to Work with More Fastener Sizes
- Wider Handle Provides More Comfort and Less Stress to the Hand
- Tension Spring Stabilizes Jaw and Knurl Adjusts Easily
- Alloy Steel and Heat Treated
- Proportioned Dimensions for Greatest Strength and Minimum Weight
- Chrome Plated Finish Resists Rust and Corrosion
- Polished Head and Regular, Satin Finished Handle



Cat. No.	Description	Packaging	Weight
AC26810VS	6, 8, 10" Chrome Plated Adjustable Wrench Set, Second Generation	Boxed	0.99 kg



2 PC. 6, 10" RAPIDSLIDE ADJUSTABLE WRENCH SET

- Slide Button Mechanism in Handle for Quick, Fast Adjustment
- DIY, Industrial or Professional Use
- 15/16" and 1.2" Jaw Capacity Works with Various Fastener Sizes
- Debris Shield Protects Slide Mechanism, and Maintains a Smooth Operation
- Forged Steel
- Chrome Finish Resists Rust and Corrosion
- Polished Head
- SAE/Metric Size Indicator on Jaw



Cat. No.	Description	Shelf Pack Qty.	Packaging	Weight
AC610RS	Crescent® 6" & 10" RapidSlide Adjustable Wrench	6	Carded	0.52 kg

RAPIDSLIDE™ ADJUSTABLE WRENCHES

- Slide Button Mechanism in Handle for Quick, Fast Adjustment
- DIY, Industrial or Professional Use
- 1.25" Jaw Capacity Allows Tool to Work with Various Fastener Sizes
- Wide Handle for Increased Leverage
- Debris Shield Protects Slide Mechanism, and Maintains a Smooth Operation
- Forged Steel
- Chrome Finish Resists Rust and Corrosion
- Polished Head
- SAE/Metric Size Indicator on Jaw



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
AC6NKWMP	6" RapidSlide™ Adjustable Wrench	24 mm	153 mm	Carded	6	0.29 kg
AC8NKWMP	8" RapidSlide™ Adjustable Wrench	26 mm	204 mm	Carded	6	0.48 kg
AC10NKWMP	10" RapidSlide™ Adjustable Wrench	32 mm	254 mm	Carded	6	0.83 kg

LIGHTED ADJUSTABLE WRENCH

- Dual LEDs in handle lights work area from both sides of wrench
- Handy on/off button recessed in handle for easy of operation
- Ergonomic handle design provides comfortable grip to reduce fatigue
- Automatic battery saver turns LEDs off after 3 minutes of no use
- Extra-wide jaw opens to 1-5/16" (33 mm)
- Locking mechanism allows for use as a standard adjustable wrench
- Large hang-hole makes storage easy



Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
ACL29VS	9" Lighted Adjustable Wrench	839 mm	229 mm	Carded	3	0.38 kg

RATCHETING ADJUSTABLE WRENCH

- Versatility – Movable Jaw Works on any 4 or 6 Point Fastener up to 15/16"
- Speed – Smooth Ratcheting Action is Intuitive and Easy to Use, Making Jobs Easier and Faster
- Comfort – Unique Handle Design Accommodates a wide variety of Hand Sizes and Shapes and Promotes Proper Use
- Convenience – Ratcheting On/Off Switch Allows Wrench to also be used as a Traditional Adjustable Wrench



Cat. No.	Description	Jaw Capacity	Length	Shelf Pack Qty.	Weight
ATR28	8" Ratcheting Adjustable Wrench	381/406 mm	265 mm	3	0.33 kg

R2 RAPID RENCH RATCHETING SOCKET WRENCH

- Adjustable Ratchet Socket Wrench
- Fits Hundreds of Fasteners.
- Replace 38 Most Popular Socket Sizes.
- For Sae and Metric
- Jaw capacity 1/4" to 7/8" / 6.35 mm to 22.2 mm
- Tighten or Loosen with the Flip of a Switch
- Dial Adjusts Jaw to Exact Size of Fastener
- Rubberized Comfort Grip for Extra Power
- 2nd Generation



Cat. No.	Shelf Pack Qty.	Weight
FR28SEU	4	0.54 kg



6 PC. 12 PT. POINT COMBINATION WRENCH SETS

- Chrome Vanadium Alloy Steel for long lasting durability
- Surface Drive® technology on box-end virtually eliminates fastener rounding
- Heat treated for maximum strength
- Sizes stamped on both sides for easy identification
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CCWS1	Metric Combination Wrench Set	Storage Tray	5	0.70 kg
CCWS0	SAE Combination Wrench Set	Storage Tray	5	0.70 kg

10 PC. 12 PT. POINT COMBINATION WRENCH SETS

- Chrome Vanadium Alloy Steel for long lasting durability
- Surface Drive® technology on box-end virtually eliminates fastener rounding
- Heat treated for maximum strength
- Sizes stamped on both sides for easy identification
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CCWS3	Metric Combination Wrench Set	Storage Tray	5	1.10 kg
CCWS2	SAE Combination Wrench Set	Storage Tray	5	1.06 kg

15 PC. 12 PT. METRIC COMBINATION WRENCH SET

- Chrome Vanadium Alloy Steel for long lasting durability
- Surface Drive® technology on box-end virtually eliminates fastener rounding
- Heat treated for maximum strength
- Sizes stamped on both sides for easy identification
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CCWS5	Metric Combination Wrench Set	Canvas Pouch	2.58 kg

14 PC. 12 PT. SAE COMBINATION WRENCH SET

- Chrome Vanadium Alloy Steel for long lasting durability
- Surface Drive® technology on box-end virtually eliminates fastener rounding
- Heat treated for maximum strength
- Sizes stamped on both sides for easy identification
- Nickel Chrome plated for long lasting protection
- Mirror polish finish



Cat. No.	Description	Packaging	Weight
CCWS4	SAE Combination Wrench Set	Canvas Pouch	5.75 kg



12 PT. COMBINATION WRENCHES



- Full polished for comfort and ease of use
- Sizes stamped on both sides for easy reading
- Nickel chrome plated for long lasting protection
- Chrome Vanadium alloy steel for long lasting durability



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CCW18	7mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.03 kg
CCW19	8mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.03 kg
CCW20	9mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.04 kg
CCW21	10mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.05 kg
CCW22	11mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.07 kg
CCW23	12mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.07 kg
CCW24	13mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.08 kg
CCW25	14mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.09 kg
CCW26	15mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.13 kg
CCW27	16mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.13 kg
CCW28	17mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.14 kg
CCW29	18mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.19 kg
CCW30	19mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.20 kg
CCW31	20mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.28 kg
CCW32	21mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.28 kg
CCW33	22mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.29 kg
CCW35	24mm 12 Point Metric Full Polish Combination Wrench	Carded	6	0.39 kg
CCW0	1/4" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.03 kg
CCW1	5/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.03 kg
CCW3	3/8" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.05 kg
CCW4	7/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.07 kg
CCW5	1/2" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.08 kg
CCW6	9/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.09 kg
CCW7	5/8" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.13 kg
CCW8	11/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.14 kg
CCW9	3/4" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.20 kg
CCW10	13/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.28 kg
CCW11	7/8" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.29 kg
CCW12	15/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.39 kg
CCW13	1" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.40 kg
CCW14	1-1/16" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.55 kg
CCW15	1-1/8" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.65 kg

12 PT. SAE JUMBO COMBINATION WRENCHES



- Sizes stamped on both sizes for easy reading
- Chrome Vanadium alloy steel for long lasting durability



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CCW16	1-1/4" 12 Point SAE Full Polish Combination Wrench	Carded	6	0.88 kg
CJCW0	1-5/16" Jumbo Combination Wrench		6	1.01 kg
CJCW1	1-3/8" Jumbo Combination Wrench		6	1.09 kg
CJCW2	1-7/16" Jumbo Combination Wrench		6	1.44 kg
CJCW3	1-1/2" Jumbo Combination Wrench		6	1.51 kg
CJCW4	1-5/8" Jumbo Combination Wrench		5	1.91 kg
CJCW5	1-11/16" Jumbo Combination Wrench		5	2.02 kg
CJCW6	1-3/4" Jumbo Combination Wrench		5	2.39 kg
CJCW7	1-13/16" Jumbo Combination Wrench		5	2.50 kg
CJCW8	1-7/8" Jumbo Combination Wrench		3	3.03 kg
CJCW9	2" Jumbo Combination Wrench		3	3.00 kg

AUTOMOBILE ADJUSTABLE WRENCHES



- General Purpose Adjustable Automobile Wrench
- Sliding Jaw
- Forged From Crescent® Special Analysis Tool Steel
- Chrome-Plated
- Precision Machined; Exceeds Industry Standards

Cat. No.	Description	Jaw Capacity	Length	Packaging	Shelf Pack Qty.	Weight
C79H	9" Chrome-plated Auto Wrench, Carded	70 mm	229 mm	Carded	6	0.46 kg
C711H	11" Chrome-plated Auto Wrench, Carded	76 mm	280 mm	Carded	6	0.68 kg
C715	15" Chrome-plated Auto Wrench	92 mm	381 mm	Boxed		1.45 kg
C718	18" Chrome-plated Auto Wrench	111 mm	458 mm	Boxed		2.09 kg

3 PC. FLARE NUT WRENCH SETS

- Chrome Vanadium Steel for maximum strength
- Full polish finish for professional appearance
- Chrome plating to resist rust
- Exceeds Industry Standards




Cat. No.	Description	Shelf Pack Qty.	Weight
CFNWS1	3 Pc. Metric Flare Nut Wrench Set	5	0.33 kg
CFNWS0	3 Pc. SAE Flare Nut Wrench Set	5	0.33 kg



CHAIN WRENCHES

- Double-Action Allows Use in Either Direction
- Designed for Confined Areas When Ordinary Pipe Wrenches Will Not Fit
- Excellent for Pipe Fittings
- Concave-Cut Teeth for Improved Gripping; Easily Resharpenerd If Needed
- U.S. Patent No. 3304817
- Chrome Plated to Resist Rust
- Strong I-Beam Handle Construction

Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CW12H	12" Chain Wrench	Carded	6	0.84 kg
CW15	15" Chain Wrench	Boxed		1.25 kg
CW24	24" Chain Wrench	Boxed		1.63 kg



2 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Weight
CSD2	Dual Material Screwdriver Set	Carded	0.24 kg

4 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Weight
CSD4PC	Dual Material Screwdriver Set	Carded	0.31 kg

6 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Weight
CSD6	Dual Material Screwdriver Set	Carded	0.48 kg

10 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle
- Includes 2 Pocket Clip Screwdrivers



Cat. No.	Description	Packaging	Weight
CSD10	Dual Material Screwdriver Set	Carded	0.75 kg



DUAL MATERIAL, PHILLIPS TIP, ROUND SHANK SCREWDRIVERS

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
CSDP34V	Dual Material Screwdriver, Phillips #1 X 4"	102 mm	Carded	3	0.06 kg
CSDP34	Dual Material Screwdriver, Phillips #1 X 4"	102 mm	Bulk		0.05 kg
CSDP41V	Dual Material Screwdriver, Phillips #2 X 1-1/4"	32 mm	Carded	3	0.05 kg
CSDP44V	Dual Material Screwdriver, Phillips #2 X 4"	102 mm	Carded	3	0.10 kg
CSDP44	Dual Material Screwdriver, Phillips #2 X 4"	102 mm	Bulk		0.08 kg
CSDP46V	Dual Material Screwdriver, Phillips #2 X 6"	153 mm	Carded	3	0.10 kg
CSDP48V	Dual Material Screwdriver, Phillips #2 X 8"	204 mm	Carded	3	0.11 kg
CSDP56V	Dual Material Screwdriver, Phillips #3 X 6"	153 mm	Carded	3	0.14 kg

DUAL MATERIAL, TORX TIP, ROUND SHANK SCREWDRIVERS

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CTD10V	Dual Material Screwdriver, T-10 Torx®	Carded	3	0.06 kg
CTD15V	Dual Material Screwdriver, T-15 Torx®	Carded	3	0.06 kg
CTD20V	Dual Material Screwdriver, T-20 Torx®	Carded	3	0.06 kg
CTD25V	Dual Material Screwdriver, T-25 Torx®	Carded	3	0.10 kg
CTD27V	Dual Material Screwdriver, T-27 Torx®	Carded	3	0.10 kg
CTD30V	Dual Material Screwdriver, T-30 Torx®	Carded	3	0.10 kg
CTD40V	Dual Material Screwdriver, T-40 Torx®	Carded	3	0.12 kg

DUAL MATERIAL, SLOTTED TIP, SQUARE SHANK SCREWDRIVERS

- Black Oxide Tips: Strong and Durable Construction with Blasted Tip to Reduce Slippage
- Chrome Plated Blades: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
CSDS44V	Dual Material Screwdriver, Square Shaft, Slotted 1/4" X 4"	102 mm	Carded	3	0.10 kg
CSDS44	Dual Material Screwdriver, Square Shaft, Slotted 1/4" X 4"	102 mm	Bulk		0.09 kg
CSDS56V	Dual Material Screwdriver, Square Shaft, Slotted 5/16" X 6"	153 mm	Carded	3	0.13 kg
CSDS56	Dual Material Screwdriver, Square Shaft, Slotted 5/16" X 6"	153 mm	Bulk		0.12 kg
CSD33V	Dual Material Screwdriver, Slotted 3/16" X 3"	77 mm	Carded	3	0.07 kg
CSD36V	Dual Material Screwdriver, Slotted 3/16" X 6"	153 mm	Carded	3	0.06 kg
CSD36	Dual Material Screwdriver, Slotted 3/16" X 6"	153 mm	Bulk		0.05 kg
CSD30V	Dual Material Screwdriver, Slotted 3/16" X 10"	254 mm	Carded	3	0.08 kg
CSD41V	Dual Material Screwdriver, Slotted 1/4" X 1-1/4"	32 mm	Carded	3	0.05 kg
CSD44V	Dual Material Screwdriver, Slotted 1/4" X 4"	102 mm	Carded	3	0.10 kg
CSD144	Dual Material Screwdriver, Slotted 1/4" X 4"	102 mm	Bulk		0.08 kg
CSD46V	Dual Material Screwdriver, Slotted 1/4" X 6"	153 mm	Carded	3	0.10 kg
CSD56V	Dual Material Screwdriver, Slotted 5/16" X 6"	153 mm	Carded	3	0.14 kg
CSD56	Dual Material Screwdriver, Slotted 5/16" X 6"	153 mm	Bulk		0.15 kg
CSD58V	Dual Material Screwdriver, Slotted 3/8" X 8"	204 mm	Carded	3	0.17 kg

6 PC. SERIES 2000 CUSHION GRIP SCREWDRIVER SET

- Crescent® Series 2000 Screwdriver Set
- 6 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouch



2006	Series 2000 6-Piece Screwdriver Set	Pouch	0.93 kg
------	-------------------------------------	-------	---------

8 PC. SERIES 2000 CUSHION GRIP SCREWDRIVER SET

- Crescent® Series 2000 Screwdriver Set
- Set Contains 8 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouches



2008MR	Series 2000 8-Piece Screwdriver Set	Pouch	3	1.36 kg
--------	-------------------------------------	-------	---	---------



10 PC. SERIES 2000 CUSHION GRIP SCREWDRIVER SET

- Crescent® Series 2000 Screwdriver Set
- Set Contains 10 Popular-Sized Screwdrivers
- Available in Convenient Reusable Plastic Pouch

Cat. No.	Description	Packaging	Weight
2010	Series 2000 10-Piece Screwdriver Set	Pouch	1.45 kg



SERIES 2000 MECHANIC'S CUSHION GRIP, SLOTTED TIP, ROUND SHANK SCREWDRIVERS

- Round Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A More Powerful, Comfortable Grip

Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
214310	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 10"	254 mm	Boxed	6	0.29 kg
21438	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 8"	204 mm	Boxed	6	0.25 kg
21436	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"	153 mm	Boxed	6	0.16 kg
21434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"	102 mm	Boxed	6	0.11 kg
21433	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 3"	77 mm	Boxed	6	0.09 kg
214312	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 12"	305 mm	Boxed	6	0.32 kg



SERIES 2000 MECHANIC'S CUSHION GRIP, SLOTTED TIP, SQUARE SHANK SCREWDRIVERS

- Square Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A Powerful, and Comfortable Grip

Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
23438	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 8"	204 mm	Boxed	6	0.29 kg
23436	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"	153 mm	Boxed	6	0.18 kg
23434	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"	102 mm	Boxed	6	0.11 kg
234312	Cushion Grip Slotted Series 2000 Screwdriver 3/8 x 12"	305 mm	Boxed	6	0.36 kg



SERIES 2000 ELECTRICIAN'S SLOTTED TIP, ROUND SHANK SCREWDRIVERS



- Round Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A Powerful, and Comfortable Grip

Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
21424	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 4"	102 mm	Boxed	6	0.11 kg
22438	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 8"	204 mm	Boxed	6	0.09 kg
22436	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 6"	153 mm	Boxed	6	0.08 kg
22434	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 4"	102 mm	Boxed	6	0.05 kg
22433	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 3"	77 mm	Boxed	6	0.07 kg
21426	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 6"	153 mm	Boxed	6	0.11 kg
224310	Cushion Grip Slotted Series 2000 Screwdriver 3/16 x 10"	254 mm	Boxed	6	0.11 kg

SERIES 2000 ELECTRICIAN'S SLOTTED TIP SCREWDRIVER



- Round, Specially Insulated Shaft
- Intended to Reduce Possibility of Shorting Wires
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A Powerful, and Comfortable Grip

Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
T24016	Cushion Grip Slotted Series 2000 Screwdriver 5/16 x 6"	153 mm	Boxed	6	0.16 kg

SERIES 2000 CUSHION GRIP, SLOTTED TIP, STUBBY SCREWDRIVER



- Square Shaft
- Wide Tip Easily Turns Damaged Heads
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A More Powerful, Comfortable Grip

Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
2343114	Cushion Grip Slotted Series 2000 Screwdriver 1/4 x 1.25"	32 mm	Boxed	6	0.05 kg



SERIES 2000 CUSHION GRIP, PHILLIPS SCREWDRIVERS

- Round Shaft
- Alloy Steel Incorporated Into Blade Extends Tip Life
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A Powerful, and Comfortable Grip
- Phillips® is A Registered Trademark of the Phillips Screw Company



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
2522	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 1.25"	32 mm	Boxed	6	0.07 kg
2503	Cushion Grip Phillips® Series 2000 Screwdriver #3 x 6"	153 mm	Boxed	6	0.16 kg
25024	Cushion Grip Phillips® Series 2000 Screwdriver #2 x 4"	102 mm	Boxed	6	0.14 kg
2504	Cushion Grip Phillips® Series 2000 Screwdriver #4 x 8"	204 mm	Boxed	6	0.27 kg
25013	Cushion Grip Phillips® Series 2000 Screwdriver #1 x 3"	77 mm	Boxed	6	0.07 kg

SERIES 2000 CUSHION GRIP, SCRATCH AWL

- Round Shaft
- Tapered, Torque-Enhancing Cushion Grip Handle
- Interlocks with Durable Core, Provides A Powerful, and Comfortable Grip



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
2245	3 7/8" Series 2000 Scratch Awl	99 mm	Boxed	6	0.09 kg

DUAL MATERIAL HOLLOW SHAFT NUTDRIVERS - SAE

- Chrome Plated Shafts: Provides Corrosion Resistance and Easy Cleaning - Sizes Laser Etched on Blade
- Dual Material Handles: Designed for Improved Comfort and Performance
- Hang Holes: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CND1V	Dual Material Hollow Shaft Nutdriver 3/16 x 3"	Carded	3	0.10 kg
CND2V	Dual Material Hollow Shaft Nutdriver 1/4 x 3"	Carded	3	0.10 kg
CND3V	Dual Material Hollow Shaft Nutdriver 5/16 x 3"	Carded	3	0.10 kg
CND4V	Dual Material Hollow Shaft Nutdriver 3/8 x 3"	Carded	3	0.12 kg
CND5V	Dual Material Hollow Shaft Nutdriver 7/16 x 3"	Carded	3	0.14 kg
CND6V	Dual Material Hollow Shaft Nutdriver 1/2 x 3"	Carded	3	0.15 kg

7- IN-1 DUAL MATERIAL SCREWDRIVER

- Dual Material Handle: Designed for Improved Comfort and Performance
- Hang Hole: Can Be Used to Hang on A Wall or with An Additional Driver to Create A T-Handle



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMBD7P	Dual Material Screwdriver - 7-in-1 Interchangeable Bit	Merchandiser	12	0.19 kg

6-IN-1 INTERCHANGEABLE BIT SCREWDRIVER

- Chrome/Nickel Plated for Longer Life
- Industrial Tool Steel Bits, Heat Treated, Tempered, Stress Relieved



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMB6V	Interchangeable Bit Screwdriver, Yellow Handle	Boxed	6	0.16 kg

4-IN-1 INTERCHANGEABLE BIT SCREWDRIVER

- Chrome/Nickel Plated for Longer Life
- Industrial Tool Steel Bits, Heat Treated, Tempered, Stress Relieved
- Includes: 3/16" Slotted, 9/32" Slotted, #1 Phillips®, #2 Phillips®



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMB4V	Interchangeable Bit Screwdriver, Orange Handle	Boxed	6	0.14 kg

6 PC. PRECISION SCREWDRIVER SET

- Includes Both Slotted and Phillips® Drivers
- Can Be Used for Jewelry Repair, Electronics Repair, and Detailed Work



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
SDPS6	Precision Screwdriver Set	Boxed	4	0.20 kg



WOOD HANDLE SCRATCH AWL

- 3 7/8" Long Steel Shaft
- Wood Handle



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
73	3 7/8" Wood Handle Scratch Awl	99 mm	Bagged	6	0.09 kg

POCKET CLIP SCREWDRIVERS

- Round Shaft
- Pocket Clip on Handle
- Phillips® is A Registered Trademark of the Phillips Screw Company



Cat. No.	Description	Blade Length	Packaging	Shelf Pack Qty.	Weight
550	No. 1 x 2" Genuine Phillips® Pocket Screwdriver with Clip	51 mm	Boxed	12	0.01 kg
5432	1/8" x 2" Professional Series Pocket Screwdriver with Clip	51 mm	Boxed	12	0.01 kg

CHAIN NOSE PLIERS, LONG


- Designed for Radio, Telephone & Other Electronic Work in Confined Areas
- Long Chain Nose with Serrated Jaws to Make Loops
- Electronically Induction Hardened
- Made of Forged Alloy Tool Steel and Individually Tested for Strength
- Polished Head
- Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
10336CVN	6-5/8" Long Chain Nose Solid Joint Pliers	Carded	6	0.17 kg
10336FSCN	6-5/8" Long Chain Nose Solid Joint Pliers, Cushion Grip		6	0.18 kg
10337CVN	7-1/2" Long Chain Nose Solid Joint Pliers, Cushion Grip	Carded	6	0.21 kg

CHAIN NOSE PLIERS, LONG WITH SIDE CUTTING


- Designed for Reaching Confined Areas
- Long Chain Nose with Fine Serrated Jaws to Make Wire Loops and Bends
- Electronically Induction Hardened Hand-Honed, Keen Side Cutting Edges
- Made of Forged Alloy Tool Steel
- Individually Tested for Strength and Cutting Ability
- Polished Head
- Red Non-Slip Cushion Handle Grips
- Spring Keeps Jaws Open



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
6546CVSMLN	6-5/8" Long Chain Nose Side Cutting Solid Joint Pliers, Cushion Grip	Carded	3	0.17 kg
6546N	6-5/8" Long Chain Nose Side Cutting Solid Joint Pliers	Boxed	6	0.15 kg
6546SCN	6-5/8" Long Chain Nose Side Cutting Solid Joint Pliers, Cushion Grip	Boxed	6	0.16 kg
6547CVN	7-1/2" Long Chain Nose Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.20 kg
6547N	7-1/2" Long Chain Nose Side Cutting Solid Joint Pliers	Boxed	6	0.17 kg
6548CVN	8" Long Nose Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.34 kg

NEEDLE NOSE PLIERS, BENT

- Designed for Working in Out-Of-The-Way Confined Corners
- Thin Bent Nose, Tempered Jaws Return to Normal When Pressure is Released
- Electronically Induction Hardened
- Made of Forged Alloy Tool Steel and Individually Tested for Strength
- Polished Head
- Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
8886CVN	6" Curved Needle Nose Solid Joint Pliers, Cushion Grip	Carded	6	0.21 kg



NEEDLE NOSE PLIERS, LONG

- Designed for Work in Tight, Narrow Areas
- Long Needle Nose with Excellent Gripping Ability
- Made of Forged Alloy Tool Steel and Individually Tested for Strength
- Polished Head
- Red Non-Slip Cushion Handle Grips
- Spring Keeps Jaws Open



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
7776CVN	6-1/2" Long Needle Nose Solid Joint Pliers, Cushion Grip	Carded	6	0.14 kg
7776SCN	6-1/2" Long Needle Nose Solid Joint Pliers, Cushion Grip Spring	Boxed	6	0.14 kg
7777CVN	7-15/32" Long Needle Nose Solid Joint Pliers, Cushion Grip	Carded	6	0.14 kg

DIAGONAL CUTTING PLIERS, FLUSH GROUND, PLASTIC HANDLE


- For Close Trimming of Gates and Sprue on Injection Molded Plastic Parts
- Flush Ground, Oval Shaped Jaws, Fine Point Permits Use in Confined Areas
- Polished Head
- Handle Coil Springs Reduce User Fatigue
- Blue Vinyl Cushion Grips



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
TP55N	5" Diagonal Solid Joint Cutter, Flush Ground	Diagonal	Boxed	6	0.14 kg
TP56N	6" Diagonal Solid Joint Cutter, Flush Ground	Diagonal	Boxed	6	0.16 kg
TP57N	7" Diagonal Solid Joint Cutter, Flush Ground	Diagonal	Boxed	6	0.25 kg

DIAGONAL CUTTING PLIERS, GENERAL PURPOSE


- Designed for General Wire Cutting in Confined Spaces
- Standard Jaw
- Electronically Induction Hardened and Hand-Honed
- Long Cutting Edges for Harder Wires
- Round Joint Design
- Made of Drop-Forged Alloy Steel
- Individually Tested for Strength and Cutting Ability
- Polished Head
- Red Non-Slip Cushion Handle Grips
- Spring Keeps Jaws Open - Where Applicable



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
9336N	6" Diagonal Cutting - General Purpose Pliers Heavy Duty	Bagged	6	0.18 kg
9336CVN	6" Diagonal Cutting - General Purpose Pliers Double Dip Cushion Grip	Carded	6	0.19 kg
9336SCN	6" Diagonal Cutting - General Purpose Pliers Spring, Cushion Grip	Bagged	6	0.18 kg
9337N	7" Diagonal Cutting - General Purpose Pliers Heavy Duty	Bagged	6	0.23 kg
9337CVN	7" Diagonal Cutting - General Purpose Pliers Double Dip Cushion Grip	Carded	6	0.27 kg

DIAGONAL CUTTING PLIERS, HEAVY

- Designed for Powerful, Heavy Cutting and Tip Cutting Bx Armored Cable
- Electronically Induction Hardened and Hand-Honed Cutting Edges
- Made of Forged Alloy Tool Steel
- Individually Tested for Strength and Cutting Ability
- Polished Head
- Full-Fashioned Handles for Maximum Leverage
- Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
7427CVN	7" Heavy Diagonal Cutting Pliers	Carded	6	0.32

DIAGONAL CUTTING PLIERS, HEAVY-DUTY

- Designed for Heavy-Duty Wire Cutting
- Electronically Induction Hardened Hand-Honed, Long Lasting Cutting Edges
- Made of Forged Alloy Tool Steel
- Individually Tested for Strength and Cutting Ability
- Polished Head
- Red Non-Slip Cushion Handle Grips
- Angled Head for Offset Cutting
- Standard Cutting Edges or Flush Cutting Edges



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
5427N	7" Heavy-Duty Diagonal Cutting Pliers Standard Cut, Heavy Duty	Bagged	6	0.29 kg
5427CVN	7" Heavy-Duty Diagonal Cutting Pliers Flush Cut, Double Dip Cushion Grip	Carded	6	0.29 kg
5437CEN	7" Heavy-Duty Diagonal Cutting Pliers Flush Cut	Bagged	6	0.25 kg
5428CN	8" Heavy-Duty Diagonal Cutting Pliers Standard Cut	Bagged	6	0.27 kg
5428CVN	8" Heavy-Duty Diagonal Cutting Pliers Flush Cut, Double Dip Cushion Grip	Carded	6	0.34 kg
5438CEN	8" Heavy-Duty Diagonal Cutting Pliers Flush Cut	Bagged	6	0.32 kg
5428N	8" Heavy-Duty Diagonal Cutting Pliers Standard Cut, Heavy Duty	Bagged	6	0.29 kg

DIAGONAL CUTTING PLIERS, HEAVY-DUTY, PLASTIC ERGONOMIC HANDLE

- Ergonomic Heavy-Duty Cutter
- Ergonomically Designed Handles Increase Productivity
- Reduces User Fatigue and Allowing Easier Gripping and Control
- Adjustable Stops Prolong Cutting Edge Life
- Handle Coil Springs Reduce User Fatigue



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
M57ERN	7" Ergonomic Heavy-Duty Solid Joint Cutter	Heavy Duty Diagonal	Boxed	6	0.27 kg



DIAGONAL CUTTING PLIERS, HEAVY-DUTY, PLASTIC HANDLE

- Ergonomic Heavy-Duty Diagonal Cutter
- Flush Ground Back for Close Cutting
- Adjustable Stops Prolong Cutting Edge Life
- Handle Coil Springs Reduce User Fatigue



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
M56RPN	6" Heavy-Duty Solid Joint Cutter	Heavy Duty Diagonal	Boxed	6	0.18 kg
M57RPN	7" Heavy-Duty Solid Joint Cutter	Heavy Duty Diagonal	Boxed	6	0.25 kg

DIAGONAL CUTTING PLIERS, THIN, PLASTIC HANDLE

- Extra Slim Design
- Ground Flat on Back Side
- Handle Coil Springs Reduce User Fatigue
- Blue Vinyl Cushion Grips
- Flush Ground Edges
- Oval Shape Jaws with Fine Point Are Throat Relief Ground for Clearance



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
P43N	4" Thin Diagonal Solid Joint Cutter	Diagonal Relieved	Boxed	6	0.09 kg
TP53N	5" Thin Diagonal Solid Joint Cutter	Diagonal Relieved	Boxed	6	0.09 kg
TP63N	6" Thin Diagonal Solid Joint Cutter	Diagonal Relieved	Boxed	6	0.18 kg

IRONWORKER'S PLIER

- Designed for Ironworkers to Tie Concrete Reinforcing Bars
- Jaws Remain Open with Coil Spring Yet Close with Normal Grip
- Hook Bend Handle to Reduce Slippage When Gripping and Pulling
- With Cutting Edge Relief



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
20509WSCVSMNLN	9-1/4" Lineman's High Leverage Solid Joint Pliers, Cushion Grip	Carded	3	0.32 kg

LINEMAN'S PLIERS, HEAVY-DUTY SIDE CUTTING

- Designed for the Requirements of Linemen, Cutting Many Gauges of Wire
- Electronically Induction Hardened, Durable and Keen Side Cutting Edges
- Made of Forged Alloy Tool Steel
- Polished Head



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
19507CVN	7-1/4" Heavy-duty Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.32 kg
19508CVN	8-5/8" Heavy-duty Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.43 kg

LINEMAN'S PLIERS, HIGH LEVERAGE

- Streamlined Head Design Allows Easy Sliding in and Out of Belt Loops
- Cutting Edges Cut Clean and Remain Sharp
- Electronically Induction Hardened, Durable and Hand Honed
- Made of Forged Alloy Steel
- Crestex® Insulated Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
20509N	9-1/4" Lineman's High Leverage Solid Joint Pliers	Boxed	6	0.50 kg
20509IVN	9-1/4" Lineman's High Leverage Pliers, Crestex® Insulated Grips	Carded	6	0.50 kg
20509CVSMLN	9-1/4" Lineman's High Leverage Solid Joint Pliers, Cushion Grip	Carded	3	0.50 kg

LINEMAN'S PLIERS, HIGH LEVERAGE ROUND NOSE

- Streamlined Head Design Allows Easy Sliding in and Out of Belt Loops
- Cutting Edges Cut Clean and Remain Sharp
- Electronically Induction Hardened, Durable and Hand Honed
- Made of Forged Alloy Steel



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
21508CVN	8-1/2" Lineman's High Leverage Round Nose Pliers, Cushion Grip	Carded	6	0.45 kg

LINEMAN'S PLIERS, SIDE CUTTING

- Designed for Electrical Work
- Electronically Induction Hardened, Durable and Keen Side Cutting Edges
- Made of Forged Alloy Tool Steel
- Polished Head
- Spring Tempered Handles with Non-Slip Cushion Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
507CVN	7-1/4" Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.32 kg
508CVN	8-5/16" Side Cutting Solid Joint Pliers, Cushion Grip	Carded	6	0.43 kg



TONQUE AND GROOVE PLIERS

- Rivet construction with precision machined joint interlock - assures smooth, positive joint action, no chance of slipping position or coming apart under load
- Unique tooth design - for better grip, increases torque transfer with less effort
- More jaw positions - 6, 8 or 10 positions, more flexibility and more grip comfort
- Increase capacity: 1-5/16" to 4-1/2"
- Unique alloy steel - construction with induction hardened teeth maximizes durability
- Straight jaws, offset, and self-locking adjustment
- V-jaws, offset and self-locking adjustment - allows for a firmer grip on all shapes



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
RT27CV	7" Tongue & Groove Plier, Straight Jaw, Black Phosphate	33 mm	Straight	Carded	6	0.24 kg
RT410CV	10" Tongue & Groove Plier, V-Jaw, Black Phosphate	46 mm	V-Jaw	Carded	6	0.49 kg
RT412CV	12" Tongue & Groove Plier, V-Jaw, Black Phosphate	76 mm	V-Jaw	Carded	6	0.71 kg
RT216CV	16" Tongue & Groove Plier, Straight Jaw, Black Phosphate	114 mm	Straight	Carded	3	1.41 kg

TONQUE AND GROOVE PLIERS, STRAIGHT JAW

- Made From Finest Quality Alloy Tool Steel
- Designed to Grip All Shapes Like Rods, Pipes and Cable Connections
- 10 Positions for More Flexibility and More Grip Comfort
- Precision-Milled Ribs for Smooth, Positive Interlock Between Two Halves
- Angled Tooth Pattern for Better Grip
- Riveted Joint Will Not Separate or Jump Out of Grooves
- Extra Wide Jaw Opening
- Straight Jaws and Self-Locking Jaw Adjustment
- Unique Alloy Steel and Induction Hardening, Maximizes Durability
- Forged, Hardened and Tempered
- Precision Machining Provides Smooth, Positive Joint Action with No Slip
- Red Non-Slip Cushion Handle Grips
- Self-Locking Adjustment
- Induction Hardened Angled Gripping Teeth
- Meets or Exceeds Industry Standards



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
R27CV	7" Tongue and Groove Pliers, Straight Jaws, Cushion Grip	33 mm	Straight	Carded	6	0.20 kg
R210CV	10" Tongue and Groove Pliers, Straight Jaws, Cushion Grip	46 mm	Straight	Carded	6	0.44 kg
R220CV	10" Tongue and Groove Pliers, Straight Jaws, Cushion Grip	102 mm	Straight	Carded	6	0.45 kg
R212CV	12" Tongue and Groove Pliers, Straight Jaws, Cushion Grip	57 mm	Straight	Carded	6	0.68 kg
R216CV	16" Tongue and Groove Pliers, Straight Jaws, Cushion Grip	114 mm	Straight	Carded	3	1.29 kg
HL120P	20" Tongue and Groove Pliers, Straight Jaws	152 mm	Straight	Carded	2	1.93 kg

TONQUE AND GROOVE PLIERS, V-JAW

- Made From Finest Quality Alloy Tool Steel
- Designed to Grip All Shapes Like Rods, Pipes and Cable Connections
- Precision-Milled Ribs for Smooth, Positive Interlock Between Two Halves
- Riveted Joint Will Not Separate or Jump Out of Grooves
- Forged, Hardened and Tempered
- Red Non-Slip Cushion Handle Grips
- Induction Hardened Angled Gripping Teeth
- Meets or Exceeds Industry Standards



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
R410CV	10" Tongue and Groove Pliers, V-Jaw, Cushion Grip	46 mm	V-Jaw	Carded	6	0.34 kg
R412CV	12" Tongue and Groove Pliers, V-Jaw, Cushion Grip	76 mm	V-Jaw	Carded	6	0.66 kg

ELECTRICAL CONNECTOR PLIERS

- Fits A-N Electrical Connectors
- Three Adjustment Positions
- Replacement Insert Kit Available: Consists of 2 Pins, 2 Pads



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
52910N	10" A-N Connector Slip Joint Pliers	Carded	6	0.32 kg
52910KITN	Replacement Parts Kit for 52910	Carded		0.01 kg



PRO SERIES DIAGONAL COMPOUND ACTION CUTTING PLIERS

- Co-Molded Grips for Added Comfort
- Increase Cutting Pressure by 50%
- Chrome Vanadium Steel for Increased Durability
- Heat Treated Joint Rivet for Smooth and Consistent Operation
- Induction Hardened Edges for Long Cutting Life
- 1/3 Lighter Than Standard Pliers, Reduces Fatigue



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
PS5429C	8" Pro Series Diagonal Compound Action Cutting Pliers	Carded	3	0.23 kg

PRO SERIES LINEMAN'S COMPOUND ACTION CUTTING PLIERS

- Co-Molded Grips for Added Comfort
- Increase Cutting Pressure by 50%
- Chrome Vanadium Steel for Increased Durability
- Heat Treated Joint Rivet for Smooth and Consistent Operation
- Induction Hardened Edges for Long Cutting Life
- 1/3 Lighter Than Standard Pliers, Reduces Fatigue



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
PS20509C	9" Pro Series Linesman Compound Action Pliers	Carded	3	0.27 kg

PRO SERIES LONG NOSE COMPOUND ACTION CUTTING PLIERS

- Co-Molded Grips for Added Comfort
- Increase Cutting Pressure by 50%
- Chrome Vanadium Steel for Increased Durability
- Heat Treated Joint Rivet for Smooth and Consistent Operation
- Induction Hardened Edges for Long Cutting Life
- 1/3 Lighter Than Standard Pliers, Reduces Fatigue



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
PS6549C	9" Pro Series Long Nose Compound Action Pliers	Carded	3	0.27 kg

CARBIDE CUTTERS

- Professional Nippers
- Long Lasting Carbide Cutting Edges
- Handle Spring to Reduce Fatigue and Permit Fast, Repetitive Cutting
- Dark Red Plastic Handle Grips



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
GT28CN	8" Carbide Cutters	Bagged	6	0.36 kg

CARPENTER'S PINCERS

- Rugged, General Use Tool
- Ideal for Cutting or Pulling Nails and Wire
- Hardened Cutting Edges Give Long Lasting Cutting Performance
- Drop-Forged From High Quality Tool Steel
- Polished Head
- Black Finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
GG08HN	8" Carpenter's Pincers	Carded	6	0.39 kg

END CUTTING NIPPER PLIERS

- Top Quality End Cutting Tool
- Precision Manufactured From Forged Alloy Tool Steel
- Handles with Carefully Designed Leverage Ratio to Blades, Easier Cutting
- Carefully Designed Throat Clearance and Rivet Size
- Electronically Induction Hardened, Angled Cutting Edges and Blade Sizes



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
727VN	7-1/4" End Cutting Nipper Pliers Non Cushion	Carded	6	0.36 kg
727CVN	7-1/4" End Cutting Nipper Pliers Double Dip Cushion Grip	Carded	6	0.29 kg
728VN	8-1/4" End Cutting Nipper Pliers Non Cushion	Carded	6	0.41 kg
728CVN	8-1/4" End Cutting Nipper Pliers Double Dip Cushion Grip	Carded	6	0.39 kg
729CVN	9-1/4" End Cutting Nipper Pliers Double Dip Cushion Grip	Carded	6	0.44 kg



HEAVY-DUTY END CUTTING NIPPER PLIERS

- Strong, Lightweight Design for Demanding Construction Use
- Hardened and Honed Cutting Edges
- Drop-Forged High Quality Tool Steel, Heat-Treated, Tempered Handles/Jaws
- Polished Head
- Develops High Leverage to Cut Large Diameter Nails and Wire
- Black Finish



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
GG010HN	10" Heavy-Duty End Cutting Nipper Pliers	Carded	6	0.47 kg
GG014HN	14" Heavy-Duty End Cutting Nipper Pliers	Carded	3	0.98 kg

BUTTON PLIERS FENCE TOOL

- Button Pliers
- Designed for Construction and Maintenance of Wire Fencing
- Flat Nose with 3 Wire Cutters, Pipe Grips, Teeth in Extreme Tip of Nose
- Electronically Hardened Durable Edges
- Made of Forged Alloy Tool Steel
- Polished Head
- Straight Knurled Handles



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
10008VN	8" Button Pliers Fence Tool	Button	Carded	6	0.36 kg
100010VN	10-1/4" Button Pliers Fence Tool	Button	Carded	6	0.57 kg
100012VN	12" Button Pliers Fence Tool	Button	Carded	6	0.92 kg

BUTTON PLIERS FENCE TOOL, STRAIGHTER HANDLE

- Button Pliers
- Designed for Construction and Maintenance of Wire Fencing
- 3 Wire Cutters.
- Pipe Grips
- Hardened Cutting Edges
- Forged Alloy Tool Steel
- Polished Head
- Straight Knurled Handles
- Narrow Broaching of Teeth Area



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
100010DN	10 1/4" Button Pliers Fence Tool, Straight-er Handle Design	Button	Carded	6	0.59 kg

SLIP JOINT PLIERS, BENT NOSE

- Designed for Gripping, Turning Round Objects Such As Pipes, Rods, Pins
- 30° Angle Bent Nose Combination, Machined Gripping Teeth & Wire Cutter
- Forged From Carbon Steel
- Accurately Machined, Hardened and Tempered
- Bright, Polished Steel with Chromium Plating
- Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
J26CV	6" Thin Bent Nose Combination Slip Joint Pliers, Cushion Grip	25 mm	Thin Bent Nose	Carded	6	0.23 kg

SLIP JOINT PLIERS, CEE TEE CO.®

- Designed for Gripping and Turning Round Objects Such As Pipes, Rods and Pins
- Curved Jaws Combination with Machined Gripping Teeth and Wire Cutter
- Forged From Alloy Steel and Accurately Machined, Hardened and Tempered
- Nickel Chrome Plated Finish
- Non-Slip Knurled Handle Grips



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
H26VN	6 1/2" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Carded	3	0.23 kg
H26N	6 1/2" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Boxed	12	0.20 kg
H26CVSMLN	6 1/2" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Carded	3	0.25 kg
H28VN	8" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Carded	3	0.29 kg
H28N	8" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Boxed	12	0.27 kg
H28CVSMLN	8" Cee Tee Co.® Combination Slip Joint Pliers	25 mm	Curved	Carded	3	0.32 kg

SLIP JOINT PLIERS, MOTOR KIT COMBINATION

- Designed for Gripping and Turning Round Objects Such As Pipes, Rods and Pins
- Motor Kit Combination with Machined Gripping Teeth and Wire Cutter
- Forged From Carbon Steel, Accurately Machined, Hardened and Tempered
- Nickel Chrome Plated Finish
- Knurled Handles or Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
G24CV	4" Motor Kit Combination Slip Joint Pliers, Cushion Grip	13 mm	Curved	Carded	6	0.09 kg
G210CV	10" Motor Kit Combination Slip Joint Pliers, Cushion Grip	137 mm	Curved	Carded	6	0.48 kg



SLIP JOINT PLIERS, THIN NOSE

- Designed for Gripping, Turning Round Objects Such As Pipes, Rods, Pins
- Extra Thin, Straight Nose Combination Pliers
- Machined Gripping Teeth and Wire Cutter for Confined Places
- Forged From Alloy Steel and Accurately Machined, Hardened and Tempered
- Nickel Chrome Plated Finish
- Red Non-Slip Cushion Handle Grips



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
L26CV	6 3/4" Thin Straight Nose Combo Slip Joint Pliers, Cushion Grip	25 mm	Thin Straight	Carded	6	0.23 kg

CURVED JAW LOCKING PLIERS WITH WIRE CUTTER

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Versatile Curved Jaw Also Features Integral Wire Cutter



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C5CV	5" Curved Jaw Locking Plier With Wire Cutter	32 mm	Curved	Carded	3	0.19 kg
C7CV	7" Curved Jaw Locking Plier With Wire Cutter	42 mm	Curved	Carded	3	0.39 kg
C10CV	10" Curved Jaw Locking Plier With Wire Cutter	48 mm	Curved	Carded	3	0.54 kg

LOCKING C-CLAMPS, REGULAR TIPS

- Maximum Jaw Opening Per ASME Specs
- Nickel Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Locking "C" Clamps Are Faster and Easier to Use Than Standard Clamps



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C6CCV	6" Locking C-Clamp With Regular Tips	51 mm	C-Clamp/Regular Tips	Carded	3	0.25 kg
C11CCV	11" Locking C-Clamp With Regular Tips	102 mm	C-Clamp/Regular Tips	Carded	5	0.88 kg
C18CCR	18" C-Clamp with Regular Pads	203 mm	C-Clamp/Regular Tips	Carded	3	1.17 kg

LOCKING C-CLAMPS, SWIVEL PAD TIPS

- Maximum Jaw Opening Per ASME Specs
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Locking "C" Clamps Are Faster and Easier to Use Than Standard Clamps



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C6CCSV	6" Locking C-Clamp With Swivel Pads	73 mm	C-Clamp/ Swivel Pads	Carded	3	0.28 kg
C11CCSV	11" Locking C-Clamp With Swivel Pads	102 mm	C-Clamp/ Swivel Pads	Carded	5	0.84 kg
C18CCS	18" C-Clamp with Swivel Pads	203 mm	C-Clamp/ Swivel Pads	Carded	3	1.23 kg

LOCKING SHEET METAL CLAMP AND WELDER'S CLAMP

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Long Nose with Wire Cutter Gets to Hard-To-Reach Spots
- Versatile Curved Jaw Also Features Integral Wire Cutter
- Locking "C" Clamps Are Faster and Easier to Use Than Standard Clamps



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C8SMV	8" Locking Sheet Metal Clamp	19 mm	Sheet Metal Clamp	Carded	3	0.50 kg
C9W	9" Locking Welding Clamp	38 mm	U Shaped Welding	Boxed	5	0.66 kg

LONG NOSE LOCKING PLIERS WITH WIRE CUTTER

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Long Nose with Wire Cutter Gets to Hard-To-Reach Spots
- Versatile Curved Jaw Also Features Integral Wire Cutter




Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C6NV	6" Long Nose Locking Plier With Wire Cutter	58 mm	Long Nose	Carded	3	0.20 kg
C9NV	9" Long Nose Locking Plier With Wire Cutter	73 mm	Long Nose	Carded	3	0.42 kg



PLIER SETS

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Versatile Curved Jaw Also Features Integral Wire Cutter
- Meets or Exceeds Industry Standards



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
R200SET2	2 Pc. Tongue & Groove Pliers Set, 7", 10"	Straight	Carded	4	0.68 kg
CLP2SET	2 Pc. 7",10" Curved Jaw, Locking Pliers w/Wire Cutter	Curved	Carded	3	0.94 kg
CLP3SETC	3 Pc. 5",7",10" Cushion Gripped Curved Jaw, Locking Pliers w/Wire Cutter	Curved	Carded	3	1.20 kg
CLP5SET	5 Pc. 5",7",10" Curved Jaw, 6", 9" Long Nose, Locking Pliers w/Wire Cutter	Curved	Carded	3	1.84 kg

STRAIGHT JAW LOCKING PLIERS

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Versatile Curved Jaw Also Features Integral Wire Cutter



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Shelf Pack Qty.	Weight
C7SV	7" Straight Jaw Locking Plier	34 mm	Curved	Carded	3	0.41 kg
C10SV	10" Straight Jaw Locking Plier	45 mm	Straight	Carded	3	0.59 kg

5 PC. COMPOUND ACTION MULTI-BLADE CUTTING SET

- Quick change, multi-functional blades for added versatility
- Compound action design delivers more power with less effort
- Blades coated to resist rust and corrosion
- Quick-release lock for easy one-hand operation
- Dual material grips provide added comfort and durability



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMTS4	5 Pc. Compound Action Multi-Blade Cutting Set	Carded	3	1.08 kg

FENCE PLIERS AND STAPLE PULLER

- Should Not Be Used to Hammer Hardened Materials
- Only Tool Needed for Work on Metal or Wood Posts
- Starting & Pulling Joint on One Jaw with Corrugated Hammer on the Other
- Stretches Wire Tight Before Fastening
- Wire Cutter on Each Side Cuts Double Strand Barbed Wire
- Dual Head Design-Corrugated Head Drives Staples
- Hardened, Pointed Head Pulls Staples and Lift Lugs
- Heavy-Duty Lock-Joint Construction Increases Tool Life
- Gun Metal, Knurled Grip Handles



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
193410VN	10-5/16" Fence Solid Joint Pliers and Staple Puller	Dual Head	Carded	6	0.68 kg
193410CVN	10-5/16" Fence Solid Joint Pliers & Staple Puller, Cushion Grip	Dual Head	Carded	6	0.68 kg

HEAVY-DUTY FENCE TOOL PLIERS

- 2 Staple Grips in Nose
- Corrugated Hammer Head, Heavy Prong, Easily Reach, Pull Rusty Staples
- Special Opening in Head Allows Both Wire and Staple to Be Gripped
- 2 Electronically Induction Hardened Durable Wire Cutters
- Made of Forged Alloy Tool Steel
- Polished Head
- Red Non-Slip Cushion Handle Grips
- Plain Handles
- Polished Head
- Gun Metal, Knurled Grip Handles
- Should Not be Used to Hammer Hardened Materials



Cat. No.	Description	Jaw Type	Packaging	Shelf Pack Qty.	Weight
193610CVSMN	10-7/16" Heavy-duty Fence Tool Solid Joint Pliers, Cushion Grip	Dual Head	Carded	3	0.84 kg



QUICK RELEASE LOCKING CHAIN CLAMP

- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- 18" (45 cm) Long Chain



Cat. No.	Description	Jaw Capacity	Jaw Type	Packaging	Weight
C20CH	9" Locking Chain Clamp (18" Chain)	144 mm	Chain Clamp	Boxed	0.73 kg

NAIL PULLER

- Box-Joint, Forged Alloy, Hardened and Tempered Jaw
- Available in Short or Long Jaw
- Black Enamel Finish
- Meets or Exceeds Industry Standards



Cat. No.	Description	Length	Packaging	Weight
56	19" Nail Puller	482 mm	Carded	1.91 kg

ODD JOB™ MULTI-TOOL

- Steel Hammer with Heft For Driving in Small Nails, Tacks and Dowels with a Nail Puller to Remove Old Nails
- Soft-Faced Mallet for Tapping Without Marring or Breaking
- Fine toothed Reversible Ratcheting Bit Driver Tightens and Loosens Screws Quickly and Easily
- Flexible Driver Shaft Bends to Reach into Tight Corners and 6 Bit Storage in Handle Makes Tackling any Job Easy
- Magnetically Retained and Removable Utility Knife Opens Boxes and Breaks Them Down with Ease



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMT1000	ODDJOB™ Multi-tool	Carded	3	0.60 kg
CMT1000MP	ODDJOB™ Multi-tool Merchandiser Package	Carded	1	0.60 kg

14 IN 1 MULTI FUNCTIONAL TOOL

- Stainless Steel Multi Tool with Pouch
- Compact Design closed only 10cm length
- All Blades can be used in closed Condition
- Ergonomic, Solid, Red anodized Handles
- Coloured display, containing 12 Pieces
- 14 Tools in 1



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CMTB14EU	14 Function Black Multitool	Case	12	0.23 kg

2 PC. FOLDING FLIP AND GRIP WRENCH SET

- Versatile - Adjustable Jaw Fits Over 50 Fasteners
- Speed - Spring-Loaded, Ratcheting Jaw Turns Fasteners Quickly
- Access - Locking Pivot Helps Reach Around Obstacles in Tight Spaces
- Portable- Folding Wrench Head for Convenient Storage and Transport



Cat. No.	Description	Packaging	Shelf Pack Qty.	Weight
CFW2	Folding Flip and Grip Wrench Set	Carded	3	0.44 kg

Introducing Crescent® Hand Tools Store Concept.

Quality and Value, from a name your customers trust.



With its recognized name, legendary quality, and competitive pricing, Crescent provides a unique value for independent distributors.



Apex Tool Group B.V. Phileas
Foggstraat 16 7821 AK Emmen
The Netherlands
Tel.: +31 (0) 591 667 500
Fax: +31 (0) 591 667 595
www.apextoolgroup.eu

Crescent® is a registered trademark
of Apex Brands, Inc., a Division of
Apex Tool Group, LLC. Specifications
subject to change without notice.
© 2015 Apex Tool Group, LLC
T550887