SALA

EXOFIT™ XP

The Second Generation Full Body Comfort Harnesses

ExoFit™ XP made its mark as the industry's most comfortable harness. Its design incorporates a single piece of material that wraps around you in the shape of an X, for the ultimate in no-tangle donning and comfortable security. Its padding can be removed and cleaned. XP materials are soft and lightweight, yet extremely durable.

EASY-GRIP END TABS AND KEEPERS = ---

For fast, efficient and secure web adjustment.



REMOVABLE PADDING

Cleaning is easy. Just throw it in the washer.

CUSHIONED LEG AND HIP STRAPS •

Comfort and additional security during a fall.

DUICK CONNECT BUCKLES

Color-coded and provide one-handed operation for fast, easy donning.

ULTRA-SOFT EDGING •

Moves with you. Doesn't rub or chafe.

Equipped with



CUSHIONED SHOULDER PADS

Keeps pressure off, absorbs shock, helps distribute weight in a fall. Designed so they won't slip or slide off your shoulder.

REFLECTIVE PIPING

Enhances visibility in low-light conditions.

INTEGRATED LANYARD KEEPERS

Prevent dangerous entanglements. They snap free when snagged.

SOFT. LIGHTWEIGHT WEBBING

Strong, yet isn't stiff or coarse.

3-D MESH AND BREATHABLE LINING

Allows moisture to evaporate and cool air to circulate, keeping you cool and dry.



STAND-UP DORSAL D-RING WITH IMPACT INDICATOR

It's spring-loaded, ensuring fast, easy and safe connections to a lanyard or SRL.



SUPERIOR X-DESIGN

A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.

420 LB.

CAPACITY

Model Shown 1110103





EXOFIT™ XP VEST-STYLE HARNESS

Back D-ring, loops for belt, quick

connect buckles. (XLarge)

EXOFIT™ XP **VEST-STYLE FULL BODY HARNESSES**

Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1110228

EXOFIT™ XP VEST-STYLE HARNESS

Back and side D-rings, loops for belt, quick connect buckles. (XLarge)

1110225 Small

1110226 Medium

1110227 Large



1110128

EXOFIT™ XP VEST-STYLE HARNESS

Back D-ring, loops for belt, tongue buckle legs. (XLarge)

1110125 Small

1110126 Medium

1110127 Large



1109728

EXOFIT™ XP VEST-STYLE HARNESS

Front and back D-rings. loops for belt. quick connect buckles. (XLarge)

1109725 Small

1109726 Medium

1109727 Large



1109753

EXOFIT™ XP VEST-STYLE HARNESS

Front, back and side D-rings, loops for belt, quick connect buckles. (XLarge)

1109750 Small

1109751 Medium

1109752 Large



1110103

1110100 Small

1110102 Large

1110101 Medium

A front-mounted D-ring makes the cross-over style ideal for ladder climbing and rescue applications.



1109803

EXOFIT™ XP CROSS-OVER STYLE HARNESS

Front and back D-rings, loops for belt, quick connect buckles. (XLarge)

1109800 Small

1109801 Medium

1109802 Large



1110353

EXOFIT™ XP CROSS-OVER STYLE HARNESS

Back, front, and side D-rings, sewn-in hip pad and hip adjustments. (XLarge)

1110350 Small

1110351 Medium

1110352 Large

FULL BODY HARNESSES



EXOFIT™ XP

CONSTRUCTION STYLE HARNESSES Made for general construction work, these harnesses have excellent tool-carrying capability, a sewn-in hip pad and removable body belt.



1110153

EXOFIT™ XP CONSTRUCTION STYLE HARNESS

Back D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles. (XLarge)

1110150 SM 1110151 MED 1110152 LG



1110178

EXOFIT™ XP CONSTRUCTION STYLE HARNESS

Back D-ring, sewn-in back pad and belt with side D-rings, tongue buckle legs. (XLarge)

1110175 SM 1110176 MED 1110177 LG





Dorsal web loop option for no metal connections

7,000 lb. Nylon or Nomex®/Kevlar® webbing options to meet your different jobsite needs

Flame resistant Nomex®/Kevlar® fabric used in back, hip and leg pads

Leather insulator option behind metal hardware reduces static energy transfer

 PVC coated hardware option for non-conductive, non-sparking applications

EXOFIT™ XP **ARC FLASH HARNESSES**

XP arc flash harnesses are perfect for use in any industry where high voltage electricity is a concern. That's because all DBI-SALA™ arc flash equipment has been tested to perform in accordance with the stringent ASTM F887-05 Standard Specification for Personal Climbing Equipment.

Testing for fall protection is performed in two steps. The first exposes the equipment to an arc flash at 40 cal/cm² and the second is a drop test compliant with ANSI Z359.1 after the exposure.



EXOFIT™ XP ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, back and leg Nomex®/Kevlar® pads, leather insulators, rescue loops. (XLarge) 1110964 SM, 1110840 MED, 1110841 LG



1110892

FXNFIT™ XP ARC FLASH HARNESS

Nomex®/Kevlar® webbing. PVC-coated hardware, pass thru buckles, back and leg Nomex®/Kevlar® pads. (XLarge)

1110893 Small

1110890 Medium

1110891 Large

EXOFIT XP™ ARC FLASH HARNESSES

X-LARGE SMALL MEDIUM LARGE 1100942 1100943 1100940 1100941 Nomex®/Kevlar® web, vest-style, back D-ring, Nomex®/Kevlar® back and leg pads, quick connect buckles.

1110845 1110849 1110843 1110844

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, rescue loops, leather insulators, PVC coated back D-ring.

1110872 1110873 1110870 1110871

Cross-over style, removable Nomex®/Kevlar® padding, 7000 lb. nylon web, front and back web loop, quick connect buckles, leather insulators.

1110882 1110883 1110880 1110881

Construction style, Nomex®/Kevlar® web and pads, back web loop, quick connect buckles, Kevlar® pass thru body belt.

1111303 1111300 1111301 1111302

Construction style, Nomex®/Kevlar® web and pads, PVC coated back D-ring, quick connect buckles, Kevlar® pass thru body belt.



1110852

EXOFIT™ XP CONSTRUCTION ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles. leather insulators, rescue loops and body belt. (XLarge) 1110853 Small

1110850 Medium

1110851 Large