


## B481

NC - Centesimal Reamer for High Precision Chucks



Extremely unequal spacing



$d_1$ R mm	$l_1$ mm	$l_2$ mm	$l_3$ mm	z	$d_2$ R $h_6$ mm	e-code	USD
0.98	49.5	6	21.5	3	4	B4810.98	172.00
0.99	49.5	6	21.5	3	4	B4810.99	172.00
1.00	49.5	6	21.5	3	4	B4811.00	153.00
1.01	49.5	6	21.5	3	4	B4811.01	172.00
1.02	49.5	6	21.5	3	4	B4811.02	172.00
1.03	49.5	9	21.5	3	4	B4811.03	172.00
1.48	49	9	21	3	4	B4811.48	173.00
1.49	49	9	21	3	4	B4811.49	173.00
1.50	49	9	21	3	4	B4811.50	155.00
1.51	49	9	21	3	4	B4811.51	173.00
1.52	49	9	21	3	4	B4811.52	173.00
1.53	49	9	21	3	4	B4811.53	173.00
1.98	49	12	21	4	4	B4811.98	173.00
1.99	49	12	21	4	4	B4811.99	173.00
2.00	49	12	21	4	4	B4812.00	155.00
2.01	49	12	21	4	4	B4812.01	173.00
2.02	49	12	21	4	4	B4812.02	173.00
2.03	49	12	21	4	4	B4812.03	173.00
2.48	59	16	31	4	4	B4812.48	173.00
2.49	59	16	31	4	4	B4812.49	173.00
2.50	59	16	31	4	4	B4812.50	155.00
2.51	59	16	31	4	4	B4812.51	173.00
2.52	59	16	31	4	4	B4812.52	173.00
2.53	59	16	31	4	4	B4812.53	173.00
2.97	62.5	17	35	6	4	B4812.97	180.00

d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h6</sub> mm	e-code	USD
2.98	62.5	17	35	6	4	B4812.98	180.00
2.99	62.5	17	35	6	4	B4812.99	180.00
3.00	62.5	17	35	6	4	B4813.00	160.00
3.01	62.5	17	35	6	4	B4813.01	180.00
3.02	62.5	17	35	6	4	B4813.02	180.00
3.03	62.5	17	35	6	4	B4813.03	180.00
3.97	75	19	47	6	4	B4813.97	217.00
3.98	75	19	47	6	4	B4813.98	217.00
3.99	75	19	47	6	4	B4813.99	217.00
4.00	75	19	47	6	4	B4814.00	191.00
4.01	75	19	47	6	4	B4814.01	217.00
4.02	75	19	47	6	4	B4814.02	217.00
4.03	75	19	47	6	4	B4814.03	217.00
4.97	86	23	50	6	6	B4814.97	234.00
4.98	86	23	50	6	6	B4814.98	234.00
4.99	86	23	50	6	6	B4814.99	234.00
5.00	86	23	50	6	6	B4815.00	213.00
5.01	86	23	50	6	6	B4815.01	234.00
5.02	86	23	50	6	6	B4815.02	234.00
5.03	86	23	50	6	6	B4815.03	234.00
5.97	93	26	57	6	6	B4815.97	254.00
5.98	93	26	57	6	6	B4815.98	254.00
5.99	93	26	57	6	6	B4815.99	254.00
6.00	93	26	57	6	6	B4816.00	232.00
6.01	93	26	57	6	6	B4816.01	254.00
6.02	93	26	57	6	6	B4816.02	254.00
6.03	93	26	57	6	6	B4816.03	254.00
7.97	117	33	81	6	8	B4817.97	319.00
7.98	117	33	81	6	8	B4817.98	319.00
7.99	117	33	81	6	8	B4817.99	319.00
8.00	117	33	81	6	8	B4818.00	296.00
8.01	117	33	81	6	8	B4818.01	319.00
8.02	117	33	81	6	8	B4818.02	319.00
8.03	117	33	81	6	8	B4818.03	319.00
8.04	117	33	81	6	8	B4818.04	319.00
9.97	133	38	93	6	10	B4819.97	371.00
9.98	133	38	93	6	10	B4819.98	371.00
9.99	133	38	93	6	10	B4819.99	371.00
10.00	133	38	93	6	10	B48110.00	348.00
10.01	133	38	93	6	10	B48110.01	371.00
10.02	133	38	93	6	10	B48110.02	371.00
10.03	133	38	93	6	10	B48110.03	371.00
10.04	133	38	93	6	10	B48110.04	371.00
10.05	133	38	93	6	10	B48110.05	371.00
11.97	151	44	106	6	12	B48111.97	445.00
11.98	151	44	106	6	12	B48111.98	445.00



d <sub>1</sub> R mm	l <sub>1</sub> mm	l <sub>2</sub> mm	l <sub>3</sub> mm	z	d <sub>2</sub> R <sub>h6</sub> mm	e-code	USD
11.99	151	44	106	6	12	B48111.99	445.00
12.00	151	44	106	6	12	B48112.00	423.00
12.01	151	44	106	6	12	B48112.01	445.00
12.02	151	44	106	6	12	B48112.02	445.00
12.03	151	44	106	6	12	B48112.03	445.00
12.04	151	44	106	6	12	B48112.04	445.00
12.05	151	44	106	6	12	B48112.05	445.00