


C110

Slot Drill



d ₁ R Inch	d ₁ R mm	d ₂ R _{h6} mm	l ₂ mm	l ₁ mm	z	l ₃ mm	d ₃ R mm	e-code	USD
	1.00	6	2.5	47	2	-	-	C1101.0	44.40
	1.50	6	3	47	2	-	-	C1101.5	42.80
1/16	1.59	6	3	47	2	-	-	C1101/16	32.55
	1.80	6	4	48	2	-	-	C1101.8	34.25
	2.00	6	4	48	2	-	-	C1102.0	29.00
3/32	2.38	6	5	49	2	-	-	C1103/32	28.40
	2.50	6	5	49	2	-	-	C1102.5	29.80
	2.80	6	5	49	2	-	-	C1102.8	24.85
	3.00	6	5	49	2	-	-	C1103.0	27.40
1/8	3.18	6	6	50	2	-	-	C1101/8	26.75
	3.50	6	6	50	2	-	-	C1103.5	27.95
	3.80	6	7	51	2	-	-	C1103.8	25.70
	4.00	6	7	51	2	-	-	C1104.0	27.45
	4.50	6	7	51	2	-	-	C1104.5	29.90
3/16	4.76	6	8	52	2	-	-	C1103/16	28.40
	4.80	6	8	52	2	-	-	C1104.8	29.80 ¹⁾ 29.80 ²⁾
	5.00	6	8	52	2	-	-	C1105.0	27.15
	5.50	6	8	52	2	-	-	C1105.5	33.00
	5.75	6	8	52	2	-	-	C1105.75	34.35 ¹⁾ 34.35 ²⁾
	6.00	6	8	52	2	-	-	C1106.0	27.35
1/4	6.35	10	10	60	2	-	-	C1101/4	42.45
	6.50	10	10	60	2	-	-	C1106.5	44.50
	6.75	10	10	60	2	-	-	C1106.75	39.30
	7.00	10	10	60	2	-	-	C1107.0	42.50
	7.50	10	10	60	2	-	-	C1107.5	44.65

d ₁ R Inch	d ₁ R mm	d ₂ R _{h6} mm	l ₂ mm	l ₁ mm	z	l ₃ mm	d ₃ R mm	e-code		USD
	7.75	10	11	61	2	-	-	C1107.75	1) 2)	45.90
5/16	7.94	10	11	61	2	-	-	C1105/16		43.70
	8.00	10	11	61	2	-	-	C1108.0		38.20
	8.50	10	11	61	2	-	-	C1108.5		48.70
	9.00	10	11	61	2	-	-	C1109.0		46.30
	9.50	10	11	61	2	-	-	C1109.5		50.40
3/8	9.52	10	13	63	2	22.5	9.5	C1103/8		49.35
	10.00	10	13	63	2	22.5	9.5	C11010.0		41.70
13/32	10.32	12	13	70	2	-	-	C11013/32		57.00
	10.50	12	13	70	2	-	-	C11010.5		59.60
	11.00	12	13	70	2	-	-	C11011.0		54.60
7/16	11.11	12	13	70	2	-	-	C1107/16		53.60
	11.50	12	13	70	2	-	-	C11011.5		56.20
	12.00	12	16	73	2	27.5	11.5	C11012.0		49.35
	12.50	12	16	73	2	27.5	11.5	C11012.5		67.60
1/2	12.70	12	16	73	2	27.5	11.5	C1101/2		58.60
	13.00	12	16	73	2	27.5	11.5	C11013.0		65.80
17/32	13.49	12	16	73	2	27.5	11.5	C11017/32		64.40
	13.70	12	16	73	2	27.5	11.5	C11013.7	1) 2)	65.60
	14.00	12	16	73	2	27.5	11.5	C11014.0		61.70
9/16	14.29	12	16	73	2	27.5	11.5	C1109/16		69.80
	15.00	12	16	73	2	27.5	11.5	C11015.0		73.30
	15.70	16	19	79	2	30.5	15.5	C11015.7	1) 2)	74.00
5/8	15.88	16	19	79	2	30.5	15.5	C1105/8		72.40
	16.00	16	19	79	2	30.5	15.5	C11016.0		73.80
	17.00	16	19	79	2	30.5	15.5	C11017.0		95.00
11/16	17.46	16	19	79	2	30.5	15.5	C11011/16		82.20
	18.00	16	19	79	2	30.5	15.5	C11018.0		84.20
	19.00	16	19	79	2	30.5	15.5	C11019.0		109.00
3/4	19.05	20	22	88	2	37.5	18.5	C1103/4		94.60
	19.70	20	22	88	2	37.5	19.5	C11019.7		96.40
	20.00	20	22	88	2	37.5	19.5	C11020.0		98.10
	21.70	20	22	88	2	37.5	19.5	C11021.7		112.00
	22.00	20	22	88	2	37.5	19.5	C11022.0		126.00
7/8	22.22	20	22	88	2	37.5	19.5	C1107/8		162.00
	24.00	25	26	102	2	45.5	23.5	C11024.0		169.00
	24.70	25	26	102	2	45.5	24.5	C11024.7		150.00
	25.00	25	26	102	2	45.5	24.5	C11025.0		167.00
1"	25.40	25	26	102	2	45.5	24.5	C1101		160.00
	26.00	25	26	102	2	45.5	24.5	C11026.0		167.00
	28.00	25	26	102	2	45.5	24.5	C11028.0		200.00
1.1/8	28.58	25	26	102	2	45.5	24.5	C1101.1/8		191.00
	30.00	25	26	102	2	45.5	24.5	C11030.0		206.00

d ₁ R Inch	d ₁ R mm	d ₂ R _{h₆} mm	l ₂ mm	l ₁ mm	z	l ₃ mm	d ₃ R mm	e-code		USD
	32.00	32	32	112	2	51.5	31.5	C11032.0		241.00
	35.00	32	32	112	2	51.5	31.5	C11035.0	¹⁾ ³⁾	225.00
	36.00	32	32	112	2	51.5	31.5	C11036.0	¹⁾ ³⁾	234.00
	40.00	40	38	130	2	59.5	39.0	C11040.0	¹⁾ ³⁾	323.00
	45.00	40	38	130	2	59.5	38.0	C11045.0	¹⁾ ³⁾	386.00

¹⁾diameter tolerance h10

²⁾slot not in P9 tolerance

³⁾Available in HSCo only