



GEARWRENCH®

Dual Material Pliers..... 344

Mini Pliers..... 347

Compound Action Pliers..... 351

Double-X Pliers..... 352

Insulated Pliers..... 355

Hose Clamp Pliers 357

Pinch Off Pliers 357


Snap & Retaining Ring Pliers..... 358

GEARWRENCH® Pliers

GearWrench® offers a broad range of pliers to meet the needs of most automotive and industrial applications. Ergonomic design, quality materials and precision assembly produce a tool that will get the job done for years to come.

GearWrench® delivers innovation with the Double-X, double joint pliers that allow the plier to reach where others can't. The two pivot points act to allow the jaws to open greater than the handles, that means better access to more places. They are constructed of corrosion resistant alloy steel for long life and have dual-dipped grips for user comfort.

DOUBLE-X™ PLIERS



- AVAILABLE IN:**
- Straight Standard Pliers
 - 45° Standard Pliers
 - Duck Bill Standard Pliers
 - Internal / External Snap Ring Pliers
 - Straight Hemostat Pliers
 - 45° Hemostat Pliers


DUAL MATERIAL GRIP PLIERS



- AVAILABLE IN:**
- Slip Joint Pliers
 - Long Nose Pliers
 - Diagonal Pliers
 - Lineman's Pliers
 - Bent Nose Pliers
 - Groove Joint Pliers

**PIVOTFORCE™
PLIERS**

PIVOTFORCE



Induction Hardened Cutting Edge for long life

Machined, cross-checked jaw pattern for gripping and twisting in any direction

Forged Steel for superior strength

**AVAILABLE IN
DIAGONAL CUTTING**

Unique Compound Action design requires 40% less effort to cut

Easy-Clean dipped handle grips

**DIPPED GRIP
PLIERS**



Rivet Joint Assembly will not separate

Induction Hardened, Angled Teeth for increased grip

Easy-Clean dipped handle grips

Positive Interlocking Tongue and Groove design will not slip

Unique Forged Alloy Tool Steel for strength and durability

Laser-Hardened Cutting Edges



AVAILABLE IN:

- Slip Joint Pliers
- Long Nose Pliers
- Diagonal Pliers
- Lineman's Pliers
- Bent Nose Pliers
- Groove Joint Pliers

GEARWRENCH® 7 Pc. Mixed Pliers Set

- Forged From Premium Alloy Steel
- Precision Machined for Exact Tolerances and Fit
- Slim Handle and Head Design
- Curved Back Handles for Added Leverage and Less Slip
- Exclusive Rounded Inside Edges for Comfort
- "Finger Tipping" End Texture Grips for Access



Cat. No.	UPC No.	Packaging	Product Weight
82108	099575821080	Boxed	6.63 lb

Cat. No.	Description	Cat. No.	Description
82011	9-1/2" Tongue and Groove Pliers	82020D	12" Groove Joint Pliers with Straight Jaw
82012	7" Diagonal Cutting Pliers	82025	8" Lineman Pliers
82013	8" Long Nose Pliers	82028	8" End Cutting Nipper Pliers
82014	8" Slip Joint Pliers		

GEARWRENCH® 4 Pc. Mixed Pliers Set

- Forged From Premium Alloy Steel
- Precision Machined for Exact Tolerances and Fit
- Slim Handle and Head Design
- Curved Back Handles for Added Leverage and Less Slip
- Exclusive Rounded Inside Edges for Comfort
- "Finger Tipping" End Texture Grips for Access



Cat. No.	UPC No.	Packaging	Product Weight
82103	099575821035	Carded	3.09 lb

Cat. No.	Description	Cat. No.	Description
82011	9-1/2" Tongue and Groove Pliers	82013	8" Long Nose Pliers
82012	7" Diagonal Cutting Pliers	82014	8" Slip Joint Pliers

GEARWRENCH® 8 Pc. Mini Screwdriver and Pliers Set

- Dual Material Handles for Comfort and Performance
- Mini Screwdrivers feature a "Speed Zone" for Turning in Lower Torque Applications
- Mini Pliers Feature a Slim Head Design with a Solid Flush Rivet for Better Access and Tighter Tolerance



Cat. No.	UPC No.	Packaging	Product Weight
80058	099575800580	Carded	1.10 lb

Cat. No.	Description	Cat. No.	Description
80031	Dual Material Phillips® Screwdriver #00 x 60 mm	80035	Dual Material Slotted Screwdriver 2.0mm x 60 mm
80032	Dual Material Phillips® Screwdriver #0 x 60 mm	80036	Dual Material Slotted Screwdriver 2.5mm x 60 mm
80033	Dual Material Phillips® Screwdriver #1 x 60 mm	82000D	5" Mini Diagonal Cutting Pliers
80034	Dual Material Slotted Screwdriver 1.5mm x 60 mm	82001	5" Mini Long Nose Pliers

GEARWRENCH® 5 Pc. Mixed Mini Pliers Set

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Curved Back Handles for Added Leverage and Less Slip



Cat. No.	UPC No.	Packaging	Product Weight
82100	099575821004	Carded	0.99 lb

Cat. No.	Description	Cat. No.	Description
82000D	5" Mini Diagonal Cutting Pliers	82003	4-1/4" Mini End Cutting Nipper Pliers
82001	5" Mini Long Nose Pliers	82004	5-1/4" Mini Flat Nose Pliers
82002D	5" Mini Needle Nose Pliers		

GEARWRENCH® Slip Joint Pliers

- Slim Head Design
- Cross-Over Wire Cutting Jaws
- Curved Back Handles for Added Leverage and Less Slip
- Slim Handle Design Recessed at Top
- Solid Flush Rivet for Better Access and Tighter Tolerance



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Jaw Type	Wire Cutter	Product Weight
82014	099575820144	Carded	8.15 in	1.72 in	1.24 in	0.14 in	3.13 in	Curved	Yes	0.60 lb

GEARWRENCH® Tongue and Groove Pliers

- Curved Jaws for Gripping Rounded Objects
- Forged From Premium Alloy Steel
- Precision Machined for Exact Tolerances and Fit
- Slim Handle and Head Design
- Curved Back Handles for Added Leverage and Less Slip
- Exclusive Rounded Inside Edges for Comfort



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Jaw Type	Wire Cutter	Product Weight
82011	099575820113	Carded	9.45 in	1.61 in	0.73 in	0.41 in		Curved	No	0.84 lb

GEARWRENCH® Groove Joint Pliers with Straight Jaw

- Straight Jaws for Gripping Parallel Surfaces
- Forged From Premium Alloy Steel
- Precision Machined for Exact Tolerances and Fit
- Slim Handle and Head Design
- Curved Back Handles for Added Leverage and Less Slip
- Exclusive Rounded Inside Edges for Comfort



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Jaw Type	Wire Cutter	Product Weight
82020D	099575820205	Carded	11.85 in	2.09 in	0.65 in	0.47 in	1.09 in	Straight	No	1.45 lb

GEARWRENCH® Diagonal Cutting Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Cutting Edge Length	Product Weight
82012	099575820120	Carded	Heavy Duty	7.01 in	1.12 in	1.2 in	0.46 in	Standard	1.12 in	0.63 lb

GEARWRENCH® Long Nose Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Type	Wire Cutter	Product Weight
82013	099575820137	Carded	8.23 in	3.28 in	0.84 in	0.42 in	Standard	Yes	0.64 lb

GEARWRENCH® Lineman's Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Cutting Edge Length	Product Weight
82025	099575820250	Carded	Heavy Duty	8.03 in	2.14 in	1.13 in	0.48 in	Standard	5/8 in	0.78 lb

GEARWRENCH® End Cutting Nipper Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Handle Design Recessed at Top



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Cutting Edge Length	Product Weight
82028	099575820281	Carded	Heavy Duty	7.8 in	0.59 in	1.17 in	1.02 in	Standard	1.02 in	0.80 lb

GEARWRENCH Mini Diagonal Cutting Pliers

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Spring Keeps Handles Open



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Cutting Edge Length	Product Weight
82000D	099575820007	Carded	Mini	4.45 in	0.51 in	0.33 in	0.51 in	Mini	0.51 in	0.09 lb

GEARWRENCH Mini Long Nose Pliers

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Spring Keeps Handles Open



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Product Weight
82001	099575820014	Carded	5.2 in	1.47 in	0.5 in	0.33 in	Yes	0.09 lb

GEARWRENCH Mini Needle Nose Pliers

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Spring Keeps Handles Open



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Product Weight
82002D	099575820021	Carded	5.59 in	1.84 in	0.5 in	0.33 in	No	0.09 lb

GEARWRENCH Mini End Cutting Nipper Pliers

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Spring Keeps Handles Open



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Cutting Edge Length	Product Weight
82003	099575820038	Carded	Mini	4.25 in	0.51 in	0.5 in	0.51 in	Standard	0.51 in	0.09 lb

GEARWRENCH® Mini Flat Nose Pliers

- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Spring Keeps Handles Open



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Cutting Edge Length	Product Weight
82004	099575820045	Carded	Mini	5.2 in	1.47 in	0.5 in	0.33 in	Standard	N/A	0.09 lb

GEARWRENCH® 7 Pc. Mixed Pliers Set

- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements
- Laser-Hardened Cutting Edge for Longer Life on Cutting pliers
- Induction Hardened, Angled Teeth for Increased Grip on Tongue and Groove Pliers



Cat. No.	UPC No.	Description
82116	099575820618	7 Pc. Mixed Pliers Set

Cat. No.	Description	Cat. No.	Description
82063	10" Tongue and Groove Pliers, Straight Jaw	82071	7" Heavy-Duty Diagonal Cutting Pliers
82065	12" Tongue and Groove Pliers, Straight Jaw	82073	7-1/2" Long Nose Side Cutting Pliers
82069	8" Slip Joint Pliers	82075	8" Lineman Pliers, with Side Cutting

GEARWRENCH® 4 Pc. Mixed Pliers Set

- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements
- Laser-Hardened Cutting Edge for Longer Life on Cutting pliers
- Induction Hardened, Angled Teeth for Increased Grip on Tongue and Groove Pliers



Cat. No.	UPC No.	Description
82114	099575082146	4 Pc. Mixed Pliers Set

Cat. No.	Description	Cat. No.	Description
82063	10" Tongue and Groove Pliers, Straight Jaw	82071	7" Heavy-Duty Diagonal Cutting Pliers
82069	8" Slip Joint Pliers	82073	7-1/2" Long Nose Side Cutting Pliers

GEARWRENCH® Tongue and Groove Pliers, Straight Jaw

- Positive Interlocking Tongue and Groove Design Will Not Slip
- Rivet Joint Assembly Will Not Separate
- Induction Hardened, Angled Teeth for Increased Grip
- Multiple Jaw Positions for Optimized Handle Span and Improved Gripping Comfort
- Professional Easy-Clean Dipped Grips
- Clear Anti-Rust Coating
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Capacity	Jaw Type	Product Weight
82063	099575820632	Carded	10 in	1-13/16 in	Straight	0.98 lb
82065	099575820656	Carded	12 in	3 in	Straight	1.50 lb
82066	099575820069	Carded	16 in	4-1/2 in	Straight	2.85 lb

GEARWRENCH® Tongue and Groove Pliers, V-Jaw

- Positive Interlocking Tongue and Groove Design Will Not Slip
- Rivet Joint Assembly Will Not Separate
- Induction Hardened, Angled Teeth for Increased Grip
- Multiple Jaw Positions for Optimized Handle Span and Improved Gripping Comfort
- Professional Easy-Clean Dipped Grips
- Clear Anti-Rust Coating
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Capacity	Jaw Type	Product Weight
82064	099575820649	Carded	10 in	1-13/16 in	V-Jaw	0.98 lb

GEARWRENCH® Slip Joint Pliers

- 2-Positions for Increased Flexibility
- Rivet Joint Assembly Will Not Separate
- Machined Teeth for Gripping Flat or Round Objects
- Shear Style Wire Cutter
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Capacity	Jaw Type	Wire Cutter	Product Weight
82068	099575820687	Carded	6.5 in	1 in	Curved	Yes	0.50 lb
82069	099575820694	Carded	8 in	1 in	Curved	Yes	0.69 lb

GEARWRENCH® Diagonal Cutting Pliers, General Purpose

- Laser-Hardened Cutting Edge for Longer Life
- For General Wire Cutting and Flush Cutting
- Unique Forged Alloy Tool Steel for Strength and Durability
- Professional Easy-Clean Dipped Grips
- Clear Anti-Rust Coating
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Wire Cutter	Product Weight
82070	099575802706	Carded	6 in	13/16 in	3/4 in	7/16 in	Std./12 AWG	Yes	0.40 lb

GEARWRENCH Diagonal Cutting Pliers, Heavy-Duty

- Laser-Hardened Cutting Edge for Longer Life
- For General Wire Cutting and Flush Cutting
- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Wire Cutter	Product Weight
82071	099575820717	Carded	7 in	25/32 in	1-7/32 in	15/32 in	Std./12 AWG	Yes	0.65 lb

GEARWRENCH Long Nose Pliers, with Side Cutting

- Laser-Hardened Cutting Edge for Longer Life
- Designed for Access in Confined Spaces
- Fine Serrated Jaws Grip Work Tightly
- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Product Weight
82072	099575820724	Carded	6.6 in	1-7/8 in	11/16 in	3/8 in	Std./14 AWG	0.34 lb
82073	099575820731	Carded	7.5 in	2-21/32 in	3/4 in	3/8 in	Std./14 AWG	0.45 lb

GEARWRENCH Curved Needle Nose Pliers

- Thin Bent Nose for access in confined spaces
- Fine Serrated Jaws Grip Work Tightly
- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Wire Cutter	Product Weight
82074	099575820748	Carded	6 in	1 in	11/16 in	3/8 in	No	0.46 lb

GEARWRENCH Lineman Pliers, with Side Cutting

- Laser-Hardened Cutting Edge for Longer Life
- Machined Serrated Jaws Grip Work Tightly
- Unique Forged Alloy Tool Steel for Strength and Durability
- Clear Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Requirements



Cat. No.	UPC No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/Cut Capacity	Cutting Edge Length	Wire Cutter	Product Weight
82075	099575820755	8.3 in	1-15/32 in	1-1/8 in	9/16 in	Std./11 AWG	3/4 in	Yes	0.94 lb

GEARWRENCH® End Nipper Plier 7"

- Laser-Hardened Cutting Edge for longer life
- Throat designed to give maximum clearance
- Clear Anti-Rust Coating
- Unique Forged Alloy Tool Steel for strength and durability
- Meets or Exceeds Applicable ASME requirements



Cat. No.	UPC No.	Length	Wire Size	Jaw Length	Jaw Width	Jaw Thickness	Cutting Edge Length	Product Weight
82076	099575820762	7-1/4 in	Std./12 AWG	3/8 in	1-3/4 in	17/32 in	13/16 in	0.80 lb

GEARWRENCH® 2 Pc. PivotForce Compound Action *PIVOTFORCE* Plier Set

- Unique Compound Action Requires 40% Less Effort To Cut
- Induction Hardened Cutting Edge for Long Life
- Forged Steel for Superior Strength and Durability
- Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Performance Requirements



Cat. No.	UPC No.	Description
82124	099575822421	2 Pc. PivotForce Compound Action Plier Set

Cat. No.	Description	Cat. No.	Description
82120	8" PivotForce Diagonal Cutting Compound Action Plier	82121	8" PivotForce Long Nose Cutting Compound Action Plier

GEARWRENCH® PivotForce Diagonal Cutting Compound Action Plier

PIVOTFORCE

- Unique Compound Action Requires 40% Less Effort To Cut
- Induction Hardened Cutting Edge for Long Life
- Designed with Standard Bevel Edges for General Wire Cutting
- Forged Steel for Superior Strength and Durability
- Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Performance Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Cutting Edge Length	Wire Cutter
82120	099575821202	Carded	7-3/5 in	1 in	1-1/10 in	35/64 in	Std./12 AWG	3/4 in	1 in	Yes

GEARWRENCH® PivotForce Long Nose Cutting Compound Action Plier

PIVOTFORCE

- Unique Compound Action Requires 40% Less Effort To Cut
- Induction Hardened Cutting Edge for Long Life
- Designed for Access in Confined Spaces
- Machined, Cross Checked Jaw Pattern for Gripping and Twisting in Any Direction
- Forged Steel for Superior Strength and Durability
- Anti-Rust Coating
- Professional Easy-Clean Dipped Grips
- Meets or Exceeds Applicable ASME Performance Requirements



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Cutting Edge Length	Wire Cutter
82121	099575821219	Carded	8-1/4 in	2-25/64 in	1-1/10 in	35/64 in	Std./ 12 AWG	1-3/8 in	53/64 in	Yes

GEARWRENCH® 2 Pc. Double-X™ Pliers Set

- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Maximum Reach Without Exceeding Center Point of Interference
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations



Cat. No.	UPC No.	Packaging	Product Weight
82106	099575821165	Carded	1.81 lb

Cat. No.	Description	Cat. No.	Description
82005D	Straight Double-X™ Pliers	82006D	45 Degree Double-X™ Pliers

GEARWRENCH® 3 Pc. Double-X™ Hose Grip Pliers Set

- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Maximum Reach Without Exceeding Center Point of Interference
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations



Cat. No.	UPC No.	Packaging	Product Weight
82107	099575821172	Carded	3.07 lb

Cat. No.	Description	Cat. No.	Description
82017	5/16" Diameter Hose Grip Double-X™ Pliers	82019	3/4" Diameter Hose Grip Double-X™ Pliers
82018	1/2" Diameter Hose Grip Double-X™ Pliers		

GEARWRENCH® 2 Pc. Double-X™ Internal/External Snap Ring Pliers Set

- Interchangeable Straight and 90 Degree Tips
- Corrosion Resistant Alloy Steel
- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Maximum Reach Without Exceeding Center Point of Interference
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations



Cat. No.	UPC No.	Packaging	Product Weight
82110	099575821103	Carded	2.14 lb

Cat. No.	Description	Cat. No.	Description
82032	Double-X™ Internal Snap Ring Pliers	315177	Tip Set: 0.038" Straight; 0.038" 90 Degree, 0.047" Straight, 0.047" 90 Degree, 0.070" Straight, 2 mm Hex Key
82033	Double-X™ External Snap Ring Pliers		

GEARWRENCH® 2 Pc. Double-X™ Hemostat Pliers Set

- Straight or 45 Degree Tips
- Compound Joint
- Stainless Steel
- Locking Function



Cat. No.	UPC No.	Packaging	Product Weight
82111	099575082115	Carded	0.65 lb

Cat. No.	Description	Cat. No.	Description
82034	Double-X™ Straight Hemostat Pliers	82035	Double-X™ 45 Degree Hemostat Pliers

GEARWRENCH® Straight Double-X™ Pliers

- Maximum Reach Without Exceeding Center Point of Interference
- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations
- Aligned Serrated Tips for Precision Gripping



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82005D	099575820151	Carded	13.46 in	3.15 in	0.68 in	0.39 in	0.94 lb

GEARWRENCH® 45 Degree Double-X™ Pliers

- Maximum Reach Without Exceeding Center Point of Interference
- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations
- Aligned Serrated Tips for Precision Gripping



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82006D	099575820168	Carded	13.27 in	2.95 in	0.68 in	0.39 in	0.93 lb

GEARWRENCH® Duckbill Double-X™ Pliers

- Maximum Reach Without Exceeding Center Point of Interference
- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations
- Aligned Serrated Tips for Precision Gripping



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82007	099575820175	Carded	11.97 in	1.65 in	0.68 in	0.39 in	0.89 lb

GEARWRENCH® Hose Grip Double-X™ Pliers

- Maximum Reach Without Exceeding Center Point of Interference
- Compound Joint Allows Access with Minimal Handle Movement
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Product Weight
82017	099575821073	Carded	13.19 in	2.87 in	0.68 in	0.39 in	5/16 in	0.96 lb
82018	099575820182	Carded	13.13 in	2.81 in	0.68 in	0.39 in	1/2 in	0.96 lb
82019	099575820199	Carded	13.03 in	2.72 in	0.68 in	0.39 in	3/4 in	0.95 lb

GEARWRENCH® Internal Snap Ring Double-X™ Pliers

- Interchangeable Straight and 90 Degree Tips
- Corrosion Resistant Alloy Steel
- Maximum Reach Without Exceeding Center Point of Interference
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations
- Tip Set: .038" Straight; .038" 90 Degree, .047" Straight, .047" 90 Degree, .070" Straight, 2 mm Hex Key



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82032	099575820328	Carded	13.46 in	3.15 in	0.68 in	0.39 in	1.06 lb

GEARWRENCH® External Snap Ring Double-X™ Pliers

- Interchangeable Straight and 90 Degree Tips
- Corrosion Resistant Alloy Steel
- Maximum Reach Without Exceeding Center Point of Interference
- Flush Rivet for Strength and Narrow Profile
- Jaws Open Greater Distance Than the Handle for Added Reach in Tight Locations
- Tip Set: .038" Straight; .038" 90 Degree, .047" Straight, .047" 90 Degree, .070" Straight, 2 mm Hex Key



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82033	099575820335	Carded	13.46 in	3.15 in	0.68 in	0.39 in	1.12 lb

GEARWRENCH® Straight Hemostat Double-X™ Pliers

- Straight Tips
- Stainless Steel
- Compound Action
- Locking Function



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82034	099575820342	Carded	9.84 in	4.22 in	0.16 in	0.13 in	0.23 lb

GEARWRENCH® 45 Degree Hemostat Double-X™ Pliers

- 45 Degree Tips
- Stainless Steel
- Compound Action
- Locking Function



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Product Weight
82035	099575820359	Carded	9.73 in	4.09 in	0.16 in	0.13 in	0.23 lb

GEARWRENCH® 10 Pc. Insulated Pliers and Screwdriver Set

- Insulated Pliers and Screwdrivers Are 1000 Volt Rated
- 100% Tested for Reliability



Cat. No.	UPC No.	Packaging	Product Weight
80062	099575800627	Boxed	3.50 lb

Cat. No.	Description	Cat. No.	Description
80047	Insulated Slotted Screwdriver 3/32" x 3"	82029	8" Lineman Insulated Pliers
80048	Insulated Slotted Screwdriver 5/32" x 4"	82030	8" Long Nose Insulated Pliers
80049	Insulated Slotted Screwdriver 7/32" x 5"	82031	7" Diagonal Cutting Insulated Pliers
80084	Insulated Pozidriv® Screwdriver #1 x 3-1/8"	80081	Insulated Phillips® Screwdriver #1 x 3-1/8"
80085D	Insulated Pozidriv® Screwdriver #2 x 4"	80082	Insulated Phillips® Screwdriver #2 x 4"

GEARWRENCH® Lineman's Insulated Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Insulated Pliers Are 1000 Volt Rated
- 100% Tested for Reliability



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Cutting Edge Length	Product Weight
82029	099575820298	Carded	Electrical	8.31 in	2.22 in	1.22 in	0.51 in	Standard	5/8 in	0.80 lb

GEARWRENCH® Long Nose Insulated Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Insulated Pliers Are 1000 Volt Rated
- 100% Tested for Reliability



Cat. No.	UPC No.	Packaging	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Type	Wire Cutter	Product Weight
82030	099575820304	Carded	8.39 in	3.26 in	0.87 in	0.43 in	Standard	Yes	0.60 lb

GEARWRENCH® Diagonal Cutting Insulated Pliers

- Curved Back Handles for Added Leverage and Less Slip
- Slim Head Design
- Solid Flush Rivet for Better Access and Tighter Tolerance
- Slim Handle Design Recessed at Top
- Insulated Pliers Are 1000 Volt Rated
- 100% Tested for Reliability



Cat. No.	UPC No.	Packaging	Application	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Cutting Edge Length	Product Weight
82031	099575820311	Carded	Electrical	7.40 in	1.22 in	1.18 in	0.47 in	Standard	1.22 in	0.30 lb

GEARWRENCH® Battery Nut Pliers

- Loosen and Tighten Nuts on Battery Terminal Clamps
- Offset Handles for Working in Cramped Areas
- Serrated Jaws Provide Firm Grip



Cat. No.	UPC No.	Packaging	Product Weight
203D	082171002038	Carded	0.45 lb

GEARWRENCH® Spark Plug Terminal Pliers

- Safely Remove Spark Plug Cables and Prevent Cable Damage



Cat. No.	UPC No.	Packaging	Product Weight
135D	082171001352	Carded	0.53 lb

GEARWRENCH® Electrical Wire Stripper and Crimper

- All-Purpose Tool Includes Pliers Type Nose, Crimper, Wire Cutter, Stripper and Bolt Cutter
- Crimper Works on Insulated and Non-insulated Terminals. Non-insulated Auto 7 & 8mm, and Electrical 22-20 to 22-10. Insulated Electrical 22-20 to 12-10.
- Bolt Cutters for Bolt Sizes 4-40, 5-40, 6-32, 8-32, 10-32 and 10-24



Cat. No.	UPC No.	Packaging	Product Weight
2162D	082171021626	Carded	0.50 lb

GEARWRENCH® Straight Hose Clamp Pliers

- For Use on Hose Clamps - Flat Band
- Easy to Use Locking Feature
- Dual Dipped for Additional Comfort



Cat. No.	UPC No.	Packaging	Product Weight
3976D	082171397608	Carded	0.75 lb

GEARWRENCH® Angled Hose Clamp Pliers

- For Use on Hose Clamps - Flat Band
- Angled Jaws Give Improved Access Around Obstructions
- Easy to Use Locking Feature
- Dual Dipped for Additional Comfort



Cat. No.	UPC No.	Packaging	Product Weight
3977	082171397707	Carded	0.84 lb

GEARWRENCH® Corbin Style Hose Clamp Pliers

- For Corbin Style Hose Clamps
- Plier Tips Trap and Hold Clamp, and Swivel for Multiple Angle Access
- Easy to Use Locking Feature
- Dual Dipped for Additional Comfort



Cat. No.	UPC No.	Packaging	Product Weight
3975D	082171397509	Carded	0.74 lb

GEARWRENCH® Heavy-Duty Large Hose Clamp Pliers

- For Flat Ear Style Hose Clamps
- Plier Tips Trap and Hold Clamp, and Swivel for Multiple Angle Access
- Easy to Use Locking Feature
- Dual Dipped for Additional Comfort



Cat. No.	UPC No.	Packaging	Product Weight
3978D	082171397806	Carded	0.85 lb

GEARWRENCH® Hose Pinch Off Pliers

- Pliers Eliminate the Need to Drain Cooling System When Servicing
- Pliers Squeeze Hoses Shut and Jaws Swivel for Parallel Clamping
- Automatic Locking Ratchet
- Do Not Use on Wire-Reinforced Hose



Cat. No.	UPC No.	Packaging	Product Weight
145	082171001451	Carded	0.85 lb

GEARWRENCH® Small Hose Pinch-Off Pliers, 3/4" O.D. Capacity

- Ideal for Use on Radiator Hoses, Heater Hoses, Water, Air, Vacuum and Fuel Lines
- Capacity 3/4" Outside Diameter
- Extra Long Cushioned Hand Grips for Comfort and Control
- Clamping Mechanism Locks Automatically - No Screws Or Levers to Set Or Adjust
- Black Oxide Coated to Resist Rust and Corrosion



Cat. No.	UPC No.	Packaging	Length	Jaw Capacity	Product Weight
3791	082171037917	Carded	5-1/2 in	3/4 in	0.43 lb

GEARWRENCH® Medium Hose Pinch-Off Pliers, 1-1/4" O.D. Capacity

- Ideal for Use on Radiator Hoses, Heater Hoses, Water, Air, Vacuum and Fuel Lines
- Capacity 1-1/4" Outside Diameter
- Extra Long Cushioned Hand Grips for Comfort and Control
- Clamping Mechanism Locks Automatically - No Screws Or Levers to Set Or Adjust
- Black Oxide Coated to Resist Rust and Corrosion



Cat. No.	UPC No.	Packaging	Length	Jaw Capacity	Product Weight
3792D	082171037924	Carded	9-1/4 in	1-1/4 in	0.75 lb

GEARWRENCH® Large Hose Pinch-Off Pliers, 2-1/2" O.D. Capacity

- Ideal for Use on Radiator Hoses, Heater Hoses, Water, Air, Vacuum and Fuel Lines
- Capacity 2-1/2" Outside Diameter
- Extra Long Cushioned Hand Grips for Comfort and Control
- Clamping Mechanism Locks Automatically - No Screws Or Levers to Set Or Adjust
- Black Oxide Coated to Resist Rust and Corrosion



Cat. No.	UPC No.	Packaging	Length	Jaw Capacity	Product Weight
3793	082171037931	Carded	14 in	2-1/2 in	1.24 lb

GEARWRENCH® Lock-Ring Pliers

- Remove and Install Snap Rings Without Holes Used on Brakes, Transmissions, Pedal and Clutch Shafts
- Scored Jaws Securely Hold Rings



Cat. No.	UPC No.	Packaging	Product Weight
2534D	082171025341	Carded	0.45 lb

GEARWRENCH® Heavy-Duty Combination Snap Ring Pliers

- Remove and Install Heavy-Duty Internal Snap Rings From 2-7/16" to 3-1/2" and External Snap Rings From 1-1/2" to 4" in Diameter
- Points Lock Securely in Jaws
- Screw-Type Design Maintains Jaw Position During Use
- Includes 3 Pairs of Interchangeable Points



Cat. No.	UPC No.	Packaging	Length	Includes Tips Dia./ Angle	Product Weight
2012D	082171020124	Carded	9-1/2 in	0.108" Dia. 15° Angle, 0.108" Dia. 45° Angle and 0.123" Dia 45° Angle	1.30 lb

GEARWRENCH® 3 Pairs of Heavy-Duty Interchangeable Points Set

- For Heavy-Duty Snap Ring Pliers 454, 455, 456 and 2012D
- Includes 3 Pairs of Interchangeable Points and 1 Pair of Points Clamps With 2 Screws
- Requires 3/32" Hex Key When Replacing Points



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
457	082171004575	Carded	0.108" Dia. 15°, 0.108" Dia. 45°, & 0.123" Dia. 45°	0.10 lb

GEARWRENCH® Combination Snap Ring Pliers

- Remove and Install Internal and External Snap Rings
- Tips Spread Up to 1-1/4"
- Tip Diameter 0.070"



Cat. No.	UPC No.	Packaging	Tip Description	Product Weight
1715D	082171017155	Carded	Tip Diameter 0.070"	0.10 lb

GEARWRENCH® Internal Snap Ring Pliers

- Remove and Install Internal Snap Rings From 3/8" to 1-3/4" in Diameter
- Includes 5 Pairs of Interchangeable Points
- Requires 5/64" Hex Key When Replacing Points
- Use Replacement Points Sets 447 and 448DD



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
445	082171004452	Carded	0.039" Dia. 15° Angle; 0.048" Dia. 15° Angle; 0.074" Dia. 15° Angle; 0.039" Dia. 45° Angle; 0.047" Dia. 90° Angle;	0.35 lb

GEARWRENCH® External Snap Ring Pliers

- Remove and Install External Snap Rings From 1/4" to 1-7/16" in Diameter
- Includes 5 Pairs of Interchangeable Points
- Requires 5/64" Hex Key When Replacing Points
- Use Replacement Points Sets 447 and 448DD



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
446D	082171004469	Carded	0.039" Dia. 15° Angle; 0.048" Dia. 15° Angle; 0.074" Dia. 15° Angle' 0.039" Dia. 45° Angle & 0.047" Dia. 90° Angle	0.35 lb

GEARWRENCH® 5 Pairs of Interchangeable Points Set

- For Snap Ring Pliers 445, 446D
- Includes 5 Pairs of Interchangeable Points & 1 Pair of Point Clamps With 2 Screws
- Requires 5/64" Hex Key When Replacing Points



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
447	082171004476	Carded	1 Pair of Each Included: 0.039" Dia. 15°, 0.047" Dia. 15°, 0.074" Dia. 15°, 0.039" Dia. 45° & 0.047" Dia 90° Angle	0.06 lb

GEARWRENCH® 9 Pairs of Interchangeable Points Set

- For Snap Ring Pliers 445, 446D
- Includes 9 Pairs of Interchangeable Points & 2 Retaining Screws
- Requires 5/64" Hex Key When Replacing Points



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
448DD	082171004483	Carded	1 Pair of Each Included: 0.039" Dia. 15°, 0.047" Dia. 15°, 0.074" Dia. 15°, 0.039" Dia. 45°, 0.047 Dia. 45°, 0.074" Dia. 45°, 0.039" Dia 90°, 0.047" Dia 90° & 0.074" 90° Angle	0.08 lb

GEARWRENCH® 6 Pc. Cam-Lock Style Convertible Snap Ring Pliers Set

- Patented Design Allows Quick Change-Over From Internal to External Ring Applications
- To Change - Push Button on Knob and Rotate
- Fits Internal and External Rings From 1/4" to 2"
- Cushion Grip Handles for Comfort
- Comes in Custom Molded Storage Case
- Includes Popular Tip Diameters



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3859D	082171038594	Blow Mold Case	0.038", 0.047" and 0.070" in 18° and 90° Angled" Tips	0.40 lb

GEARWRENCH® 12 Pc. Fixed Tip Combination Snap Ring Pliers Set

- Set Includes the Four Most Popular Tip Sizes
- Designed for the Removal and Installation of Either Internal Or External Snap Rings
- Features Cushion Dipped Handles for Comfort
- Set Is Packaged in a Durable Plastic Storage Case



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3495	082171034954	Blow Mold Case	0.038", 0.047", 0.070" and 0.090" in Straight, 45° and 90° Angle	5.15 lb

Cat. No.	Description	Cat. No.	Description
3483DD	Fixed Tip / Combination Snap Ring Pliers / 0.038 / straight	3489	Fixed Tip / Combination Snap Ring Pliers / 0.070 / straight
3484D	Fixed Tip / Combination Snap Ring Pliers / 0.038 / 45 degree	3490D	Fixed Tip / Combination Snap Ring Pliers / 0.070 / 45 degree
3485D	Fixed Tip / Combination Snap Ring Pliers / 0.038 / 90 degree	3491	Fixed Tip / Combination Snap Ring Pliers / 0.070 / 90 degree
3486	Fixed Tip / Combination Snap Ring Pliers / 0.047 / straight	3492	Fixed Tip / Combination Snap Ring Pliers / 0.090 / straight
3487	Fixed Tip / Combination Snap Ring Pliers / 0.047 / 45 degree	3493	Fixed Tip / Combination Snap Ring Pliers / 0.090 / 45 degree
3488D	Fixed Tip / Combination Snap Ring Pliers / 0.047 / 90 degree	3494	Fixed Tip / Combination Snap Ring Pliers / 0.090 / 90 degree

GEARWRENCH® Snap Ring Pliers, Fixed Tip

- Versatile, Heavy Duty Pliers Designed for the Removal and Installation of Either Internal or External Snap Rings on a Wide Range of Applications
- Feature a Cushion Dipped Handle and are Designed for Heavy Duty Use



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3483DD	082171034831	Bagged	0.038" Straight	0.16 lb
3484D	082171034848	Bagged	0.038" 45°	0.16 lb
3485D	082171034855	Bagged	0.038" 90°	0.16 lb
3486	082171034862	Bagged	0.047" Straight	0.16 lb
3487	082171034879	Bagged	0.047" 45°	0.16 lb
3488D	082171034886	Bagged	0.047" 90°	0.16 lb
3489	082171034893	Bagged	0.070" Straight	0.27 lb
3490D	082171034909	Bagged	0.070" 45°	0.27 lb
3491	082171034916	Bagged	0.070" 90°	0.27 lb
3492	082171034923	Bagged	0.090" Straight	0.50 lb
3493	082171034930	Bagged	0.090" 45°	0.50 lb
3494	082171034947	Bagged	0.090" 90°	0.50 lb

GEARWRENCH® Universal Convertible Retaining Ring Pliers, Small

- For Up to 1.0" Diameter Rings
- Easily Convert From Internal to External Rings By Moving Levers. No Pins to Push
- Hex Shaped Locking Guides Firmly Hold Tips
- Ergonomic Anti-Slip Sealed Air Pocket Grips for Comfort
- Spring Loaded for Faster Work
- Includes: 5 Pairs of Color Coded Tips & Hex Wrench
- Replacement Tip Set Part: 315077



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3150D	082171031502	Carded	0.024", 0.038", 0.038" 90°, 0.047", 0.047" 90°	0.30 lb

GEARWRENCH® Universal Convertible Retaining Ring Pliers, Large

- For Up to 2.0" Diameter Rings
- Easily Convert From Internal to External Rings By Moving Levers. No Pins to Push
- Hex Shaped Locking Guides Firmly Hold Tips
- Ergonomic Anti-Slip Sealed Air Pocket Grips for Comfort
- Spring Loaded for Faster Work
- Replacement Tip Set Part: 315177



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3151	082171031519	Carded	0.038", 0.038" 90°, 0.047", 0.047" 90°, 0.070"	0.60 lb

GEARWRENCH® Universal Convertible Retaining Ring Pliers, Extra Large

- For Use on Internal Rings 1-13/16" to 4" and External Rings 1-1/2" to 4"
- Easily Convert From Internal to External Use on Snap Rings With the Push-Button Feature
- Ratchet Lock Holds the Snap Ring in Desired Position
- Cushion-Grip Handles for Comfort
- Replacement Tip Set Part: 315277



Cat. No.	UPC No.	Packaging	Includes Tips Dia./ Angle	Product Weight
3152D	082171031526	Carded	0.090" 15° & 90°, 0.108" 15° & 90°, and 0.120" 15° & 90° Tips	1.20 lb