

GOJO® NATURAL* ORANGE[™] Smooth Hand Cleaner

Version 1.2	Revision Date: 06/05/2015		DS Number: 61-00003	Date of last issue: 02/10/2015 Date of first issue: 12/16/2014	
SECTION	1. IDENTIFICATION				
Product name		:	GOJO® NATURA	L* ORANGE™ Smooth Hand Cleaner	
Manu	facturer or supplier's	detai	ls		
	any name of supplier			Inc.	
Addre	Address		One GOJO Plaza, Suite 500 Akron OH 44311		
Telepl	none	:	1 (330) 255-6000		
Emerç	Emergency telephone		1-800-424-9300	CHEMTREC	
Recor	nmended use of the o	:hemi	ical and restriction	ons on use	
Recor	Recommended use		Skin-care		
Restri	Restrictions on use		consumers and or foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and or intended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. It is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Not a hazardous substance or mixture. **GHS Label element**

Not a hazardous substance or mixture. Other hazards None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Che	emical	Name
-----	--------	------

CAS-No.



Version 1.2	Revision Date: 06/05/2015	MSDS Number: 37161-00003	Date of last issue: 02/10/2015 Date of first issue: 12/16/2014		
Distill	lates (petroleum), hyd	rotreated light	64742-47-8	>= 5 - < 10	
1-Me	thyl 4-(1-Methylethen	yl) Cyclohexene	5989-27-5	>= 0.1 - < 1	

SECTION 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.2	Revision Date: 06/05/2015	MSDS Number: 37161-00003		Date of last issue: 02/10/2015 Date of first issue: 12/16/2014	
		ι	Jse personal pro	otective equipment.	
SECTION	6. ACCIDENTAL RELE	ASE	MEASURES		
prote	Personal precautions, : protective equipment and emergency procedures		: Follow safe handling advice and personal protective equipment recommendations.		
Envir	onmental precautions	F F b F	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containme barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillage cannot be contained.		
	ods and materials for ainment and cleaning up	F c c c c c c c c c c c c c c c c c c c	For large spills, p containment to k an be pumped, container. Clean up remain bsorbent. cocal or national disposal of this n employed in the letermine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	06/05/2015	37161-00003	Date of first issue: 12/16/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
1-Methyl 4-(1-Methylethenyl)	5989-27-5
Cyclohexene	

Engineering measures

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection :		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. WI concentrations are above recommended limits or are unknown, appropriate respiratory protection should be wo Follow OSHA respirator regulations (29 CFR 1910.134) a use NIOSH/MSHA approved respirators. Protection provi by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not prov- adequate protection.	
Hand protection			
Remarks	:	For prolonged or repeated contact use protective gloves. Wash hands before breaks and at the end of workday.	
Eye protection	:	Wear the following personal protective equipment: Safety glasses	
Skin and body protection	:	Skin should be washed after contact.	
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Vers 1.2	sion	Revision Date: 06/05/2015		DS Number: 61-00003	Date of last issue: 02/10/2015 Date of first issue: 12/16/2014
	Appear	ance	:	liquid	
	Color		:	white, gray, opaq	ue
	Odor		:	citrus	
	Odor T	hreshold	:	No data available	9
	рН		:	5.0 - 8.0	
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	95 °C	
	Flash p	oint	:	> 100 °C	
	Evapor	ation rate	:	No data available)
	Flamma	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	
	Lower e	explosion limit	:	No data available	
	Vapor p	pressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Density	,	:	0.98 g/cm3	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	The substance or	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	10,000 - 50,000 r	mm2/s (20 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.



Versio 1.2	on Revision Date: 06/05/2015	MSDS Number: 37161-00003	Date of last issue: 02/10/2015 Date of first issue: 12/16/2014	
	Chemical stability	: Stable under no	ormal conditions.	
	Possibility of hazardous reac- ions	: Can react with strong oxidizing agents.		
C	Conditions to avoid	: None known.		
I	ncompatible materials	: Oxidizing agent	ts	
	Hazardous decomposition products	: No hazardous o	decomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact			
Acute toxicity			
Not classified based on available	information.		
Ingredients:			
Distillates (petroleum), hydrotr	•		
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg		
Acute inhalation toxicity :	LC50 (Rat): > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials		
Acute dermal toxicity :	LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity		
1-Methyl 4-(1-Methylethenyl) C Acute oral toxicity :	yclohexene: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials		
Skin corrosion/irritation			

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients: Distillates (petroleum), hydrotreated light:



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	06/05/2015	37161-00003	Date of first issue: 12/16/2014

Assessment: Repeated exposure may cause skin dryness or cracking.

1-Methyl 4-(1-Methylethenyl) Cyclohexene: Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rabbit Result: No eye irritation

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rabbit Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: Rat



rsion	Revision Date: 06/05/2015	MSDS Number:Date of last issue: 02/137161-00003Date of first issue: 12/1	
		Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar mat	
	hyl 4-(1-Methylethe oxicity in vitro	 /I) Cyclohexene: Test Type: In vitro mammalian cell gene r Result: negative 	nutation test
Genot	oxicity in vivo	: Test Type: Transgenic rodent somatic cel say Species: Rat Application Route: Ingestion Result: negative	l gene mutation a
Carci	nogenicity		
Not cl	assified based on ava	able information.	
Specie Applic Expos	hyl 4-(1-Methylether es: Mouse ation Route: Ingestio sure time: 103 weeks t: negative	/I) Cyclohexene:	
IARC		No ingredient of this product present at level equal to 0.1% is identified as probable, poss human carcinogen by IARC.	
OSH	4	No ingredient of this product present at level equal to 0.1% is identified as a carcinogen o gen by OSHA.	
NTP		No ingredient of this product present at level equal to 0.1% is identified as a known or ant by NTP.	
Not cl	oductive toxicity assified based on ava dients:	able information.	
Distill	ates (petroleum), hy s on fertility	Irotreated light: : Test Type: One-generation reproduction t Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar mat	
Effect	s on fetal developme	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative	



Version	Revision Date:	MSDS Number:
1.2	06/05/2015	37161-00003

Date of last issue: 02/10/2015 Date of first issue: 12/16/2014

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rat NOAEL: > 10.4 mg/l Application Route: inhalation (vapor) Exposure time: 90 d Remarks: Based on data from similar materials

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rat NOAEL: 600 mg/kg Application Route: Ingestion Exposure time: 13 w

Aspiration toxicity

Not classified based on available information.

Ingredients:

Ecotoxicity

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ingredients: Distillates (petroleum), hydrotreated light:			
Toxicity to fish	 LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 		
Toxicity to daphnia and other aquatic invertebrates	 EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction 		
Toxicity to algae	 EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction 		



ersion 2	Revision Date: 06/05/2015		SDS Number: 161-00003	Date of last issue: 02/10/2015 Date of first issue: 12/16/2014
			Exposure time: 7	onema costatum (marine diatom)): 993 mg/l 72 h Water Accommodated Fraction
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	Exposure time: 8	aphnia dubia (water flea)): > 70 mg/l 3 d Water Accommodated Fraction
Toxic	ity to bacteria	:	EC50: > 100 mg Exposure time: 3	
	thyl 4-(1-Methylethenyl ity to fish			es promelas (fathead minnow)): 0.72 mg/l 96 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 4	magna (Water flea)): 0.36 mg/l 18 h
Toxic	ity to algae	:	Exposure time: Test substance:	esmus subspicatus (green algae)): 150 mg/l 72 h Water Accommodated Fraction I on data from similar materials
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
Persi	stence and degradabil	ity		
Distil	<u>dients:</u> Iates (petroleum), hydr egradability		Result: Readily I Biodegradation: Exposure time: 2	82 %
	t hyl 4-(1-Methylethenyl gradability	נ כ (Result: Readily I Biodegradation: Exposure time: 2	80 %
Bioad	ccumulative potential			
1-Met Partiti	dients: thyl 4-(1-Methylethenyl ion coefficient: n- ol/water		/clohexene: log Pow: 4.38	
Mobi	lity in soil			
No da	ata available			



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	06/05/2015	37161-00003	Date of first issue: 12/16/2014

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	: Dispose of in accordance with local regulations.	
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. 	;

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Version 1.2	Revision Date: 06/05/2015	MSDS Number: 37161-00003		f last issue: 02/10/2 f first issue: 12/16/2			
Pennsylvania Right To Know							
	Water			7732-18-5	90 - 100 %		
	Distillates	(petroleum), hydrotre	eated light	64742-47-8	5 - 10 %		
New Jersey Right To Know							
	Water			7732-18-5	90 - 100 %		
	Distillates	(petroleum), hydrotre	eated light	64742-47-8	5 - 10 %		
California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects. The ingredients of this product are reported in the following inventories: REACH : All ingredients (pre-)registered or exempt.							
TSC	A			n this product are e compliance with a ⁻			
DSL		1999 and NS	NR and are o	n this product comp on or exempt from tances List (DSL).			
AICS	8	: All ingredient	s listed or ex	empt.			

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version	Revision Date:	MSDS Number:	Date o
1.2	06/05/2015	37161-00003	Date o

Date of last issue: 02/10/2015 Date of first issue: 12/16/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

NIOSH REL OSHA Z-1	 USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
NIOSH REL / TWA	 its for Air Contaminants Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded
OSHA Z-1 / TWA	at any time during a workday : 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	: 06/05/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8