

# SAFETY DATA SHEET

# 1. Identification

Internetion			
Product identifier	Lectra-Motive® Electric Parts Cleaner		
Other means of identification			
Product Code	No. 05018 (Item# 1003634)		
Recommended use	Energized electrical cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)		
Website	www.crcindustries.com		
2. Hazard(s) identification	I		
Physical hazards	Gases under pressure	Compressed gas	
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2B	
	Sensitization, skin	Category 1B	
	Carcinogenicity	Category 1B	
	Specific target organ toxicity, single exposure	Category 3 narcotic effects	

Hazardous to the aquatic environment, acute Category 2

### **Environmental hazards**

OSHA defined hazards

Label elements



Hazardous to the aquatic environment,

### Danger

hazard

long-term hazard

Not classified.

Hazard statement

Prevention

**Precautionary statement** 

Signal word

Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation. May cause drowsiness or dizziness. May cause cancer. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Category 2

# Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Collect spillage.
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

# 3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
tetrachloroethylene	perchloroethylene	127-18-4	90 - 100
carbon dioxide		124-38-9	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of nose and throat. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, or water spray.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

# 6. Accidental release measures

. Accidental release med	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Collect spillage. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices. For product

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

.....

. .

.

usage instructions, see the product label.

Contents under pressure. Do not handle or store near an open flame, heat or other sources of ignition. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Protect from sunlight. Store in a well-ventilated place. Store in cool place. Exposure to high temperature may cause can to burst. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
US. OSHA Table Z-2 (29 CFR 1910.100	00)		
Components	Туре	Value	
tetrachloroethylene (CAS 127-18-4)	Ceiling	200 ppm	
,	TWA	100 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
,	TWA	5000 ppm	

	Туре		Va	lue
tetrachloroethylene (CAS 127-18-4)	STEL		10	) ppm
	TWA		25	ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards			
Components	Туре		Va	lue
carbon dioxide (CAS 124-38-9)	STEL	-	54	000 mg/m3
				000 ppm
	TWA			00 mg/m3
			50	00 ppm
iological limit values				
ACGIH Biological Expose Components	ure Indices Value	Determinant	Specimen	Sampling Time
tetrachloroethylene (CAS	0.5 mg/l	Tetrachloroethy	Blood	*
127-18-4)	3 ppm	lene Tetrachloroethy	End-exhaled	*
* <b>F</b>		lene	air	
* - For sampling details, ple	ease see the source docu	iment.		
xposure guidelines				
US - Minnesota Haz Subs		lies		
tetrachloroethylene (C	AS 127-18-4)	Skin de	esignation applie	S.
ppropriate engineering ontrols	should be matched or other engineering exposure limits have	to conditions. If app g controls to maintai e not been establish	blicable, use pro in airborne level ned, maintain air	our) should be used. Ventilation rates cess enclosures, local exhaust ventilation, s below recommended exposure limits. If borne levels to an acceptable level. Eye ble when handling this product. Provide
	Cycwash station.			
dividual protection measure Eye/face protection	es, such as personal pr			
Eye/face protection	•			
Eye/face protection Skin protection	es, such as personal pr Wear safety glasses	s with side shields (	or goggles).	vvinvl alcohol (PVA), Silver Shield®
Eye/face protection Skin protection Hand protection	es, such as personal pr Wear safety glasses Wear protective glo	s with side shields ( ves such as: Nitrile.	or goggles). . Viton/butyl. Pol	yvinyl alcohol (PVA). Silver Shield®.
Eye/face protection Skin protection	es, such as personal pr Wear safety glasses Wear protective glov Wear appropriate ch If engineering contro NIOSH-approved ca breathing apparatus	s with side shields ( ves such as: Nitrile. hemical resistant clo ols are not feasible artridge respirator w s in confined spaces	or goggles). . Viton/butyl. Pol othing. or if exposure e: <i>i</i> ith an organic vi s and for emerge	yvinyl alcohol (PVA). Silver Shield®. kceeds the applicable exposure limits, use apor cartridge. Use a self-contained encies. Air monitoring is needed to
Eye/face protection Skin protection Hand protection Other	es, such as personal pr Wear safety glasses Wear protective glo Wear appropriate cl If engineering contro NIOSH-approved ca	s with side shields ( ves such as: Nitrile. hemical resistant clo ols are not feasible artridge respirator w s in confined spaces nployee exposure le	or goggles). . Viton/butyl. Pol othing. or if exposure ex /ith an organic va s and for emerge evels.	cceeds the applicable exposure limits, use apor cartridge. Use a self-contained encies. Air monitoring is needed to
Eye/face protection Skin protection Hand protection Other Respiratory protection	es, such as personal pr Wear safety glasses Wear protective glov Wear appropriate ch If engineering contro NIOSH-approved ca breathing apparatus determine actual en Wear appropriate th Observe any medica personal hygiene m drinking, and/or smo	s with side shields ( ves such as: Nitrile. hemical resistant clo ols are not feasible artridge respirator w s in confined spaces nployee exposure le hermal protective clo al surveillance requ leasures, such as w oking. Routinely wa	or goggles). Viton/butyl. Polothing. or if exposure exith an organic vasion of a stand for emerge evels. othing, when new irements. When vashing after har	cceeds the applicable exposure limits, use apor cartridge. Use a self-contained encies. Air monitoring is needed to
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards eneral hygiene	es, such as personal pr Wear safety glasses Wear protective glov Wear appropriate cl If engineering contro NIOSH-approved ca breathing apparatus determine actual en Wear appropriate th Observe any medic personal hygiene m drinking, and/or smo contaminants. Cont	s with side shields ( ves such as: Nitrile. hemical resistant clo ols are not feasible artridge respirator w s in confined spaces nployee exposure le hermal protective clo al surveillance requ leasures, such as w oking. Routinely wa	or goggles). Viton/butyl. Polothing. or if exposure exith an organic vasion of a stand for emerge evels. othing, when new irements. When vashing after har	Acceeds the applicable exposure limits, use apor cartridge. Use a self-contained encies. Air monitoring is needed to cessary. using do not smoke. Always observe goo Indling the material and before eating, g and protective equipment to remove
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards eneral hygiene onsiderations	es, such as personal pr Wear safety glasses Wear protective glov Wear appropriate cl If engineering contro NIOSH-approved ca breathing apparatus determine actual en Wear appropriate th Observe any medic personal hygiene m drinking, and/or smo contaminants. Cont	s with side shields ( ves such as: Nitrile. hemical resistant clo ols are not feasible artridge respirator w s in confined spaces nployee exposure le hermal protective clo al surveillance requ leasures, such as w oking. Routinely wa	or goggles). Viton/butyl. Polothing. or if exposure exith an organic vasion of a stand for emerge evels. othing, when new irements. When vashing after har	Acceeds the applicable exposure limits, use apor cartridge. Use a self-contained encies. Air monitoring is needed to cessary. using do not smoke. Always observe goo Idling the material and before eating, g and protective equipment to remove

Physical state	Liquid.
Form	Aerosol.
Color	Colorless.
Odor	Irritating.
Odor threshold	50 ppm
рН	Not available.
Melting point/freezing point	-8.1 °F (-22.3 °C) estimated
Initial boiling point and boiling range	250.3 °F (121.3 °C) estimated
Flash point	None (Tag Closed Cup)

Material name: Lectra-Motive® Electric Parts Cleaner

No. 05018 (Item# 1003634) Version #: 05 Revision date: 02-19-2018 Issue date: 12-20-2013

Evaporation rate	Very fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	1230.2 hPa estimated
Vapor density	5.76 (air = 1)
Relative density	1.62
Solubility(ies)	
Solubility (water)	0.02 % (77 °F (25 °C))
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	97.9 % estimated
Other information	
Partition coefficient (oil/water)	2.88

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials. When exposed to extreme heat of hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	Hydrogen chloride. Trace amounts of chlorine and phosgene. Carbon oxides. Halogenated materials. Carbonyl halides.

# 11. Toxicological information

# Information on likely routes of exposure

······································	
Inhalation	Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Headache. Nausea, vomiting.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes eye irritation.
Ingestion	Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of nose and throat. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

Acute toxicity	None known.		
Components	Species	Test Results	
tetrachloroethylene (CAS	6 127-18-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 3228 mg/kg	

Components	Species	Test Results
Oral		
LD50	Rat	2629 mg/kg
* Estimates for product may b	e based on additional compone	ent data not shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory or skin sensitization	ı	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin re	action.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	May cause cancer.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	,
	127-18-4) d Substances (29 CFR 1910.	2A Probably carcinogenic to humans. 1001-1052)
Not regulated. US. National Toxicology Pro	ogram (NTP) Report on Carci	nogens
tetrachloroethylene (CAS	127-18-4)	Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause drowsiness and c	izziness.
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be	harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	ı	
Ecotoxicity	Toxic to aquatic life with long	lasting effects. Accumulation in aquatic organisms is expected.
Persistence and degradability	No data is available on the d	egradability of this product.
Bioaccumulative potential		
Partition coefficient n-octan tetrachloroethylene	ol / water (log Kow)	2.88
Mobility in soil	No data available.	
Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
13. Disposal consideratio	ns	
Hazardous waste code		vlene olvent - Spent Halogenated Solvent Used in Degreasing olvent - Spent Halogenated Solvent
US RCRA Hazardous Waste	U List: Reference	
tetrachloroethylene (CAS	127-18-4)	U210
Contaminated packaging		y retain product residue, follow label warnings even after container is nould be taken to an approved waste handling site for recycling or
Disposal instructions	disposal. Contents under pre to drain into sewers/water su	er must be disposed of as hazardous waste. Consult authorities before ssure. Do not puncture, incinerate or crush. Do not allow this material pplies. Do not contaminate ponds, waterways or ditches with chemica a accordance with all applicable regulations.
14. Transport information		
DOT		
UN number	UN1950	

Transport hazard class(es)			
Class	2.2		
Subsidiary risk	6.1(PGIII)		
Label(s)	2.2, 6.1		
Packing group	Not applicable.		
	Forbidden from transportation by air.		
Packaging exceptions	306		
Packaging non bulk	None		
Packaging bulk	None		
ΙΑΤΑ			
UN number	UN1950		
UN proper shipping name	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III		
Transport hazard class(es)			
Class	2.2		
Subsidiary risk	6.1		
Packing group	Not applicable.		
ERG Code	2P		
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.		
Passenger and cargo aircraft	Allowed with restrictions.		
Cargo aircraft only	Allowed with restrictions.		
IMDG			
UN number	UN1950		
UN proper shipping name	AEROSOLS		
Transport hazard class(es)			
Class	2		
Subsidiary risk	6.1		
Packing group	Not applicable.		
Environmental hazards			
Marine pollutant	No.		
EmS	Not available.		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
15. Regulatory information			
15. Regulatory information			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.		
TSCA Section 12(h) Export N	lotification (40 CFR 707, Subpt. D)		
Not regulated. SARA 304 Emergency releas	e notification		
Not regulated. OSHA Specifically Regulated	l Substances (29 CFR 1910.1001-1052)		
Not regulated. US EPCRA (SARA Title III) Se	ection 313 - Toxic Chemical: Listed substance		
tetrachloroethylene (CAS CERCLA Hazardous Substar	127-18-4)		
tetrachloroethylene (CAS			
CERCLA Hazardous Substar			
	tetrachloroethylene (CAS 127-18-4) 100 LBS		
	in the loss of any ingredient at or above its RQ require immediate notification to the National		

Response Center (800-424-8802) and to your Local Emergency Planning Committee.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

tetrachloroethylene (CAS 127-18-4)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.			
Food and Drug Administration (FDA)	Not regulated.			
Superfund Amendments and Re	authorization Act of 1	986 (SARA)		
Classified hazard categories	Gas under pressure Acute toxicity (any ro Skin corrosion or irrita Serious eye damage Respiratory or skin se Carcinogenicity Specific target organ	ation or eye irritation	ed exposure)	
SARA 302 Extremely hazard Not listed.	dous substance			
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
tetrachloroethylene		127-18-4	90 - 100	
US state regulations				
US. New Jersey Worker and	I Community Right-to-	Know Act		
carbon dioxide (CAS 124 tetrachloroethylene (CAS US. Massachusetts RTK - S	5 127-18-4)			
carbon dioxide (CAS 124 tetrachloroethylene (CAS <b>US. Pennsylvania Worker a</b> t	5 127-18-4)	o-Know Law		
carbon dioxide (CAS 124 tetrachloroethylene (CAS US. Rhode Island RTK	-38-9)			
carbon dioxide (CAS 124 tetrachloroethylene (CAS				
California Proposition 6	65			
	Cancer - www.P65Wa	arnings.ca.gov		
California Proposition 6	65 - CRT: Listed date/C	Carcinogenic substanc	e	
subd. (a))	te Chemicals List. Saf	Listed: April 1 Fer Consumer Products	, 1988 Regulations (Cal. Code R	egs, tit. 22, 69502.3,
tetrachloroethylene (	(CAS 127-18-4)			
Volatile organic compounds (VO EPA				
VOC content (40 CFR 51.100(s))	0 %			
Consumer products (40 CFR 59, Subpt. C)	Not regulated			
State	This was dealer of	and the state of the state		te ne estate d'a su s
Consumer products	This product is not compliant to be sold for use in California. This product is regulated as an Energized Electrical Cleaner for the following states: Connecticut, Delaware, District of Columbia, Illinois, Indiana, Maine, Maryland, Massachusetts, Michigan, New Jersey, New York, Ohio, Pennsylvania, Rhode Island and Virginia. It is for energized equipment use only. It is not to be used for motorized vehicle maintenance or their parts.			
VOC content (CA)	0 %			
VOC content (OTC)	0 %			
International Inventories				
<b>Country(s) or region</b> Australia	Inventory name Australian Inventory of	of Chemical Substances	(AICS)	<b>On inventory (yes/no)*</b> Yes
	, . , .			

Country(s) or region	Inventory name On ir	ventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***		

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	12-20-2013
Revision date	02-19-2018
Prepared by	Allison Yoon
Version #	05
Further information	CRC # 491G/1002481
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	<ul> <li>Product and Company Identification: Product and Company Identification</li> <li>Hazard(s) identification: Prevention</li> <li>Hazard(s) identification: Response</li> <li>Accidental release measures: Personal precautions, protective equipment and emergency procedures</li> <li>Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities</li> <li>Exposure controls/personal protection: Hand protection</li> <li>Physical and chemical properties: Oxidizing properties</li> <li>Physical and chemical properties: Explosive properties</li> <li>Regulatory information: California Proposition 65</li> <li>Regulatory information: US federal regulations</li> <li>Regulatory information: Consumer products</li> <li>Other information, including date of preparation or last revision: Disclaimer</li> </ul>