INDUSTRIAL SCIENTIFIC

Hydrogen Sulfide (0.0001% - 0.05%) in Nitrogen

Safety Data Sheet 50248

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/09/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrogen
Replaces ISC MSDS No.	: 1810-0859, 1810-2245, 1810-2304, 1810-2970, 1810-2988, 1810-4216B, 1810-4984, 1810- 6633, 1810-7458, 1810-8274, 1810-9078, 1810-9090, 1810-9096, 1810-9100, 1810-9132

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

1.3. Details of the supplier of the safety data sheet

U.S. Supplier: Industrial Scientific Corporation 1 Life Way Pittsburgh, PA 15205-7500 Phone (412) 788-4353 TOLL-FREE 800-DETECTS Fax (412) 788-8353

MANUFACTURER: CALGAZ 821 Chesapeake Drive Cambridge, MD 21613

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300 Internationally: 1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Compressed gas H280 Full text of H-phrases: see section 16

2.2.	Label elements	
GHS-U	JS labeling	
Hazaro	l pictograms (GHS-US)	GHS04
Signal	word (GHS-US)	: Warning
Hazaro	d statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated
Precau	utionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention P403 - Store in a well-ventilated place CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

. Substance			
t applicable			
2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	99.95 - 99.9999	Compressed gas, H280
Hydrogen sulfide	(CAS No) 7783-06-4	0.0001 - 0.05	Flam. Gas 1, H220 Liquefied gas, H280 Acute Tox. 2 (Inhalation:gas), H330 STOT SE 3, H335 Aquatic Acute 1, H400

SECTION 4: First and measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medica	I attention and special treatment needed
If you feel unwell, seek medical advice. If breath	ing is difficult, give oxygen. Obtain medical attention if breathing difficulty persists.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	 Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	 Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
Specific methods	: Exposure to fire may cause containers to rupture/explode. Continue water spray from protected position until container stays cool. Move containers away from the fire area if this can be done without risk.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
· · · · · · · · · · · · · · · · · · ·	and and an an an an and a second and a

6.1. Personal precautions, prote	Personal precautions, protective equipment and emergency procedures		
General measures	: Ensure adequate ventilation.		
6.1.1. For non-emergency personne Protective equipment	el : Wear protective equipment consistent with the site emergency plan.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, N	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.
6.2. Environmental precautions	
Try to stop release if safe to do so.	
6.3. Methods and material for containmen	t and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Safe handling of the gas receptacle	: Protect cylinders from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents.
Safe use of the product	: The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularily) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
Hygiene measures	: Do not eat, drink or smoke when using this product. Observe very strict hygiene - avoid contact.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known. Nitric acid.
Storage area	: Store away from heat. Store in a well-ventilated place.

7.3. Specific end use(s)

See Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrogen		
Not applicable	ot applicable	
Not applicable		
Nitrogen (7727-37-9)		
lot applicable		
Not applicable		
Hydrogen sulfide (7783-06-4)		
ACGIH TWA (ppm) 1 ppm		
	Not applicable Not applicable Not applicable Not applicable Not applicable	

ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	ACGIH STEL (ppm)	5 ppm
OSHA	OSHA PEL (Ceiling) (ppm)	20 ppm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	 Alarm detectors should be used when toxic gases may be released. Oxygen detectors should be used when asphyxiating gases may be released. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Consider work permit system e.g. for maintenance activities. Ensure exposure is below occupational exposure limits.
Hand protection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See Sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	hemical properties
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: sulfide-like Rotten eggs
Odor threshold	: No data available
рН	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Flammability (solid, gas)	: See Sect. 2.1 & 2.2
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Vapor pressure	: Not applicable.
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: Not applicable for gas-mixtures.
Relative gas density	: Lighter or similar to air.
Solubility	: Water: Solubility in water of component(s) of the mixture : •: 20 mg/l •: 3980 mg/l
Log Pow	: Not applicable for gas-mixtures.
Log Kow	: Not applicable for gas-mixtures.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
9.2. Other information	
Additional information	: None.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
None known	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions None known. Hydrogen sulfide can form explosive compounds with nitric acid. 10.4. Conditions to avoid None under recommended storage and handling conditions (see section 7). Storage near nitric acid. 10.5. Incompatible materials None known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

SECT	ION 11: Toxicological information	
11.1.	Information on toxicological effects	

Acute toxicity

: Not classified

Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
Hydrogen sulfide (7783-06-4)		
LC50 inhalation rat (mg/l)	0.99 mg/l (Exposure time: 1 h)	
LC50 inhalation rat (ppm)	356 ppm/4h	
Skin corrosion/irritation	: Not classified	
	pH: Not applicable for gas-mixtures.	
Serious eye damage/irritation	: Not classified	
	pH: Not applicable for gas-mixtures.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated	: Not classified	
exposure)		
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.	
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.	
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.	
Symptoms/injuries upon intravenous administration	: Not known.	
Chronic symptoms	: Adverse effects not expected from this product.	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Classification criteria are not met.
Hydrogen sulfide (7783-06-4)	
LC50 fish 1	0.0448 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	0.022 mg/l (Exposure time: 96 h - Species: Gammarus pseudolimnaeus)
LC50 fish 2	0.016 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
12.2. Persistence and degradability	
Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrogen	

Persistence and degradability	No data available.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hudrogen gulfide (7792.06.4)		
Hydrogen sulfide (7783-06-4) Persistence and degradability	Not applicable for inorganic gases	
Persistence and degradability Not applicable for inorganic gases.		
2.3. Bioaccumulative potential		
Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrog		
Log Pow	Not applicable for gas-mixtures.	
Log Kow	Not applicable for gas-mixtures. No data available.	
Bioaccumulative potential		
Nitrogen (7727-37-9)	Net each she factores is seen	
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential No ecological damage caused by this product.		
ydrogen sulfide (7783-06-4)		
BCF fish 1	(no bioaccumulation expected)	
Log Pow Bioaccumulative potential	Not applicable for inorganic gases. No data available.	
2.4. Mobility in soil		
Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrog		
Mobility in soil	No data available.	
Nitrogen (7727-37-9)		
Ecology - soil	No ecological damage caused by this product.	
Hydrogen sulfide (7783-06-4)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
2.5. Other adverse effects		
iffect on ozone layer	: None.	
ffect on the global warming	: No known ecological damage caused by this product.	
SECTION 13: Disposal consideration	S	
3.1. Waste treatment methods		
Vaste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.	
Vaste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more	
	guidance on suitable disposal methods.	
cology - waste materials	guidance on suitable disposal methods.	
cology - waste materials SECTION 14: Transport information	guidance on suitable disposal methods.	
Cology - waste materials	guidance on suitable disposal methods.	
Cology - waste materials	guidance on suitable disposal methods.	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description JN-No.(DOT)	guidance on suitable disposal methods. : Avoid release to the environment.	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) in accordance with DOT Transport document description JN-No.(DOT)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. 	
Ecology - waste materials	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 Compressed gas, n.o.s. 	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Hazard labels (DOT)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 Compressed gas, n.o.s. 	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Hazard labels (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 Compressed gas, n.o.s. 2.2 - Non-flammable gas 	
Cology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Hazard labels (DOT) OCT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 Compressed gas, n.o.s. 2.2 - Non-flammable gas 2.2 - Non-flammable gas 302;305 	
Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT)	 guidance on suitable disposal methods. Avoid release to the environment. UN1956 Compressed gas, n.o.s. UN1956 Compressed gas, n.o.s. 2.2 - Non-flammable gas 2.2 - Non-flammable gas 302;305 314;315 	

Hydrogen Sulfide (0.0001% - 0.05 %) in Nitrogen Safety Data Sheet

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a	
passenger vessel.	
: No supplementary information available.	
: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers - Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted Ensure valve protection device (where provided) is correctly fitted.	
: UN 1956 COMPRESSED GAS, N.O.S., 2.2	
: 2 - Gases	
: 2.2 - Non-flammable compressed gas	
: 1956	
COMPRESSED GAS, N.O.S.	
: 2.2 - Non-flammable, non-toxic gases	
: 1956	
: COMPRESSED GAS, N.O.S.	
: 2	
n	
tances Control Act) inventory	
tances Control Act) inventory	
1	

15.2. International regulations

SARA Section 313 - Emission Reporting

CΔ	NA	

Quantity (TPQ)

Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	
Hydrogen sulfide (7783-06-4)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

EU-Regulations

1.0 %

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Hydrogen sulfide (7783-06-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Hydrogen sulfide (7783-06-4) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemical Substances) inventory Listed on the Korean ECL (Existing Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

Nitrogen (7727-37-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen sulfide (7783-06-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Indication of changes

Other information

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Compressed gas	Gases under pressure Compressed gas
Flam. Gas 1	Flammable gases Category 1
Liquefied gas	Gases under pressure Liquefied gas
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H330	Fatal if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.