

## PF3

### COLORED SPECIALTY PAPER MASKING TAPE

#### DESCRIPTION

A medium crepe paper masking tape coated with a pressure-sensitive, rubber based adhesive. Product is not printable.

#### PRODUCT APPLICATION

Designed for light-weight packaging, bag locking, decorative edging, marking and color coding.



intertape polymer group®

100 Paramount Drive, Suite 300 | Sarasota, FL 34232 | USA

Customer Service: 800.IPG.8273 | 800.474.8273

Tape Technical Service: 877.447.4832

[www.itape.com](http://www.itape.com) | [info@itape.com](mailto:info@itape.com)

While we believe them to be reliable, the statements and information herein are only for general guidance and are not warrants or guarantees for accuracy and completeness. The user must, by test or otherwise, determine suitability for this purpose. There is no warranty of fitness for a particular purpose. Our standard term and conditions of sale apply exclusively to all orders, and all liability for damages of any kind, including consequential, exceeding purchase price is excluded. No one is authorized by us to make oral warranties. We reserve the right to make changes without notice or obligation in our products and publications.

EFFECTIVE: 08/13

## INTERTAPE POLYMER GROUP® TECHNICAL DATA SHEET

#### NOMINAL VALUES

The following data are nominal values based on PSTC, ASTM and other standard tests. The data should not be considered as specifications.

<b>Backing</b>	Medium Crepe
<b>Adhesive</b>	Synthetic Rubber/Resin
<b>Adhesion to Steel</b> (oz/in of width) PSTC-101	32 (8.7 N/25mm)
<b>Tensile Strength</b> (lbs/in of width) PSTC-131	19 (83 N/25mm)
<b>Elongation</b> (% at break) PSTC-131	7
<b>Total Thickness</b> (mils) PSTC-133	5.2 (0.13mm)
<b>Quick Stick to Steel</b> (oz/in of width) PSTC-5	10.6 (2.9 N/25mm)
<b>Application Temp. Range</b>	+50°F ~ +90°F (+10°C ~ +32°C)
<b>Operating Temp. Range</b>	+40°F ~ +150°F (+4°C ~ +66°C)
<b>Colors</b>	White, Black, Red, Light Green, Dark Green, Yellow, Orange, Light Blue and Dark Blue





## MATERIAL SAFETY DATA SHEET

This Material Safety Data Sheet was constructed as a courtesy in response to customer requests. The subject products are articles, and exempt from OSHA MSDS requirements. These products should not present a health or safety hazard under recommended or normal use. However, misuse of these products may affect product performance or present a potential health and safety hazard.

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Masking Tapes: 513, 514, 515, 518, 519, 543, AM (Aqua Mask), BD23, BD24, MP, OM (Orange Mask), PB1, PF3, PG, PG5, PG8, PG12, PG14, PG16, PG20, PG21, PG21A, PG22, PG24, PG27, PG28A, PG29, PG48, PG49, PG56, PG57R, PG415, PG500, PG501, PG505, PG777, PT7, PT8, PT14, SMT1, TM27, UG
Company:	Intertape Polymer Group 100 Paramount Drive, Suite 300 Sarasota, Florida 34232
Product Use:	Paint masking and other applications
Issue Date:	January 1, 2014
Emergency phone number:	(800) 242-9300

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	C.A.S. Number	Weight (%)
Pressure Sensitive Tape	None	100

### 3. HAZARDS IDENTIFICATION

These products should not present a health or safety hazard under recommended or normal use. However, misuse of these products may affect product performance and present a potential health or safety hazard.

Eye contact:	No health effects anticipated
Skin contact:	No health effects anticipated
Inhalation:	No health effects anticipated
Ingestion:	No health effects anticipated





#### **4. FIRST AID MEASURES**

Eye contact:	No need for first aid is anticipated
Skin contact:	No need for first aid is anticipated
Inhalation:	No need for first aid is anticipated
If swallowed	No need for first aid is anticipated

#### **5. FIRE FIGHTING MEASURES**

Flash point:	Not applicable
Flammable limits – LEL:	Not applicable
Flammable limits – UEL:	Not applicable
Auto ignition temperature:	Not applicable
Extinguishing media:	Water Spray, Dry Chemical, Foam
Special firefighting procedures:	Wear full protective equipment and a self-contained breathing apparatus
Unusual fire and explosion hazards:	None known

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures:	Not applicable
Environmental precautions:	Not applicable
Cleanup methods and materials:	Not applicable

#### **7. HANDLING AND STORAGE**

Safe handling:	Normal application will not expose the user of these articles to hazardous substance levels
Safe storage:	Not applicable

#### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure limits:	Not applicable
Engineering controls:	Not applicable
Eye protection:	No applicable
Skin protection:	Frequent skin contact should be avoided. Gloves not normally needed.
Respiratory protection:	Not required under normal use conditions





## 9. PHYSICAL AND CHEMICAL PROPERTIES

Auto ignition temperature:	Not applicable
Boiling point:	Not applicable
Color:	Varies by product
Density:	Not applicable
Evaporation rate:	Not applicable
Flash point:	Not applicable
Melting point:	Not applicable
Physical form:	Solid
pH:	Not applicable
Solubility in water:	Nil
Specific gravity:	Not applicable
Vapor density:	Not applicable
Vapor pressure:	Not applicable
Viscosity:	Not applicable
Volatile percent:	Not applicable

## 10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	None known
Materials to avoid:	None known
Hazardous polymerization:	Not anticipated under normal use
Hazardous decomposition:	Not anticipated under normal use

## 11. TOXICOLOGICAL INFORMATION

Exposure to hazardous chemicals is not anticipated with normal use
--------------------------------------------------------------------

## 12. ECOLOGICAL INFORMATION

Not applicable
----------------

## 13. DISPOSAL INFORMATION

Waste product can be disposed of in a sanitary landfill or incinerated. Check local regulations before disposal.
------------------------------------------------------------------------------------------------------------------

## 14. TRANSPORT INFORMATION

These products are not regulated per U.S. DOT, IATA or IMO.
-------------------------------------------------------------





## 15. REGULATORY INFORMATION

Chemical inventories:	These products are articles as per TSCA regulations, and therefore exempt from TSCA Inventory listing requirements.
U.S. Federal regulations:	Contact Intertape Polymer Group
State regulations:	Contact Intertape Polymer Group
International regulations:	Contact Intertape Polymer Group

## 16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazard Classification			
Health: 0	Flammability: 1	Reactivity: 0	Special hazards: none

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Intertape Polymer Group (IPG) makes no warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the IPG product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an IPG product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the IPG product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

