

Dispensing Monitoring Systems

State-of-the-art detection systems allow real time process monitoring of dispense cycles. Whether you are looking to determine the presence of adhesive via fluorescence detection, or the amount of adhesive dispensed for an individual dispense nozzle, Henkel Corporation has the system that will get the job done with a high degree of precision and reliability.

Loctite® Fluorescence Detector, Item 98083

Designed for the detection of fluorescent adhesives on automated assembly lines, the Loctite® Fluorescence Detector connects to an in-house power supply and PLC for monitoring the presence of fluorescent adhesives and sealants on assembled devices. Three interchangeable lenses are available for various detection distances (lenses sold separately). A 100,000 hour LED life ensures consistent and long-term process monitoring.

Features

- 100.000 hours LED life
- · 250 microseconds maximum response time between detection points
- 3 lens options (sold separately) allow for various detection distances
- · Common light output and fluorescence detection path
- Equipped with a learn mode feature, allowing the programming of part detection with minimal effort
- · PNP and NPN output capability, allowing easy interface

Theory of Operation

An internal Light Emitting Diode (LED) illuminates adhesives and sealants that contain fluorescent additives. When adhesive is not detected on the illuminated part, an analog or digital signal is transmitted to indicate an insufficient amount. The Loctite® Fluorescence Detector is designed for easy interface with most analog or PNP and NPN digital detection systems.

Technical Specifications

Size: 3.1" L x 2.3" W x 1.2" D

Weight: .68 lbs.

Input Voltage: 10 to 30 volts DC current (80-300) ma
Output Voltage: Analog Output 0-5.5 volts into 2.2 kohms
NPN/PNP: 10 kohms Pull up/down resistance

Response Time: 250 microseconds max.

Switching Frequency: 2 khz

Light Source: LED 100,000 hours life

Spot Size: 9 mm Lens 1 mm Spot, 28 mm Lens 10 mm Spot,

50 mm Lens 12 mm Spot



List of Loctite® Brand Parts Supplied

- (1) Fluorescence Detector (Lenses Sold Separately)
- (1) 4-Conductor Cable with M12 Connector
- (1) Manual

Loctite® Lens Options

9 mm Lens 98102



28 mm Lens 98103



50 mm Lens 98101



Spare Parts

986091 Loctite® 4-Conductor Cable with M12 connector

In-Line Flow Monitor, Item 97211

The Loctite® In-Line Flow Monitor, Item 97211, when integrated with the Loctite® Single Channel Automatic Controller, Item 97123, can provide an economical approach to adhesive dispense monitoring. Pressure changes due to air entrapment, broken or blocked nozzles, or substrate contact can be effectively monitored by the system with a high degree of accuracy and repeatability. A choice of 3 pre-set tolerance ranges can be selected or customized from 1-99%. All out of tolerance dispense cycles result in error messages being displayed on the controller display, that must be acknowledged by the user. PLC or PC interface is also possible to view dispense characteristics for SPC data analysis.

Features (When integrated with the Loctite® Single Channel Controller - 97123)

Effective dispense monitoring to detect:

- · Air bubbles
- · Clogged or broken dispense tips, or tip-substrate contact
- · Changes in amount of adhesive dispensed
- 3 pre-set dispense tolerances or customizable from 1-99%
- PLC or PC integration to provide SPC data analysis

Technical Specifications

Power Input/Output: 24 VDC/1-10 VDC Dimensions: 3" W x 5.5" H x 2.25" D

Weight:



Ohtions	
982720, 982723	Loctite® Bond-A-Matic Reservoirs w/Low Level Sensors
982720, 982723	Loctite® Bond-A-Matic Reservoirs
98009	Loctite® Light Cure Dispense Valve
98006	Loctite® Cyanoacrylate Dispense Valve
98006	Loctite® Stationary Applicator Valves

System Requirements	Item #	Description	
Single Channel Automatic Controller	97123	Provides dispense control and tolerance monitoring	
Sensor Cable	8965008	Pressure sensing cable for dispense valve interface	
Value Adeptore	97200	Valve body adapter for Loctite® Dispense Valves (98009, 98013)	
Valve Adapters	97295	Valve body adapter for Loctite® Dispense Valves (97113, 97114)	

Fluid Waveform Analyzer, Signature Series (Custom Equipment)

Loctite® Fluid Waveform Analyzers are state-of-the-art fluid detection systems for use where high quality production and data inspection is desired. Available through the Henkel Custom Equipment group, these dispense inspection systems use conclusive "real time" data acquisition to detect plugged and broken dispense nozzles, nozzle voids, no dispense, low pressure (under-sized beads), high pressure (over-sized beads), and air bubbles. The resulting output is a pressure waveform, which when compared to a pre-programmed standard waveform, determines whether the process is in or out of control. Data acquisition can be stored locally or to a LAN. The custom configured fluid waveform analyzers are available in a range of price and performance options to meet your specific dispensing process requirements.

Features

Detection of:

- · Plugged and broken dispense tips
- Dispense tip voids
- · No dispense
- · Low pressure under-sized beads
- · High pressure over-sized beads
- · Air bubbles

Types of Fluids Handled

Any fluids ranging from water-thin liquids to thick pastes

Loctite® Fluid Waveform Analyzers are available through our Custom Equipment group in a range of price and performance options, custom configured to meet your specific requirements. For more information, contact the Technical Information Department at 1-800-LOCTITE (562-8483).



Loctite® Signature Series 1

Designed to monitor a single dispense point, the Loctite® Signature Series 1 is ideal for analyzing "drop" and Rotospray® dispense cycles up to 3 seconds. Includes one dry-contact pass/fail output relay. An optional remote display monitor is available separately. Not capable of internal data storage.



Loctite® Signature Series 4

Designed to monitor 1-4 dispense points simultaneously, the Loctite® Signature Series 4 is ideal for analyzing bead or drop dispense cycles up to 40 seconds. This ethernet-ready, industrial PC-based system comes standard with a hard drive for data storage. Capable of saving multiple dispense profiles, and can perform SPC analysis on data acquired.

Dispensing

Dispense Tips

Henkel offers a comprehensive line of Loctite® brand dispense tips which include high precision stainless steel, tapered polyethylene, and flexible polypropylene tips. All feature a positive locking helical thread design to ensure the tip will stay intact during the toughest applications. For your less critical applications, we offer more economical general purpose tips that still provide reliable and consistent dispensing shot after shot.

High Precision Stainless Steel Dispense Tips

1/4" Stainless Steel Tips **Helical Thread**





50 pack Item #	1000 pack ltem #	Hub Color/ Gauge
98194	98195	Olive/14
98202	98203	Red/25
98204	98205	Clear/27
98206	98207	Lavender/30

1/2" Stainless Steel Tips Helical Thread

50 pack Item #	1000 pack Item #	Hub Color/ Gauge
98396	98397	Amber/15
98398	98399	Green/18
98400	98401	Pink/20
98424	98425	Purple/21
98402	98403	Blue/22
98404	98405	Red/25
98104	98105	Lavender/30

90 Degree x 1/2" Stainless Steel Tips- Helical Thread

	50 pack Item #	1000 pack Item #	Hub Color/ Gauge
	98238	98239	White/14
	98242	98243	Amber/15
	98246	98247	Green/18
ı	98250	98251	Pink/20
ı	98254	98255	Purple/21
۰	98258	98259	Blue/22
	98262	98263	Orange/23
	98266	98267	Red/25
	98270	98271	Light Grey/27
		-	-

nelical filleau		
50 pack Item #	1000 pack Item #	Hub Color/ Gauge
98216	98217	White/14
98218	98219	Amber/15
98222	98223	Green/18
98224	98225	Pink/20
98226	98227	Purple/21
98228	98229	Blue/22
98230	98231	Orange/23
98232	98233	Red/25
98234	98235	Light Grey/27

1" Stainless Steel Tips Holical Throad

11/2" Stainless Steel Tips **Helical Thread**

50 pack Item #	1000 pack Item #	Hub Color/ Gauge
98163	98164	White/14
98165	98166	Amber/15
98167	98168	Green/18
98169	98170	Pink/20
98171	98172	Purple/21
98173	98174	Blue/22
98175	98176	Orange/23
98177	98178	Red/25
98179	98180	Light Grey/27

45 Degree x 1/2" Stainless Steel Tips - Helical Thread

	50 pack Item #	1000 pack Item #	Hub Color/ Gauge
	98236	98237	White/14
	98240	98241	Amber/15
	98244	98245	Green/18
ı	98248	98249	Pink/20
L	98252	98253	Purple/21
,	98256	98257	Blue/22
	98260	98261	Orange/23
	98264	98265	Red/25
	98268	98269	Light Grey/27

Tapered Dispense Tips

1¹/₄" Polyethylene Tapered Tips Helical Thread & UV Light Block Additive

Tichical Tillicad & OV Eight Diock		
50 pack Item #	1000 pack Item #	Hub Color/ Gauge
98385	98386	White/14
98387	98388	Grey/16
98389	98390	Green/18
98391	98392	Pink/20
98393	98394	Blue/22

Flexible Dispense Tips

1¹/2" Flexible Polypropylene Tips **Helical Thread**

50 pack Item #	1000 pack Item #	Hub Color/ Gauge
97229	98069	Amber/15
97230	98070	Green/18
97231	98071	Pink/20
97232	98082	Red/25

Hub Color/

Gauge

Olive/14

Amber/15

Green/18

Pink/20

Purple/21

Blue/22

Orange/23

Red/25

Clear/27

tem #	Item #	Gauge
97229	98069	Amber/15
97230	98070	Green/18
97231	98071	Pink/20
97232	98082	Red/25

General Purpose Dispense Tips

1/2" Stainless Steel Tips

98215



98214

1¹/₄"Polyethylene Tapered Tips

50 pack Item #	1000 pack Item #	Tip Color/ Gauge
98272	98273	Tan/14
97221	98061	Grey/16
97222	98062	Green/18
97223	98063	Pink/20
97224	98064	Blue/22

Additional Dispense Tips and Accessories



Loctite® Showcase Needle Variety Kit contains 10 each of an assortment of General Purpose 1/2" Stainless Steel, Tapered, and Flexible Dispense Tips.

Item # 98044

	Item #	Description
	97238/98073	SS, PTFE Lined, 25 Gauge, 50/1000 pk
	97233	Luer-Lok Adapter Kit, 20 Luer-Loks & 5 Adapters
	97509/97510	Formable Dispense Tip, 21 Gauge, 50/1000 pk
	97248	Tip Caps, 50 pk
	97261/98074	High Density Polyethylene, 15 Gauge, White, 50/1000 pk
	998390	Vari-Drop™ Applicator Brushes, 10 pk
	97262	2 each of a variety of Helical Threaded 1/2" SS, Taper Tip, and Polypropylene Tips

Loctite® Brand Dispensing Spare Parts and Accessories

PARENT PRODUCT	Item #	Description	Package Quantity
39635	39633	400 ml mix nozzle, stepped 8 mm end	6
97001	993163 993174	Replacement Tubing Replacement Nozzle	1 1
97006, 98021	97201 984621	Replacement foot switch for 97006 Replacement foot switch for 98021	1 1
97007, 97010, 97017, 97020	97251 8900064 8950210	Replacement rupture disc Tank feed line fitting Replacement reservoir lid o-ring	1 1 1
97111, 97112, 97116	97220 97233 97234 97235 97236 97999	3/8* feed line conversion kit Luer-Lok adapter kit Replacement finger lever for 97111 Replacement actuator for 97112 Replacement actuator for 97116 Replacement valve assembly, all applicators	1 20 Luer-Lok, 5 adapters 1 1 1 1
97113, 97114	97239 97240 97242 97291	Replacement shut-off valve assembly, 97113 Replacement shut-off valve assembly, 97114 Mounting bracket Replacement actuator assembly	1 1 1
97123	97120 97960 97973 8950450 8951124	Air filter and regulator Pneumatic tubing, 4 mm O.D. Pneumatic tubing, 6 mm O.D. Threaded fitting for Pneumatic Supply and Reservoir Threaded fitting dispensing valves and Advancing Slide	1 1 1 1 1
97130	97902	Repair Kit for LV hand held valve	
97132	97249 998390	Vari-Drop™ applicator repair kit Vari-Drop™ applicator brushes	1 10
97135, 97136	97254 97268 97269 97271	Diaphragm Valve- Actuator Replacement Diaphragm Valve- Shut-off -2mm replacement Diaphragm Valve- Shut-off -3mm replacement Diaphragm Replacement Kit	1 1 1 1
98009, 98013	984129 984684 984685	Mounting bracket Valve rebuild kit, 98009 Valve rebuild kit, 98013	1 1 1
98011	984280 984281	Pneumatic foot switch Vertical stand	1 1
98022	984826 984832 984833	Replacement sleeve kit Fitting, 1/4" NPT x 1/4" tube, black plastic Fitting, 1/4" NPT x 3/8" tube, black plastic	1 10 10
98023	984720	Replacement foot switch assembly	1
98024	984691 984720 984727	Advancing Slide, 2* stroke Replacement foot switch assembly 2-Hand Anti-Tie-Down switch set	1 1 1
98079	98126 986264	Foot pedal wfitting and tubing Solenoid valve, 4 way	1 1
98084	98091	Micro Needle Valve Rod Replacement Kit	
98085	97132 97249 993247 997569	Vari-Drop™ w/o tubing and guards Vari-Drop™ repair kit Nut and sleeve sub-assembly Silicone grease, 6 gram tube	1 1 1 1
98090	98094 98129 98130 983055 984687 992641 997312	Toggle valve - 3 way Pressure regulator Pressure gauge Reservoir lid o-ring for acetone based primers Anti-bubbler kit Pressure safety relief valve Replacement reservoir lid o-ring	1 1 1 1 2 1 1
98359	98360 98361 98362 98363 98375	Pressure safety relief valve Pressure regulator Pressure gauge Reservoir lid gasket; material: Buna N Reservoir lid gasket; material: EPR	1 1 1 1 1
98431	988414	6" Rigid Extension	1
98432	988402	18" High Pressure Hose	1
98433	988403 988404 988434	Charger 30" High Pressure Hose Battery	1 1 1

Loctite® Brand Dispensing Spare Parts and Accessories (Continued)

PARENT PRODUCT	Item #	Description	Package Quantity
982719, 982722	97132 97249 981880 982450	Vari-Drop™ applicator Vari-Drop™ applicator repair kit Reservoir lid o-ring 200 g gel tube kit	1 1 1 1
982720, 982723, 982726, 982727, 982721, 982724	981880 982450 982716 982732	Replacement reservoir lid o-ring 200 g gel tube kit Replacement 110 VAC sensor, 982721, 982724 only Replacement 24 VDC sensor, 982720, 982723 only	1 1 1 1
982880	982702 982881	24 VDC sensor Replacement reservoir body	1 1
983330	983116 983117	Replacement actuator assembly Replacement pump assembly	1 1
986000	983255 986025 986035 986060 986300	Pump replacement Nozzle, .025' diameter Nozzle, .035' diameter Nozzle, .060' diameter Replacement poppet valve	1 1 1 1 1
986300	986025 986035 986060 986301	Nozzle, .025" diameter Nozzle, .035" diameter Nozzle, .060" diameter Valve rebuilt kit	1 1 1 1
998400	983095 998402 998425 998426	Tube adapter Pump rebuild kit Replacement turret Replacement cap - 1 liter bottle	1 1 1 1
Cartridge Accessories	97215 98128 98181 98371 982644 984832 984833	Cartridge-Syringe Adapter for 10, 30, 55 ml syringe barrels Cartridge Dispense Tip Cartridge Tube Fitting Adapter for tube fittings. Use w/ 984832 or 984833 Cartridge-Needle Luer-Lok Adapter for dispense needle attachment Fishbach Cartridge Adapter 1/4" NPT for 98022 Tube Fitting: 1/4" male NPT x 1/4" feed tube Tube Fitting: 1/4" male NPT x 3/8" feed tube	3 pack 10 pack 3 pack 5 pack 1 10 pack 10 pack
Tubing	97970 97972 981821 981866 981994 984688	3/8* black PTFE lined feed tube 1/4* black PTFE lined feed tube 1/4* clear polyethylene feed tube 3/8* clear polyethylene feed tube 1/4* clear nylon feed tube for Pump-A-Bead™ Silicone tubing for dispense valve purging	33 feet 33 feet 33 feet 33 feet 33 feet 25