



**STANLEY**<sup>®</sup>

**STANLEY**  
HAND TOOLS

**14**

- MEASURING
- CUTTING
- FASTENING
- STRIKING
- STRUCK
- LAYOUT
- PLIERS
- BORING
- FINISHING



# STANLEY HAND TOOLS

# 14

For over 160 years professionals have turned to Stanley for quality hand tools. Through these years, they have depended on the Stanley name for innovative design and durability. Our engineering and manufacturing experience is unsurpassed in the industry. All products are developed according to strict ergonomic guidelines standards and offer special advantages such as enhanced shock absorption, comfort grip and reduced slip.

Stanley offers a complete line of Measuring, Cutting, Fastening, Striking & Struck, Layout, Pliers, Boring and Finishing tools to meet your needs in the workplace.

## FATMAX™ LINE OF TOOLS

FatMax™ products are an innovative line of professional, high performance hand tools developed as a direct result of user research. These tools combine innovative design and engineered high performance materials to get the job done faster, better and more efficiently than traditional hand tools.

## SAFETY

- Use safety goggles to protect your eyes.
- Always be in a balanced and stable position when using hand tools.
- Disconnect electricity when working on electrical parts.
- Keep grease off holding surface of a tool.
- Keep tools clean to prevent slippage and possible injury.
- Never expose tools to excess heat. This could alter the temper and ruin the tool.





STANLEY  
**FatMax®**  
**BladeArmor™**



First 6" are reinforced with Blade Armor™ coating.

**FATMAX® TAPE RULES—1-1/4" WIDE BLADE REINFORCED WITH BLADE ARMOR™ COATING**

- Blade Armor™ coating is a patented industrial thermoplastic coating. It's on the first 6" of the FatMax® Tape Rules for maximum durability and reduced blade breakage.
- 1-1/4" wide blade (25% wider) with 11' of stand-out.
- Easy to read graphics.
- Mylar® polyester film coating extends blade life .
- Top forward blade lock makes it easier to lock and unlock the blade.
- Exclusive cushion grip built into the case for a comfortable slip-resistant grip and impact resistance.
- High impact, ABS case with rubber over-mold.
- Specially designed, hook grabs on side top or bottom.
- Strong spring for smooth retraction.
- Stainless steel wearplate protects case from being cut by blade.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
33-735*	—	35	1-1/4"	English	Yellow	ABS	Yes	Yes
33-730*	—	30	1-1/4"	English	Yellow	ABS	Yes	Yes
33-726*	8	26	1-1/4"	English/Metric:cm	Yellow	ABS	Yes	No
33-725*	—	25	1-1/4"	English	Yellow	ABS	Yes	Yes
33-716*	—	16	1-1/4"	English	Yellow	ABS	Yes	Yes



**MAXSTEEL® TAPE RULES**

- 9' Stand-out using patented "selective cross curve" technology. (1" blades only)
- Heavier and stronger spring for extra long life and "smooth-as-silk" blade recoil.
- Three rivet, corrosion resistant hook moves to allow for accurate inside/outside measurements. (1" blades only)
- Improved blade readability with high contrast color – easy to read in all light conditions.
- Top forward blade lock design makes it easier to lock and unlock the blade.
- High impact, ABS case with rubber over-mold.
- Mylar® polyester film coating extends blade life.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
33-605*	10	33	1"	English/Metric:cm	Yellow	ABS	Yes	No
33-600*	—	30	1"	English	Yellow	ABS	Yes	Yes
33-599*	—	25	1"	English	Yellow	ABS	Yes	Yes
33-692	—	16	3/4"	English	Yellow	ABS	Yes	Yes
33-689	—	16	3/4"	English/Fractional Read	Yellow	ABS	Yes	Yes
33-695	5	16	3/4"	English/Metric:cm	Yellow	ABS	Yes	Yes
33-694	—	12	5/8"	English/Fractional Read	Yellow	ABS	Yes	Yes
33-691	—	12	5/8"	English	Yellow	ABS	Yes	Yes
33-589	3	10	5/8"	English/Metric:cm	Yellow	ABS	Yes	Yes



30-513

30-825

**LEVERLOCK® TAPE RULES**

- High visibility yellow color make it easier to find in your toolbox.
- Power return tape rule with automatic bottom lock for easy operation.
- Special Tru-Zero hook for use as pivot to draw circles and arcs.
- Polymer coated blade and heat-treated spring for longer life.
- Three rivet corrosion resistant hook.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
30-825	—	25	1"	English	Yellow	ABS	Yes	Yes
30-824	8.0	26	1"	English/Metric:cm	Yellow	ABS	Yes	No
30-830	—	30	1"	English	Yellow	ABS	Yes	Yes
30-854L	—	25	1"	English/Fractions	Yellow	ABS	Yes	Yes
30-986	—	16	3/4"	English	Yellow	ABS	Yes	Yes
30-513	—	12	1/2"	English	Yellow	ABS	Yes	Yes

Mylar® is a registered trademark of DuPont Teijin Films for its polyester film. Only DuPont Teijin Films makes Mylar® polyester film.



**POWERLOCK® 2 TAPE RULES—1" WIDE BLADE**

- 8' stand-out using patented "select cross curve" technology.
- High impact, ABS case with rubber over-mold.
- Mylar® polyester film coating extends blade life.
- Three rivet, corrosion resistant hook moves to allow for accurate inside/outside measurements.
- High contrast blade graphics for easy readability in low light conditions.
- Top forward blade lock design makes it easier to lock and unlock blade.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
33-635*	—	35	1"	English	Yellow	ABS	Yes	Yes
33-631*	10	33	1"	English/Metric:cm	Yellow	ABS	Yes	Yes
33-630*	—	30	1"	English	Yellow	ABS	Yes	Yes
33-626*	8	26	1"	English/Metric:cm	Yellow	ABS	Yes	Yes
33-625*	—	25	1"	English	Yellow	ABS	Yes	Yes



**POWERLOCK® TAPE RULES—1" BLADE REINFORCED WITH BLADE ARMOR™ COATING**

- Blade Armor™ coating is a patented industrial thermoplastic coating. It's on the first 6" for maximum durability and reduced blade breakage.
- Over 8' of standout.
- 10% smaller than standard Powerlock® tapes.
- Three rivet, corrosion resistant hook moves to allow for accurate inside/outside measurements.
- 1" blade, graduated in 1/16" increment.
- Forward blade lock makes it easier to lock and unlock the blade.
- Wearplate protects case from being cut.

Product ID No.	Blade Length Meters	Blade Length Feet	Blade Width	Units	Case Color	Case Material	Stud Markings 16"	Stud Markings 19.2"
33-525*	—	25	1"	English	Metallic	ABS	Yes	Yes

**POWERLOCK® TAPE RULES—1/2" & 3/4" BLADE**

- Mylar® polyester film coating extends blade life..

Product ID No.	Blade Length Meters	Blade Length Feet	Blade Width	Units	Case Color	Case Material	Stud Markings 16"	Stud Markings 19.2"
33-320	—	20	3/4"	English	Metallic	ABS	Yes	Yes
33-158	5	16	3/4"	English/Metric:cm	Metallic	ABS	No	No
33-016*	—	16	3/4"	English	Yellow	ABS	Yes	Yes
33-312	—	12	3/4"	English	Metallic	Zinc	Yes	Yes
33-012*	—	12	3/4"	English	Yellow	ABS	Yes	Yes
33-215	3.5	12	1/2"	English/Metric:mm	Metallic	ABS	No	No
33-328*	3	10	1/2"	English/Metric:cm	Metallic	ABS	No	No
33-231	3	10	1/2"	English/Metric:cm	Metallic	Zinc	No	No
33-218	3	—	1/2"	Metric:cm	Metallic	Zinc	No	No
33-116	—	16	3/4"	English	Metallic	ABS	Yes	Yes
33-272*	—	12	1/2"	English/Decimal Scale	Yellow	Zinc	No	No
33-512*	—	12	1/2"	English	Yellow	Zinc	Yes	Yes
33-212	—	12	1/2"	English	Metallic	ABS	Yes	Yes
33-202*	2	6	1/2"	English/Metric:cm	Yellow	Zinc	No	No



**POWERLOCK® TAPE RULES—1" BLADE**

- 7' standout.
- Mylar® polyester film coating extends blade life.
- Three rivet, corrosion resistant hook to allow for accurate inside/outside measurement.
- Heat treated spring for longer life.
- Easy reach blade remains rigid for 7'.
- Top forward blade lock design makes it easier to lock and unlock blade.
- Three rivet corrosion resistant hook.

Product ID No.	Blade Length Meters	Blade Length Feet	Blade Width	Units	Case Color	Case Material	Stud Markings 16"	Stud Markings 19.2"
33-835*	—	35	1"	English	Metallic	ABS	Yes	Yes
33-430*	—	30	1"	English	Metallic	ABS	Yes	Yes
33-428*	8	26	1"	English/Metric:cm	Metallic	ABS	Yes	No
33-425*	—	25	1"	English	Metallic	ABS	Yes	Yes

**POWERLOCK® POCKET TAPE RULE—1/4" WIDE BLADE**

- Diameter scale on back will measure up to 3' diameters.
- Mylar® polyester film coating extends blade life.

Product ID No.	Blade Length Meters	Blade Length Feet	Blade Width	Units	Case Color	Case Material	Stud Markings 16"	Stud Markings 19.2"
33-115	3	10	1/4"	English/Metric	Metallic	ABS	No	No



**KEYTAPE™ POWERLOCK® RULE—1/4" WIDE RULE**

- Durable key ring feature.

Product ID No.	Blade Length Meters	Blade Length Feet	Blade Width	Units	Case Color	Case Material	Stud Markings 16"	Stud Markings 19.2"
39-130	—	3	1/4"	English	Metallic	ABS	No	No

Mylar® is a registered trademark of DuPont Teijin Films for its polyester film.  
 Only DuPont Teijin Films makes Mylar® polyester film.  
 The shape of the Powerlock® tape rule is a registered trademark of Stanley Logistics, Inc.



## POCKET TAPE RULE—1/4" & 1/2" WIDE BLADE

- Graduated in 16ths of an inch for length of blade and 32nd of inch for first 12 inches.
- Slim compact case.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
30-061	—	10	1/4"	English	Black	ABS	No	No
30-506	—	6	1/2"	English	Black	ABS	No	No



## STANLEY® BRAND TAPE RULES

- 7" standout.
- Polymer coated blade for long life.
- High impact, ABS case.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
30-464	—	30	1"	English	Yellow	ABS	Yes	Yes
30-465	10	33	1"	English/Metric:cm	Yellow	ABS	Yes	No
30-466	10	—	1"	Metric:cm	Yellow	ABS	No	No
30-454	—	25	1"	English/Fractions	Yellow	ABS	Yes	Yes
30-455	—	25	1"	English	Yellow	ABS	Yes	Yes
30-456	8	26	1"	English/Metric:cm	Yellow	ABS	Yes	No
30-495	—	16	3/4"	English	Yellow	ABS	Yes	No
30-496	5	16	3/4"	English/Metric:cm	Yellow	ABS	Yes	No
30-485	—	12	1/2"	English	Yellow	ABS	Yes	No

Mylar® is a registered trademark of DuPont Teijin Films for its polyester film.

Only DuPont Teijin Films makes Mylar® polyester film.

The shape of the Powerlock® tape rule is a registered trademark of Stanley Logistics, Inc.

350 Visit us at... [www.stanleyproto.com](http://www.stanleyproto.com)

## FatMax®



3 TO 1 GEAR DRIVE

## FATMAX® LONG TAPES—3/8" WIDE BLADE

- 3 to 1 gear drive for faster rewind.
- Stainless steel blade for long life.
- True zero hook with double spurs.
- High impact ABS case with rubber over-mold.
- Steel roller cage to protect case from being cut by blade during retraction.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
34-129	—	50'	3/8"	English	Yellow	ABS	Yes	No
34-130	—	100'	3/8"	English	Yellow	ABS	Yes	No



## STANLEY® STEEL LONG TAPES—3/8" WIDE BLADE

- Sturdy lightweight molded case designed to fit the hand comfortably.
- Easy-to-read white blade with 1/8" graduations, foot markings printed in red.
- True zero hook with double spurs.
- Smooth, easy rewinding action.

Product ID No.	Blade Length		Blade Width	Units	Case Color	Case Material	Stud Markings	
	Meters	Feet					16"	19.2"
34-103	—	50'	3/8"	English	Yellow	ABS	Yes	No
34-106	—	100'	3/8"	English	Yellow	ABS	Yes	No



## OPEN REEL FIBERGLASS LONG TAPES 1/2" WIDE BLADE

- Fiberglass reinforced PVC tape for less stretch.
- Blades made with PVC, tape can be wound wet and easily cleaned.
- Two-sided printing with multiple formats.
- High impact ABS case with rubber over-mold.
- High visibility color makes it easy to find on the job site.

Product ID No.	Blade Length	Blade Width	Front Format	Back Format	Case Color	Case Material
34-793	200'	1/2"	Fractional 1/8"	Decimal:ft	Yellow	ABS
34-794	200'	1/2"	Fractional 1/8"	Metric:cm	Yellow	ABS

\* MADE IN USA



14-563



14-544



14-562



14-566

**MAXSTEEL™ AVIATION SNIPS**

- Exceeds ANSI standards for cutting performance and durability.
- Serrated cutting edges prevent slippage when cutting.
- Double overwind spring for longer life.
- High leverage, compound cutting design cuts up to 18-Gauge steel.
- Slip-resistant bi-material palm cushion grip.
- Patented hinge plate for easy product function identification.
- One-handed automatic latch release with the squeeze of the handles.
- Chrome plated hardware.
- Ideal for cutting aluminum, vinyl siding, screening, cardboard, leather and copper.

Product ID No.	Description	Overall Length
14-563	Straight	9-21/32"
14-562	Left Curve	9-21/32"
14-564	Right Curve	9-21/32"
14-566	Long Cut Straight	11-27/64"
14-567	Offset Left Curve	9-29/64"
14-568	Offset Right Curve	9-29/64"



**MAXSTEEL™ ALL-PURPOSE SNIPS STRAIGHT PATTERN**

- Exceeds ANSI standards for cutting performance and durability.
- Serrated cutting edges prevent slippage when cutting.
- Slip-resistant grip.

Product ID No.	Cutting Edge Length	
	Inches	mm
14-569	7"	180
14-556	10"	254
14-558	12"	305

**STANLEY FatMax®**



**FATMAX® SAW WITH BLADE ARMOR™ COATING**

- Blade Armor™ is a composite coating that protects the blade:
  - 2x more rust protection.
  - 6x more abrasion protection.
  - 50% less friction.
- (Compared to Stanley® lacquered saws.)
- +15%\* thicker blade for straighter cuts and to reduce binding.
- SharpTooth™ saw technology, utilizes three cutting surfaces and cuts 50% faster than conventional Stanley® handsaws.
- Induction hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- Approximately 60%\* thicker handle for grip and comfort.
- Back of saw can be used to mark 45 degree and 90 degree angles.
- Ergonomically designed slip-resistant grip for extended use.

Product ID No.	Blade Length	Points/Inch
20-046	15"	8

\*Than conventional hand saws.

**STANLEY FatMax®**



+15%\* Thicker Blade

**FATMAX® SAW**

- +15%\* thicker blade for straighter cuts and to reduce binding.
- SharpTooth™ saw technology cuts 50% faster than conventional saws.
- Induction hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- Approximately 60%\* thicker handle for grip and comfort.
- Ergonomically designed slip-resistant grip for extended use.
- Ideal for cutting various types of wood and plastic.
- Patented design.

Product ID No.	Blade Length	Points/Inch
20-045	15"	9

\*Than conventional hand saws.



**SHARPTOOTH™ SAW**

- SharpTooth™ saw technology cuts 50% faster than conventional handsaws.
- Induction-hardened teeth stay sharp 3-5 times longer than standard teeth.
- Ergonomic ally designed handle for better grip and improved comfort.
- Welded handle to eliminate loose screws.
- Reusable blade guard for blade protection.

Product ID No.	Blade Length	Points/Inch
20-526	15"	12
20-527	20"	12



**SHARPTOOTH™ HANDSAW**

- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- Comfortable select hardwood handle with special 45°/90° square/mitre feature built in.
- Resharpenable teeth.
- Ideal for cutting plastic; PVC, ABS piping.

Product ID No.	Description	Blade Length	Points/Inch
15-335	Crosscut	20"	9
15-334	Crosscut	15"	9



**SHARPTOOTH™ SAW**

- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- Induction-hardened teeth stay sharp 3-5 times longer than standard teeth.
- Hard wood handle with large hand opening for comfort when wearing gloves.
- Ideal for cutting plastic; PVC, ABS piping.

Product ID No.	Blade Length	Points/Inch
15-087	20"	9
20-065	26"	12



**HARDTOOTH™ HANDSAW**

- Special square and mitre feature built into saw handle enables user to draw 45° and 90° lines using the back of the blade.
- Induction hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- Contoured sturdy handle designed for comfort and control. Protective full-length sleeve.


Product ID No.	Description	Blade Length	Points/Inch
15-355	Crosscut	20"	10



**SHARPTOOTH™ TOOL BOX SAW**

- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- Induction-hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- Hardwood handle design allows for the back of the saw blade to be used for marking 45° and 90° angles.
- Total length of 18" fits conveniently in most tool boxes.
- Hardwood handle.
- Ideal for cutting plastic; PVC, ABS piping.

Product ID No.	Blade Length	Points/Inch
15-086	15"	12



SHARPTOOTH™ TECHNOLOGY UTILIZES THREE CUTTING SURFACES.



**FatMax®**



**FATMAX® JABSAW**

- SharpTooth™ technology cuts 50% faster than traditional tooth designs.
- Cuts on both the push and pull strokes.
- Sharpened tip easily punches through drywall.
- Hardened and tempered blade for durability.
- Blade can cut through cement board.
- Ideal for drywall, wood and plastic.
- Slip-resistant grip to comfort.
- Handle structure designed for strength and durability.

Product ID No.	Blade Length
20-556	6-1/4"



**CUSHION GRIP WALLBOARD SAW**

- Fully hardened, tempered blade is designed to be strong and durable.
- Teeth designed to cut fast and won't clog.
- Sharp tip for plunge cuts.
- Blade is epoxy bonded to handle for a secured fit and long life.
- Ergonomically designed, curved handle is cushioned for comfort and extended use.

Product ID No.	Blade Length
15-556	6"



**WALLBOARD SAW**

- Designed especially for plasterboard.
- Make cut-outs for electric outlets, etc.
- Self starting; point-sharpened for plunge cuts.

Product ID No.	Blade Length
15-206	6"



**SHARPTOOTH™ DRYWALL SAW**

- Aggressive tooth design makes fast, smooth cuts in drywall.
- Induction-hardened teeth hold up against abrasive drywall materials.
- Hard wood handle.
- Tapered nose to push/punch through drywall.

Product ID No.	Blade Length		Points/Inch
	Inches	mm	
15-025	15"	380	8



**CUSHION GRIP MULTI SAW**

- Ergonomically designed curved handle is cushioned for comfort and prolonged use.
- Accepts standard reciprocating blade or hacksaw blade.
- Ideal for close quarter sawing.
- Large tension nut makes securing the blade quick and easy.
- Sold with wood and metal blades.

Product ID No.	Blade Length	
	Inches	mm
20-220	6"	150



**SHARPTOOTH™ MINI UTILITY SAW**

- 12 point induction hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- 10" blade is ideal for access in tight spaces and cutting a variety of materials such as plastic, pipe, particle board, and wood.
- Hardwood handle is contoured to fit the hand comfortably.
- Compact 15-1/2" overall length fits conveniently in most tool boxes.

Product ID No.	Description	Teeth Per Inch
20-221	10"	12



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**



## HARDTOOTH™ COMPASS SAW

- High grade tempered steel blade.
- Induction-hardened teeth stay sharp 3 to 5 times longer than non-hardened teeth.
- Teeth precision set and sharpened for fast and smooth cutting.
- Hardwood handle for durability.

### Product

Product ID No.	Blade Length		Points/Inch
	Inches	mm	
15-100	12"		8



## 4-WAY™ KEYHOLE SAW

- 4-way™ blade positioning cuts curves, circles and frets into places where an ordinary hacksaw cannot reach.
- Cuts wood, nails, metal lath, composition board, BX cable, conduit, etc.
- Lightweight, pistol grip handle fits hand.
- Complete with one wood cutting blade and one metal cutting blade.

### Product

ID No.

15- 275



## SHARPTOOTH™ BACK SAW

- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- Induction hardened teeth stay sharp 3 to 5 times longer than standard teeth.
- A unique mitre saw with the SharpTooth™ feature and hardened tooth advantage.
- Hardwood handle for durability.
- Also ideal for cutting plastic pipe.

### Product

Product ID No.	Blade Length		Width Under Back	Points/Inch
	Inches	mm		
15-673	14"	355	3-15/16"	12



## BACK SAW

- Contoured, molded handle for comfort.
- Hardened and tempered steel for durability.

### Product

Product ID No.	Blade Length		Width Under Back	Points/Inch
	Inches	mm		
15-509	14"	355	3-15/16"	13



## DOVETAIL SAW

- Cuts a true, smooth and narrow kerf.
- Comfortably designed hardwood handle provides positive grip.
- Fine cutting 15 point blade.
- Comes with plastic blade guard for protection.

### Product

Product ID No.	Blade Length		Points/Inch
	Inches	mm	
15-022A	10"		15



## COPING SAW

- Blade is highest grade high carbon steel – hardened and tempered to give clean, controllable cutting action.


### Product

Product ID No.	Length	Depth Frame
15-104	6-3/8"	4-3/4"
15-106	6-3/8"	6-3/4"

## COPING SAW BLADES

Product ID No.	Teeth Per Inch	Blade Length	Quantity
15-057*	20	6-1/2"	4 blades per card
15-058	10	6-1/2"	4 blades per card
15-059	20	6-1/2"	4 blades per card
15-061	15	6-1/2"	4 blades per card

\* Extra narrow blade for sharp surrounding cuts.



SHARPTOOTH™ TECHNOLOGY UTILIZES THREE CUTTING SURFACES.



**FatMax®**




**FATMAX® HIGH TENSION HACKSAW**

- One piece durable body for prolonged life, allowing for extra high tension.
- Tension: 330 lb. (30000 psi).
- Quick and easy blade change with pre-tensioning.
- Comes with a bi-metal blade 24 tpi.
- Power load sliding tension, gives extra leverage to help increase tension and better control when releasing the blade.
- Thumb-dial adjustable tension mechanism with quick change features allows for tension memory – no resetting after each blade change.
- Ergonomically designed contoured handle and front thumb grip to give better control.
- Large cutting capacity – up to 5" of extra deep cutting.

Product ID No.	Depth of Throat	Blade Length
20-031	5"	12"



**QUICK RELEASE LEVER FOR FAST BLADE CHANGES**



**5" OF LARGE CAPACITY CUTTING**

**HIGH TENSION HACKSAW**

- Single action blade tensioning device is easy to use, retains tension memory and can be adjusted to apply varying pressure to the blade.
- Unique, quick-release lever allows for fast blade changes (less than 15 seconds).
- Rigid metal internal I-beam construction adds stability and strength.
- Molded bi-material, impact-resistant composite frame absorbs more shock.
- Large cutting capacity – up to 5 inches of extra deep cutting.
- Ergonomically designed contoured handle and front thumb grip to give better control.
- Heavy duty steel reinforced core increases cutting speed.
- 45° and 90° cutting angles for added flexibility of cutting needs.
- Patented design.


Product ID No.	Depth of Throat	Blade Length
20-115	5"	12"



**HIGH TENSION HACKSAW**

- Rugged design for heavy-duty use.
- Fully adjustable tension – holds blade up to 32,000 p.s.i., which provides longer blade life and fast, accurate cuts.
- Blade storage in frame. Quick-release, blade-changing mechanism in handle, maintains tension setting.
- Tension guide on handle lever. Hacksaw or reciprocating blades extended out nose of frame can be locked into place for tight clearance work.


Product ID No.	Depth of Throat	Blade Length
15-113	5"	12"



**HIGH TENSION-LOW PROFILE HACKSAW**

- Unique arc shape frame allows for cutting in tight, hard-to-reach areas.
- 4" depth of throat allows for efficient cutting of large PVC pipes.
- Heavy duty, die cast aluminum I-beam frame for strength and durability.
- 45° and 90° cutting angles for added flexibility of cutting needs.
- High tension knob allows for easy blade tension adjustment.
- Ergonomically designed handle for comfortable use.
- Patented design.

Product ID No.	Depth of Throat	Blade Length
20-001	4"	12"



## COMPOSITE HACKSAW

- Patented Design.
- I-beam frame construction.
- Frame made from high impact polymer with steel core.
- Sloped nose for access into tight, hard-to-reach places.
- 4" depth of cut.
- Ergonomically designed, slip-resistant grip.
- Easy open lever for quick and easy blade change.
- High tension blade for straight accurate cuts.
- 12" fixed blade frame.

Product ID No.	Depth of Throat	Blade Length
15-892K	4"	12"



## RUBBER GRIP HACKSAW

- Rigid steel frame with molded cushion grip.
- D-shape guard protects hand and knuckles.
- Frame is adjustable for 8", 10" and 12" blades.
- Allows blade to be faced in four directions.
- Furnished with 10" standard carbon steel blade; 24 teeth per inch.

Product ID No.	Depth of Throat	Blade Length
15-265	3-7/8"	10"



## ADJUSTABLE HACKSAW

- Rugged plated steel frame.
- Fits 10" and 12" blades.
- Comfort pistol grip handle.

Product ID No.	Depth of Throat	Blade Length
15-565	2-3/4"	10"



## METAL MINI-HACK™ UTILITY HACKSAW

- Cast aluminum handle is lightweight but built for durability.
- Comfortable handle design.
- Blade stays in handle to eliminate cutting hazard to hand.
- Ideal for tight, hard to reach places.
- Complete with a bi-metal blade.

Product ID No.	Blade Length	
	Inches	mm
15-809	10"	254



## MINI-HACK™ UTILITY SAW

- Ergonomic grip with thumb rest for maximum comfort.
- Blade stop in handle to eliminate cutting hazard to hand.
- Structural design utilizing high impact polymer coating for maximum strength and durability.
- 45%\* increase in cutting depth to cut larger work.
- Comes with a 10" carbon steel blade.
- For light duty use.

Product ID No.	Blade Length	
	Inches	mm
20-807	10"	254

\*OVER STANDARD MINI HACKSAWS



**HACKSAW BLADES**

**600 Series**

- Bi-metal blades are flexible and shatter resistant.
- Ground tooth design for improved cutting performance.
- Ideal for job site applications.
- Can be used on most metals including unhardened tool steel and stainless.


**800 Series**

- High speed steel blades for increased cutting life.
- Ground tooth design for improved cutting performance.
- Can be used on most metals including unhardened tool steel and stainless.

**900 Series**

- Carbon steel blades cut mild steel.
- Good value for general use.

Product ID No.	Description	Blade Length	Points/Inch
<b>600 Series</b>	<b>Bi-Metal</b>		
15-612	10 blades carded	12"	18
15-613	10 blades carded	12"	24
15-614	10 blades carded	12"	32
15-628	1 blade carded	10"	24
15-630	1 blade carded	12"	32
15-631	1 blade carded	12"	24
15-632	1 blade carded	12"	18
<b>800 Series</b>	<b>High Speed Steel</b>		
15-802A	1 blade carded	10"	32
15-804A	1 blade carded	10"	24
15-808A	1 blade carded	10"	18
15-822A	1 blade carded	12"	32
15-824A	1 blade carded	12"	24
15-828A	1 blade carded	12"	18
<b>900 Series</b>	<b>Carbon Steel</b>		
15-924A	2 blades carded	12"	24
15-904A	2 blades carded	10"	24
15-928A	2 blades carded	12"	18



**CLAMPING MITRE BOX**

- Ergonomically designed, slip-resistant grip for maximum comfort and control.
- Induction hardened teeth stay sharp 3-5 times longer than other leading back saws.
- Simple angle adjustment for most applications.
- Quick, simple cam clamp to hold work for accuracy.
- Precision design for smooth accurate cuts in wood as well as metal.

**Product**

**ID No.**

20-800	Back Saw
20-809	Blade Replacement



**CLAMPING MITER BOX**

- Uniquely designed honeycomb base and cam shaped pins secure work for accurate cuts.
- Hassle free — just twist cam pins to securely hold material to base while cutting.
- Cuts miters on 45° and 90°, face angle 45°, and all new 22 1/2° angles (for octagonal shapes) popularly used on architectural details such as bay windows.
- Molded-in storage compartments to hold cam pins and pencil.
- Two cam pins included.
- Molded lip on base edge for easy use without mounting.
- Two screw holes on each side to secure base to work top.
- Built in saw stop to prevent cutting into miter box.

**Product**

**ID No.** Saw Length

20-600 (with saw)	14"
20-112	14"




**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL**  
**Customer Service FAX Number: 1-770-385-3708**

**MADE IN USA**

**STANLEY**  
**FatMax®**



1. SWIVELS OPEN FOR QUICK BLADE CHANGE, NO TOOLS REQUIRED.  
2. BLADE ELEVATES UPON OPENING FOR QUICK ACCESS.

**FATMAX® LOCKING  
RETRACTABLE UTILITY KNIFE**

- Adjustable thumb dial locking wheel helps blade in place and helps reduce blade shifting in aggressive cutting situations.
- One-piece design allows blade change without disassembling knife.
- Quick blade change – no tools required.
- Knife swivels open.
- Blade presents itself for easy access.
- Convenient rear blade storage houses seven heavy duty blades.
- Lightweight design helps reduce fatigue during prolonged use.
- Ergonomically designed rubber grip fits easily in your hand.
- Durable body design helps increase life.
- Supplied with three heavy duty blades.

Product	
ID No.	Length
10-777	7"



**SUPER HEAVY DUTY UTILITY KNIFE**

- Combines retractable blade convenience and safety with the positive blade retention of a fixed blade knife.
- Quick blade changes—no screwdriver required.
- Large, ergonomically designed handle for comfort and control.
- Retractable blade with five cutting positions.
- Furnished with 3 each 11-921 heavy duty blades.

Product		
ID No.	Description	Length
10-122A	Retractable Blade	7-1/4"



**INSTANT CHANGE™ UTILITY KNIFE**

- Push button, quick blade change – no tools required.
- Strong and durable construction with a cast metal core and bi-material soft panels for better grip.
- Curved handle design for better comfort, control and balance.
- Swing out blade storage for easy blade access.
- Integrated string cutting feature.
- Large hang hole.
- Retractable slide.
- Furnished with three 11-921 Heavy Duty utility blades.

Product		
ID No.	Description	Length
10-788	Retractable blade	6-1/2"



**QUICK CHANGE RETRACTABLE UTILITY KNIFE**

- Change blades quickly without a screwdriver.
- Three position retractable blade slide.
- Swing-out blade storage magazine.
- String cutting feature – blade does not have to be exposed.
- Furnished with three 11-921 Heavy Duty utility blades.

Product	
ID No.	Length
10-499	6"



**CLASSIC 99® RETRACTABLE UTILITY KNIFE**

- Interlocking nose to hold blade.
- Multi-position blade slide.
- Die-cast metal handle is durable and lightweight.
- Furnished with 3 each 11-921 heavy duty blades.
- Blade storage in handle.

Product	
ID No.	Length
10-099	6"



**RETRACTABLE UTILITY KNIVES**

- Patented Interlocking nose for safety.
- Three position retractable blade.
- Contoured handle with diagonal ribs for a positive, non-slip grip.
- Furnished with three 11-921 Heavy Duty utility blades.

Product ID No.	Length
10-079	5-5/8"



**SAFETY UTILITY KNIFE**

- Spring-loaded blade retracts into knife automatically when pressure on slide button is released.
- Interlocking nose secures blade safely between knife halves.
- Safety-orange color for high visibility. Furnished with one 11-987 Round Point utility blade.

Product ID No.	Length	Packaging
10-189C	5-5/8"	Carded



**RETRACTABLE UTILITY KNIFE**

- Lightweight, economical utility knife with three position retractable blade. Interlocking overlap nose secures blade safely between knife halves.
- Perfect for the do-it-yourselfer. Furnished with one 11-921 Heavy Duty utility blade.

Product ID No.	Description	Length
10-175	Grey	6-1/8"

**STANLEY FatMax®**



**FATMAX® SWIVEL-LOCK® FIXED BLADE UTILITY KNIFE**

- Swivels open for quick blade change – no tools required.
- Strong and durable construction with cast metal core.
- Bi-material soft panels for better grip.
- Curved handle design for comfort control and balance.
- Thumb dial locks blade in place.
- Magnet in nose holds blade while changing blades.
- Secure blade storage in handle.
- Fits most utility knife holsters.
- Furnished with three 11-921 Heavy Duty utility blades.

Product ID No.	Handle Length	
	Inches	mm
10-799	7"	178



**CLASSIC 199® FIXED BLADE UTILITY KNIFE**

- Positive fixed blade retention for heavy-duty cutting.
- Extra heavy duty cast metal textured handle designed for long life and tough use.
- Top and bottom overlap nose.
- Accepts all Stanley® utility knife replacement blades including the 11-931 Extra Heavy Duty blade.
- Furnished with three Heavy Duty utility blades.

Product ID No.	Length
10-209	5-1/2"



**299® FIXED BLADE INTERLOCK® UTILITY KNIFE**

- Patented Interlocking nose for safety.
- Contoured handle with non-slip grip.
- Blade storage in handle. Furnished with one 11-921 utility blade.

Product ID No.	Length
10-299	5-1/2"



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**

**STANLEY**  
**FatMax®**



SWIVELS OPEN FOR QUICK BLADE CHANGE, NO TOOLS REQUIRED.

**FATMAX® CARPET KNIFE**

- Cast metal handle for strength and durability.
- Rubberized handle for comfort and better grip.
- Overlap nose helps prevent blade slippage.
- “D-Ring” fastener for quick blade change – no tools required. Knife swivels open, inside magnet holds spare blades in place.
- Blade storage capacity: 10 regular duty .015" blades.
- Accepts both regular and heavy duty blades.

Product ID No.	No. of Blades
10-555	3



**WOOD HANDLE LINOLEUM KNIFE**

- For cutting and trimming vinyl or linoleum floor covering, roofing and similar materials.
- Taper ground cutlery steel blade permanently fastened to handle.
- Comfortable wood handle.

Product ID No.	Blade Length	Overall Length
10-509	2-3/4"	7-5/8"



**POCKET KNIFE WITH ROTATING BLADE**

- Epoxy powder coated handle.
- Safety blade lock.
- Replaceable stainless steel blade.
- Blade rotates easily into handle for safe storage.

Product ID No.	Length
10-049	4-1/4"



**METAL MITEY-KNIFE® POCKET KNIFE**

- Rugged metal body.
- Blade storage in handle.
- Retractable blade with two cutting positions.
- Two blades and handy keychain included.


Product ID No.	Length
10-239	3-1/2"



**MITEY-KNIFE® KEY CHAIN POCKET KNIFE**

- Reinforced plastic body weighs less than one ounce.
- Retractable blade with two cutting positions.
- Two blades and handy key chain included.
- Blade storage in handle.

Product ID No.	Length
10-039	3-1/2"



**SLIMKNIFE® RETRACTABLE BLADE KNIFE**

- Multi-purpose retractable knife accepts a wide variety of hobby and craft blades for cutting, whittling, trimming, modeling, etc.
- Slim, lightweight handle is shaped for a comfortable grip and provides extra blade storage.
- Easy blade changes.
- Furnished with one 11-111, 11-113, and 11-114 blades.

Product ID No.	Length
10-109	6"



**HOBBY KNIFE**

- Precision hobby knife available with a strong, light aluminum body.
- Great for home, office, studio, or workshop. Positive metal barrel blade locks and accept standard hobby and craft blades.

Product ID No.	Length
10-401	5"





**25MM SNAP-OFF KNIFE WITH DYNAGRIP®**

- 25mm / 1" snap-off blades to help resist snapping and durability.
- Thumb dial blade release for easy blade change.
- Eight segments with eight tips.
- Rubber DynaGrip® panels for secure, comfortable grip.
- Yellow ABS plastic body.

Product ID No.
10-425



**9MM AND 18MM CUTTERS**

- Retractable cutter with quick-point snap-off blades.
- For light duty cutting and trimming.
- Blade sections snaps off providing the user with a fresh, sharp cutting point.
- Supplied with one Quick-Point™ blade.
- Pocket clip included on 10-131 9mm Pocket Cutter.

Product ID No.	Number of Blades	Handle Length Inches	Handle Length mm
10-131P	1	5-3/8"	137
10-143P	1	6"	152



**DYNAGRIP® 18MM SNAP-OFF CARTRIDGE KNIFE**

- Features a blade cartridge which rapidly and automatically slides a new blade into position after old blade is removed.
- Cartridge dispenser is made from stainless steel to resist rust.
- Ergonomically designed for comfort and cutting power.
- The smooth slider mechanism features an audible "click stop" and is self locking for security.
- Strong and durable tri-material construction.
- Featuring soft-grip panels for secure grip.
- Hang hole for storage and lanyard.
- Blade capacity of six heavy duty or five extra heavy duty blades.
- Supplied with four 11-301 Heavy Duty blades (equals 32 points).

Product ID No.	Length
10-480	6-5/8"



**QUICK-POINT™ KNIVES**

- Retractable knife with Quick-Point™ snap-off blades.
- For light duty cutting and trimming.
- Blade sections snap-off providing the user with fresh, sharp cutting points.
- Removable blade snapper included in cap of knife.
- Supplied with one Quick-Point™ blade.
- Pocket clip included on 10-150 9mm Quick-Point™ Snap-Off Knife.

Product ID No.	No. of Cutting Points	Length
10-150	13	5-1/8"



**9MM EXTRA HEAVY DUTY KNIFE**

- Small and sleek design is great for precision cutting.
- Die cast metal body for durability.
- The blade slide automatically locks into cutting position.
- Clamping dial and interlocking nose locks the blade into position.
- Supplied with one 11-300 blade (equals 13 points).

Product ID No.	Handle Length Inches	Handle Length mm
10-095	7-1/4"	184





**LOCKBACK KNIFE—WITH LEATHER SHEATH**

- 400 grade stainless steel blade.
- Laminated hardwood handle with heavy-duty lock springs.
- Solid one piece brass bolster and liner provide additional strength.

Product ID No.	Close Position Overall Length	Weight lbs.
18545	5"	.57



**PRUNING KNIFE**

Product ID No.	Close Position Overall Length	Weight lbs.
18505	4-3/4"	.26



**ELECTRICIAN'S KNIFE**

- Spear blade.
- Stripping blade.
- Self-locking combination screwdriver, insulation cutter and wire scraper blade.

Product ID No.	Close Position Overall Length	Weight lbs.
18535	3-3/4"	.32



**CABLE SPLICER**

- This knife/splicer features a comfortable plastic contoured handle.

Product ID No.	Close Position Overall Length	Weight lbs.
18550	6-1/4"	.16



**ELECTRICIAN'S KNIFE**

- Spear blade.
- Self-locking combination screwdriver, insulation cutter and wire scraper blade.

Product ID No.	Close Position Overall Length	Weight lbs.
18500	3-3/4"	.24



**UTILITY KNIFE HOLSTER**

- Heavy-duty, top grain saddle leather.
- Open end "V" shape design (95-165).

Product ID No.	Description
95165	Utility Knife Holster



**SCORING KNIFE BLADE**

- Scores deep grooves for clean, true breaks in Formica® brand laminate, Plexiglas® acrylic molding resin and other laminates and sheet materials.
- For fixed blade knives only.

Product		
ID No.	Thickness	Length
11-942	.035"	3-5/32"



**LINOLEUM BLADE**

- Tempered high carbon steel blade with keen edge for clean, true cuts in vinyl or linoleum floor covering, roofing and similar materials.
- For fixed blade knives only.


Product		
ID No.	Thickness	Length
11-980	.031"	3-3/32"



**HEAVY DUTY CARPET KNIFE BLADE**

- Heavy duty blued carpet knife blade.
- Single (1-1/4") slot with double cutting edge.
- Fits Stanley® FatMax™ Carpet Knife and most other carpet knives.
- Blades individually wrapped for safety and corrosion protection.


Product		
ID No.	Thickness	Length
11-530	.017"	2-1/4"



**CARPET KNIFE BLADE**

High carbon steel blade with double cutting edge. Fits Stanley® and most other carpet knives. Five blades per card.

Product		
ID No.	Thickness	Length
11-525	.015"	2-1/4"



**9MM QUICK-POINT™ REPLACEMENT BLADES**

- Replacement blade with 13 cutting points.

Product		
ID No.	Fits Stanley Knife	Length
11-300	10-095, 10-150, 10-151, 10-220	3-1/2"



**18MM QUICK-POINT™ REPLACEMENT BLADES**

- Replacement blade with 13 cutting points.

Product		
ID No.	Fits Stanley Knife	Length
11-300	10-280, 10-380, 10-409, 10-220	3-1/2"



**MITEY-KNIFE® BLADE**

- High carbon steel blade.
- Fits Stanley® 10-039, 10-139 and 10-239 Mitey-Knife® products.

Product		
ID No.	Thickness	Length
11-031	.017"	1-1/8"



**SHEEPFOOT BLADE**

- Sheepfoot style blade made of cutlery stainless steel. For heavy cutting and carving.


Product		
ID No.	Fits Stanley Knife	Length
11-040	10-049	2-1/2"



**UTILITY BLADE**

- Utility blade made from cutlery stainless steel. Designed to perform most any cutting job well.

Product		
ID No.	Fits Stanley Knife	Length
11-041	10-049	2-1/2"



**NO. 11 HOBBY KNIFE BLADE**


- For fine angle cutting. Fits Stanley® 10-401 Hobby knife.

Product	
ID No.	Length
11-411	1-3/4"

## HIGH PERFORMANCE UTILITY BLADE

- Made of high chromium steel.
- This blade will last 80% longer and deliver 20% more initial sharpness than the Stanley 11-921 blades.
- Suited for drywall, roofing, paper cutting and other heavy duty applications.
- For fiber material, we recommend the 11-921 "1992" blade.

11-950



## EXTRA HEAVY DUTY UTILITY BLADE

- For cutting thick, dense sheet materials.
- For use with fixed blade knives only.

11-931



## 1992® HEAVY DUTY UTILITY BLADE

- For general purpose cutting.
- Precision-honed edge for consistent and extended cutting life.
- Fits most standard utility knives.

11-921



## ROUND POINT UTILITY BLADE

- Reduces risk of accidental cuts and reduces damage to interior contents when cutting open cartons.

11-987



## 1991® REGULAR DUTY UTILITY BLADE

- Regular duty utility blade for light sheet materials, paper and cardboard.

11-911



## SINGLE EDGE RAZOR BLADE

- Steel-backed high carbon steel blade fits all standard razor blade tools.
- Replacement blades for Stanley® 28-100 and 28-500 scrapers.

11-515/28-510



## 1996™ HOOK BLADE

- Edge protection blade for cutting and trimming roofing materials, linoleum, carpet, fabric, cartons and sheet materials without damage to surfaces below.

11-961



## LARGE HOOK BLADE

- Similar to 11-961, but with deeper hook for cutting thicker materials.

11-983



### A. High Performance Utility Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-950T	10/Dispenser	2-7/16	.024
11-950A	100/Dispenser	2-7/16	.024
11-950B	400/Box	2-7/16	.024

### B. Extra Heavy Duty Utility Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-931D*	70/Dispenser	2-7/16	.035 See through dispenser
11-931	5/Card	2-7/16	.035
11-931A	100/Box	2-7/16	.035

### C. 1992® Heavy Duty Utility Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-921	5/Card	2-7/16	.024
11-921W	10 Per Card	2-7/16	.024
11-921T	10 Pack. Disp.	2-7/16	.024
11-921D	10/Disp. Bulk	2-7/16	.024
11-921H	10/Disp. Bulk	2-7/16	.024
11-921L	50/Dispenser	2-7/16	.024
11-921A	100/Dispenser	2-7/16	.024
11-921B	400 Per Box	2-7/16	.024

### D. Round Point Utility Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-987	5/Card	1-7/8	.024
11-988	100/Dispenser	1-7/8	.024

### E. 1991® Regular Duty Utility Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-911	5/Card	2	.017
11-911A	100/Dispenser	2	.017

### F. Single Edge Razor Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
28-510	10/Box	1-12	.009
11-515A	100/Box	1-1/2	.009

### G. 1996™ Hook Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-961	5/Card	2-1/16	.024
11-961A	100/Dispenser	2-1/16	.024

### H. Large Hook Blade

Product ID No.	Packed	Length in Inches	Thickness in Inches
11-983	5/Card	1-7/8	.024
11-983A	100/Dispenser	1-7/8	.024
11-984	100/Box	1-7/8	.024



**WARNING:** Knives are intended for cutting only and should be handled with care. Bending blade can cause it to break, possibly resulting in bodily injury.

**KNIVES & BLADES SELECTION GUIDE**

	KNIVES				UTILITY BLADES					HOOK BLADES		SPECIALTY BLADES			CARPET BLADES		SNAP-OFF BLADES				POCKET/HOBBY/CRAFT BLADES						
	KNIFE NO.	PRODUCT NAME	KNIFE TYPE	APPLICATIONS	11-950	11-931	11-921	11-987	11-911	11-961	11-983	11-942	11-941	11-980	11-530	11-525	11-219	11-301	11-300	11-325	11-040	11-041	11-031	11-111	11-113	11-114	11-411
<b>RETRACTABLE KNIVES</b>	10-777	FatMax Retractable Knife	Retractable Utility	Heavy Duty	•		•	•	•	•	•		•														
	10-122	Super Heavy Duty	Retractable Utility	Heavy Duty	•		•	•	•	•	•		•														
	10-788	Instant Change	Retractable Utility	Regular/Heavy Duty	•		•	•	•	•	•		•														
	10-499	Quick-Change	Retractable Utility	Regular/Heavy Duty	•		•	•	•	•	•		•														
	10-189	Safety Knife	Self-Retracting	Regular/Heavy Duty	•	•	•	•	•	•	•		•														
	10-079/179	Interlock(R)	Retractable Utility	Regular/Heavy Duty	•		•	•	•	•	•		•														
	10-099	Classic 99(R)	Retractable Utility	Regular/Heavy Duty	•		•	•	•	•	•		•														
	10-113	Insulation Cutter	Retractable Utility	Light/Regular Duty	•		•	•	•	•	•		•														
	10-175	Homeowner's	Retractable Utility	Light/Regular Duty	•		•	•	•	•	•		•														
10-069/165	Lightweight	Retractable Utility	Light Duty	•		•	•	•	•	•		•															
<b>FIXED BLADE KNIVES</b>	10-799	FatMax Knife	Fixed Blade Utility	Heavy Duty	•	•	•	•	•	•	•	•	•	•													
	10-550	Super Heavy Duty	Fixed Blade Utility	Heavy Duty	•	•	•	•	•	•	•	•	•	•													
	10-209	Classic 199(R)	Fixed Blade Utility	Regular/Heavy Duty	•	•	•	•	•	•	•	•	•	•													
	10-399	Swivel-Lock(R)	Fixed Blade Utility	Regular/Heavy Duty	•	•	•	•	•	•	•	•	•	•													
10-299/519	Interlock(R) 299(R)	Fixed Blade Utility	Regular/Heavy Duty	•	•	•	•	•	•	•	•	•	•														
<b>CARPET KNIVES</b>	10-555	FatMax Carpet Knife	Carpet Knife	Carpet Cutting										•	•												
	10-525	Retractable Carpet	Carpet Knife	Carpet Cutting										•	•												
<b>SNAP-OFF KNIVES</b>	10-425	Super Heavy Duty	25mm Snap-Off	Heavy Duty																•							
	10-480	DynaGrip	18mm Snap-Off	Heavy Duty																•	•						
	10-380	Self Locking	18mm Snap-Off	Regular/Heavy Duty																•	•						
	10-280	Standard	18mm Snap-Off	Regular/Heavy Duty																•	•						
	10-220	Decorator's	18mm Snap-Off	Regular/Heavy Duty																•	•						
	10-055	Interlock	9mm Snap-Off	Light/Regular Duty																•							
	10-151	Quick-PointTM	18mm Snap-Off	Light/Regular Duty																•	•						
	10-150	Quick-PointTM	9mm Snap-Off	Light Duty																	•						
	10-143	Quick-PointTM	18mm Cutter	Light/Regular Duty																•	•						
10-131	Quick-PointTM	9mm Cutter	Light Duty																	•							
<b>POCKET/SPORT KNIVES</b>	10-904	Outdoorsman Knife	Ret. Utility & Lock-back blade	Heavy Duty	•		•	•	•	•	•		•														
	10-049	Pocket Knife	Folding Pocket	Sport, Hobby, Craft																	•	•					
	10-239	Metal Mitey-Knife(R)	Keychain Pocket	Light Duty																			•				
	10-039/139	Mitey-Knife(R)	Keychain Pocket	Light Duty																			•				
<b>HOBBY KNIVES</b>	10-127	Super HD Slimknife(R)	Trimming	Trimming																			•	•	•		
	10-109	Retractable Slimknife(R)	Trimming	Hobby, Craft, Trimming																				•	•	•	
	10-402	No.2 Hobby Knife	Hobby/Craft	Hobby, Craft, Art																				•	•	•	
10-401	No.11 Hobby Knife	Hobby/Craft	Hobby, Craft, Art																							•	

KNIFE BLADES		
BLADE NO.	DESCRIPTION	THICKNESS
11-950	High Performance Utility Blade	.024
11-931	Extra Heavy Duty Utility Blade	0.035"
11-921	1992(R) Heavy Duty Utility Blade	0.024"
11-987	Round Point Utility Blade	0.024"
11-911	1991(R) Regular Duty Utility Blade	0.017"
11-961	1996TM Hook Blade	0.024"
11-983	Large Hook Blade	0.024"
11-942	Heavy Duty Scoring Knife Blade	0.035"
11-941	Utility Scoring Blade	0.024"
11-980	Linoleum Blade	0.031"
11-530	Heavy Duty Carpet Blade	0.017"
11-525	Standard Carpet Blade	0.015"
11-219	18mm Heavy Duty Blade	0.024"
11-301	18mm Quick-PointTM Blade	0.020"
11-300	9mm Quick-PointTM Blade	0.017"
11-325	25 mm Heavy Duty Snap Off Blade	.28"
11-040	Sheepfoot Pocket Knife Blade	0.040"
11-041	Utility Pocket Knife Blade	0.040"
11-031	Mitey-Knife(R) Blade	0.017"
11-111	Whittling Craft Blade	0.024"
11-113	Low Angle Craft Blade	0.024"
11-114	Curved Craft Blade	0.024"
11-411	No.11 Hobby Knife Blade	0.020"




## PRODRIVER™ SCREWDRIVER SETS

- High performance screwdrivers meets ANSI performance standards.
- Ergonomically designed tri-lobular handle design for torque and comfort with slip-resistant rubber grip.
- Permanent tip symbol on the handle and the color-coded core help make tip identification easy.
- Bar molded into handle for greater torque.
- Lacquer coated bar to resist rust.
- Sand blasted and heat-treated tip for durability and precision work.
- Each set features the most popular sizes to meet most fastening applications.

Product ID No.	Contains
62-500 2 piece set	1/4" x 4" Standard Stubby #2 Phillips® Stubby
62-501 2 piece pocket set	1/8" x 3" Standard #0 x 3" Phillips®
62-502 11 piece set	#2 Phillips® Stubby #0 Phillips® 3" Standard #1 Phillips® 3" Standard #2 Phillips® 4" Standard #3 Phillips® 6" Standard 1/4" x 4" Standard Stubby 1/8" Standard Pocket 3/16" x 3" 1/4" x 4" Standard 5/16" x 6" Standard Offset Combination
62-504 T10-T25 4 piece set	T-10 T-15 T-20 T-25
62-505 4 piece set	3/16" x 3" Standard 1/4" x 4" Standard #1 Phillips® 3" #2 Phillips® 4"
62-545 24 piece set	1/8" x 3" Standard 1/4" x 4" Standard 3/16" x 3" Standard #0 Phillips® 3" #1 Phillips® 3" #2 Phillips® 4" MultiBit Ratcheting screwdriver with 10 bits: (#1,#2 square; # 1PH, #2PH, #1P2, #2P2, T10, T15, 1/4 and 3/16 bits) Nut Drivers: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" Canvas bag



## SCREWDRIVER TIP CONFIGURATIONS



**SLOTTED:** Standard or flat for driving single slotted screws. Tip width range from 1/6" to 1/2".



**PHILLIPS®:** Designed specifically for use with Phillips® head screw, which has two recessed slots at right angles to each other. Sizes range from 0 point (small) to 4 point (large).



**TORX®:** Star shaped, used in the automotive industry. Sizes range from T-10 (small) to T-20 (large).

PHILLIPS® is a registered trademark of Phillips Screw Co.  
TORX® is a registered trademark of Textron, Inc. d/b/a The Camcar Screw & Mfg. Company



**100 PLUS® 8 PC. COMBINATION SCREWDRIVER SET**

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Contents	Description
66-158	64-105	2 Pt. Phillips Stubby
	64-101	1 Pt. Phillips
	64-102	2 Pt. Phillips
	64-103	3 Pt. Phillips
	64-104	4 Pt. Phillips
	66-161	1-1/2" Standard Stubby
	66-163	3" Standard
	66-242	Kit



**100 PLUS® 7 PC. ROUND SHANK SCREWDRIVER SET**

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.


Product ID No.	Contents	Description
66-157	66-161	1-1/2" Standard Stubby
	66-163	3" Standard
	66-164	4" Standard
	66-166	6" Standard
	66-168	8" Standard
	66-160	10" Standard
	66-241	Kit



**100 PLUS® 5 PC. PHILLIPS® SCREWDRIVER SET**

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Contents	Description
66-156	64-105	2 Pt. Phillips Stubby
	64-101	1 Pt. Phillips
	64-102	2 Pt. Phillips
	64-103	3 Pt. Phillips
	66-242	Kit



**100 PLUS® 5 PIECE SQUARE SHANK SCREWDRIVER SET**

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Contents	Description
66-150	66-161	1-1/2" Standard Stubby
	66-174	4" Standard
	66-176	6" Standard
	66-178	8" Standard
	66-241	Kit



**100 PLUS® ROUND BLADE STANDARD TIP SCREWDRIVER**

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-161	1-1/2"	40	1/4"	6	1/4"	6	3-1/2"	90
66-163	3"	76	7/32"	5.5	7/32"	6	6-3/4"	170
66-164	4"	100	1/4"	6	1/4"	6	8-1/4"	210
66-011	6"	150	1/4"	6	1/4"	6	10-1/4"	260
66-166	6"	150	5/16"	8	5/16"	8	11"	280
66-013	8"	200	5/16"	8	5/16"	8	13"	330
66-168	8"	200	3/8"	10	3/8"	10	13-1/4"	336
66-160	10"	254	3/8"	10	3/8"	10	15-1/4"	387
66-162	12"	305	3/8"	10	3/8"	10	17-1/4"	438



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.


Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



## 100 PLUS® SQUARE BLADE STANDARD TIP SCREWDRIVERS

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.
- Bolster reinforced construction.
- Square shank allows use of wrench for added torque.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-015	3"	76	3/16"	5	3/16"	5	6-3/4"	170
66-018	4"	100	3/16"	5	3/16"	5	7-3/4"	197
66-174	4"	100	1/4"	6	1/4"	6	8-1/4"	210
66-176	6"	150	5/16"	8	5/16"	8	11"	280
66-178	8"	200	3/8"	10	3/8"	10	13-1/4"	336
66-170	10"	254	3/8"	10	1/2"	13	15-1/4"	387
66-172	12"	305	3/8"	10	1/2"	13	17-1/4"	438



## 100 PLUS® PHILLIPS® TIP SCREWDRIVER

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated with Black oxide tip for corrosion resistance.

Product ID No.	Blade Length		Blade Diameter		Point Size	Overall Length	
	Inches	mm	Inches	mm		Inches	mm
64-105	1-1/2"	40	1/4"	6	2	3-1/2"	90
64-100	2-3/4"	70	1/8"	3.2	0	5-1/8"	130
64-101	3"	76	3/16"	5	1	6-3/4"	170
64-171	10"	254	3/16"	5	1	13-1/2"	343
64-102	4"	100	1/4"	6.4	2	8-1/4"	210
64-172	10"	254	1/4"	6.4	2	14-1/2"	368
64-103	6"	150	5/16"	8	3	11"	280
64-104	8"	200	3/8"	1.0	4	13-1/4"	336



## 100 PLUS® LIGHT BLADE CABINET TIP SCREWDRIVER

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-183	3"	76	3/16"	5	3/16"	5	6-3/4"	170
66-186	6"	150	3/16"	5	3/16"	5	9-3/4"	248
66-188	8"	200	3/16"	5	3/16"	5	11-3/4"	298
66-180	10"	254	3/16"	5	3/16"	5	13-3/4"	349
66-182	12"	305	3/16"	5	3/16"	5	15-3/4"	400



## 100 PLUS® POCKET SCREWDRIVER

- Practical for light work.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.
- Pocket clip.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-101	2"	50	1/8"	3	1/8"	3	4-3/8"	110
66-102	3"	76	3/32"	2.4	3/32"	2.4	5-3/8"	136
64-170	2"	50	1/8"	3.2	0 Pt.	Phillips	4-3/8"	110



## 100 PLUS® EXTRA LIGHT BLADE CABINET TIP SCREWDRIVER

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.
- Designed for precision screw driving applications such as radio, TV and electronics industries.
- Contoured amber handle designed to fit comfortably in the hand for delicate work.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-112	2"	50	1/8"	3	1/8"	3	5-3/8"	136
66-113	3"	76	1/8"	3	1/8"	3	6-3/8"	160
66-114	4"	100	1/8"	3	1/8"	3	7-3/8"	187
66-116	6"	150	1/8"	3	1/8"	3	9-3/8"	238
66-118	8"	200	1/8"	3	1/8"	3	11-3/8"	284
66-110	10"	224	1/8"	3	1/8"	3	13-3/8"	340



## 100 PLUS® SCRATCH AWL

- Full size handles.
- Alloy steel blade.
- Precision ground tip.
- Chrome plated for corrosion resistance.

Product ID No.	Bar Diameter		Bar Length		Overall Length	
	Inches	mm	Inches	mm	Inches	mm
69-006	1/4"	6	3-1/4"	92	7-1/8"	181





**100 PLUS® VINYL GRIP  
8 PC. SCREWDRIVER SET**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.

Product ID No.	Contents	Description
66-708	66-088	1-1/2" Standard Stubby
	66-090	4" Standard
	66-094	6" Standard
	66-097	6" Cabinet
	66-095	8" Standard
	65-901	1 Pt. Phillips
	65-902	2 Pt. Phillips
	65-905	2 Pt. Phillips Stubby
	66-243	Kit
66-568	65-905	2 Pt. Phillips Standard
	65-901	1 Pt. Phillips
	65-902	2 Pt. Phillips
	65-903	3 Pt. Phillips
	66-088	1-1/2" Standard Stubby
	66-093	4" Standard
	66-094	6" Standard
	66-095	8" Standard



**100 PLUS® VINYL GRIP  
6 PC. STANDARD SCREWDRIVER SET**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.
- Carded.

Product ID No.	Contents	Description
66-565	66-096	3" Cabinet
	66-090	4" Standard
	66-094	6" Standard
	66-097	6" Cabinet
	65-901	1 Pt. Phillips
	65-902	2 Pt. Phillips



**100 PLUS® VINYL GRIP ROUND BLADE  
STANDARD TIP SCREWDRIVERS**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.
- Tips fully cross ground for more secure fit.

Product ID No.	Blade Length		Blade Diameter		Tip Length		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-088	1-1/2"	40	1/4"	6	1/4"	6	3-7/16"	87		
66-089	3"	76	7/32"	5.5	.032"	0.8	7/32"	5.5	6-3/4"	170
66-090	4"	100	1/4"	6	.037"	0.9	1/4"	6	8-1/4"	210
66-091	6"	150	5/16"	8	.042"	1.1	5/16"	8	10-15/16"	277
66-092	8"	200	3/8"	10	.050"	1.3	3/8"	9.5	13-2/3"	340



**100 PLUS® VINYL GRIP SQUARE  
BLADE STANDARD TIP SCREWDRIVERS**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.
- Square shank allows use of wrench for added torque.
- Bolster reinforced construction.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-093	4"	100	1/4"	6	1/4"	6	8-1/4"	210
66-094	6"	150	5/16"	8	5/16"	8	10-15/16"	277
66-095	8"	200	3/8"	10	3/8"	9.5	13-3/8"	34



**100 PLUS® VINYL GRIP LIGHT  
BLADE CABINET TIP SCREWDRIVERS**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
66-096	3"	76	3/16"	5	3/16"	5	6-3/4"	170
66-097	6"	150	3/16"	5	3/16"	5	9-3/4"	248
66-098	8"	200	3/16"	5	3/16"	5	11-3/4"	298



**100 PLUS® VINYL GRIP  
PHILLIPS TIP SCREWDRIVERS**

- Full size vinyl grip handle.
- Alloy steel blades.
- Chrome plated for corrosion resistance.
- Precision machined black oxide tips for a precise fit.

Product ID No.	Blade Length		Blade Diameter		Point Size	Overall Length	
	Inches	mm	Inches	mm		Inches	mm
65-905	1-1/2"	40	1/4"	6	2	3-7/16"	87
65-901	3"	76	3/16"	5	1	6-3/4"	170
65-902	4"	100	1/4"	6	2	6-5/16"	211
65-903	6"	150	5/16"	8	3	10-13/16"	277



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.


Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



## STANDARD FLUTED STANDARD BLADE / STANDARD TIP SCREWDRIVERS

- Ergonomically designed handle for comfortable grip.
- Alloy steel nickel protected blades for long life.
- Hardened tips for slip-resistant fit.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
60-006	6"	152	1/4"	6	1/4"	6	6-5/8"	193
60-004	4"	102	1/4"	6	1/4"	6	7-5/8"	193



60-060



60-100

## STANDARD FLUTED SCREWDRIVER SETS

- Versatile screwdriver set to satisfy most of your fastening needs.
- Features popular sizes.
- Ergonomically designed handle for comfortable grip.
- Alloy steel nickel protected blades for long life.
- Hardened tips for slip-resistant fit.

Product ID No.	Contains
60-020 (2 Piece Set)	4" Standard 2 Pt. Phillips®
60-060 (6 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 1 Pt. and 2 Pt. Phillips®
60-100 (10 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 0 Pt., 1 Pt., 2 Pt. Phillips® 2" x 1/8" Standard Standard Stubby Stubby Phillips®
60-120 (12 Piece Set)	4" and 6" Standard 3" and 6" Cabinet 0 Pt., 1 Pt., 2 Pt. Phillips® 2" x 1/8" Standard Standard Stubby Stubby Phillips® 2 offset screwdrivers



## STANDARD FLUTED STANDARD BLADE / STANDARD TIP SCREWDRIVERS

- Ergonomically designed handle for comfortable grip.
- Alloy steel nickel protected blades for long life.
- Hardened tips for slip-resistant fit.

Product ID No.	Blade Length		Blade Diameter		Point Size	Overall Length	
	Inches	mm	Inches	mm		Inches	mm
60-001	4"	102	3/16"	5	1	7-5/8"	193
60-002	4"	102	1/4"	6	2	7-5/8"	193



## STANDARD FLUTED LIGHT BLADE / CABINET TIP SCREWDRIVERS

- Ergonomically designed handle for comfortable grip.
- Alloy steel nickel protected blades for long life.
- Hardened tips for slip-resistant fit.

Product ID No.	Blade Length		Blade Diameter		Tip Width		Overall Length	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
60-003	3"	76	3/16"	5	3/16"	5	6-5/8"	168
60-005	6"	152	3/16"	5	3/16"	5	9-5/8"	244

## STANDARD TORX® SCREWDRIVER

- Ergonomically designed handle for comfortable grip.
- Alloy steel nickel protected blades for long life.
- Hardened tips for slip-resistant fit.

Product ID No.	Tips	Overall Length	
		Inches	mm
60-010	T10	7.13"	180mm
60-011	T15	7.13"	180mm
60-012	T20	7.13"	180mm
60-013	T25	7.13"	180mm
60-023 2 Pc. Set Contains	T15, T20	7.13"	180mm
60-042 4 Pc. Set Contains	T10, T15, T20, T25	7.13"	180mm



## 20 PC. VERSATILE SCREWDRIVER SET

- Featuring Screwdrivers for most applications.

Product ID No.	Contains
60-220	1 Pt. and 2 Pt. Phillips®, 3" and 4" Standard With Storage Rack 2 Offset Screwdrivers 6 Piece Precision Screwdriver Set 2 Pt. Phillips® and Stubbys 3", 4" and 6" Standard 1 Pt. and 2 Pt. Phillips® 6" Cabinet



Pivots for easy use

**CORDLESS SCREWDRIVER**

- Versatile cordless screwdriver for do-it-yourself projects.
- Designed for comfort, durability and ease of use.
- Auto-locking shaft for use as a traditional screwdriver.
- Multi-position comfort grip handle pivots for easy use.
- Three double ended screwdriver bits included - #1 and #2 Phillips, #1 and #2 square, and two slotted.
- AC charger included.
- 120V AC only input into charger.

Product ID No.	Overall Length		Specifications
	Inches	mm	
63-036	11-1/4"	290	3.6V, 150 RPM
63-048	11-1/4"	290	4.8V, 180 RPM



**6-WAY™ SCREWDRIVER**

- All-in-one screwdriver with 6 tips: #1 and #2 Phillips®, 1/4" and 3/16" Slotted, 1/4" and 5/16" Nut Driver.
- Convenient and space saving, ideal for kitchen drawer or car – no need for extra screwdrivers.
- Ergonomically designed bi-material handle for superb comfort.
- Tri-lobe shape fits hand comfortably.
- Soft, diamond textured handle provides a firm grip for extra torque without strain.
- Bar is chrome plated for rust resistance.
- Attach wrench to bolster nut for additional leverage and torque.
- High quality bits for long life.
- Available in an attractive 24 piece merchandiser.

Product ID No.	Contains	Overall Length	
		Inches	mm
68-012	1/4", 3/16" Slotted, 1 Pt., 2 Pt. Phillips® 1/4", 5/16" Nut Driver	7.75"	196.9



**MULTI-BIT SCREWDRIVERS**

- Bit storage system for easy visibility, access and security.
- Spring loaded, hard wearing, ball bearing indexing mechanism for quick and easy access to bits.
- Magnetic bit holder for quick, secure change-over of bits.
- Top quality, three position audible ratcheting mechanism; forward, reverse, and fixed for life long efficiency.
- Tri-lobular, bi-material handle with textured finish for maximum torque and minimum effort.
- Plated for rust resistance.

Product ID No.	Contains	Overall Length	
		Inches	mm
68-010 (10 pc Multi-Bit)	Assortment of 10 Bits #1 Square, #2 Square, #1 PH, #2 PH, #1 PZ, #2 PZ, T10, T15, 1/4" and 3/16" bits	10"	254
62-542 (12 pc Multi-Bit)	1/4" Nut Driver 9/32" Nut Driver 5/16" Nut Driver 11/32" Nut Driver 3/8" Nut Driver 7/16" Nut Driver #1, #2 Phillips® #1, #2 Square 1/4", 3/16" Slotted	10"	254



**OFFSET PHILLIPS SCREWDRIVER**

- #1 and #2 Phillips.

Product ID No.	Blade size		Point size	Overall Length	
	Inches	mm		Inches	mm
65-032	1/4"	6	1 and 2	3-5/16"	99



**OFFSET PHILLIPS® / SLOTTED SCREWDRIVER**

- For 1/4" slotted and 2 Pt. Phillips® screws.

Product ID No.	Blade Size		Overall Length	
	Inches	mm	Inches	mm
65-033	1/4"	6	3-15/16"	99



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



### 6 PC. PRECISION SCREWDRIVER SET

- Six precision screwdrivers feature swivel-head handles.
- Tough plastic shafts and soft cushion grip allow for greater comfort.
- Plastic storage case to index tools.

Product ID No.	Contains
66-052	0 Pt. and 1 Pt. Phillips® 1.4 mm Slotted 2.0 mm Slotted 2.4 mm Slotted 3.0 mm Slotted



### 82-115 4 PIECE HOOK SET

Product ID No.	Description	Length	
		Inches	mm
82-115	Full Hook	6"	152
	Angle Hook	6"	152
	90° Hook	6"	152
	Straight Pick	6"	15



### 6 PC. JEWELERS SCREWDRIVER SET

- Six precision screwdrivers feature swivel-head handles.
- Bright plated shafts fluted for better grip.
- Hardened and tempered steel blades with blued finish to resist corrosion.
- Plastic storage case to index tools.

Product ID No.	Contains
66-039	0 pt. and 1 pt. Phillips® 1.4mm Slotted 1.8mm Slotted 2.3mm Slotted 3.0 mm Slotted



### NUT DRIVERS

- Solid one-piece construction nut drivers.
- Bar plated to resist rust.

Product ID No.	Contents	Hex Size
62-541 (6 pc set)	61-805	3/16"
	61-806	1/4"
	61-807	5/16"
	61-809	3/8"
	61-810	7/16"
	61-811	1/2"
62-546 (7 pc Metric set)		5mm
		6mm
		7mm
		8mm
		9mm
		10mm
	11mm	



**CABLE TACKER**

- Heavy-duty steel construction for fastening any low voltage wire or cable up to 1/4" diameter.
- Uses 9/32"-9/16" Stanley CT10 or Arrow® T-25 cable staples.
- Cushion grip and convenient handle lock.
- Wire guide for fast, sure placement of staples.
- Curved driver to protect wire from damage.
- Convenient handle lock for storage.

Product ID No.	Description
CT10C	Cable Tacker



**HEAVY-DUTY SHARPSHOOTER ELECTRIC STAPLE/NAIL GUN**

- Heavy-duty design with more driving power.
- Uses Stanley Sharpshooter or Arrow T-50 heavy-duty staples and two sizes of brads.
- All metal drive channel for better penetration.
- Dual power (Hi or Lo) for hard or soft materials.
- Flush-nose design for stapling in tight spots.



Product ID No.	Description
TRE500	Sharpshooter Electric Staple/Nail Gun



**HEAVY-DUTY SHARPSHOOTER STAPLE GUN**

- Easy squeeze staple gun operates as a staple gun, nailer, cable tacker and screen/canvas specialty tool.
- Two sided, dual function attachment includes functions as a cable tacker on one side and a screen/canvas attachment on opposite side.
- Dual power lever (Hi/Lo) for hard or soft materials.
- Drives Stanley Sharpshooter or Arrow T-50 heavy-duty narrow crown staples and two sizes of brads.

Product ID No.	Description
TR200	Sharpshooter Staple Gun



**CABLE STAPLES**

- Fits wire up to 1/4".
- For use on low voltage wiring only.


Product ID No.	Size	Count
CT106	3/8" Cable Staples	1000
CT109	9/16" Cable Staples	1000



**HEAVY-DUTY SHARPSHOOTER HAMMER TACKER**

- Contractor quality-designed to last over 200,000 cycles.
- Full rubber grip to absorb shock and protect hands.
- Loads two full sticks of Stanley Sharpshooter or Arrow T-50 heavy-duty staples (1/4"-3/8").
- Heavy-duty steel construction.
- For fast installation of carpeting, roofing materials or insulation.

Product ID No.	Description
PHT150C	Sharpshooter Hammer Tacker



**STAPLES**

- Staples fit all major brands of staple guns.
- Color-coded tabs for quick selection.
- Heavy-duty staples in multiple sizes (3/8", 9/16" and 1/2").
- High quality, precision made in USA.

Product ID No.	Size	Count
TRA706	3/8" Staple	1000
TRA708	1/2" Staple	1000
TRA709	9/16" Staple	1000



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**

## FatMax®



OVERSTRIKE STEEL PROTECTION PLATE

### FATMAX® HICKORY HAMMERS

- Head designed for larger striking surface and better overall balance.
- Over-strike steel protection plate to help reduce handle wear and tear. (51-403 only)
- Forged and heat treated head for durability.
- Rim-tempered chamfered edge helps reduce chipping.
- Checkered face design to provides nail grip.
- Specially-designed magnetic nail starter for one-hand nail setting.
- Double wedge head-to-handle assembly for extra secure fit.
- Ergonomically designed axe-style hickory handle for a balanced swing and better leverage.
- Contoured hand-grip provides better control and prevents hammer from slipping.
- High quality hickory handle.

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-402	Black lacquered finish	22	624	18"	457
51-403	Clear lacquered finish	22	624	18"	457

HEAD SHAPE FOR BETTER BALANCE AND LARGER "SWEET SPOT"



### FATMAX® ANTIVIBE® HAMMERS

- One piece double forged steel head and handle for superior swing and durability.
- Patented tuning fork design reduces harmful vibrations.
- Rubber grip design for both framers and nail hammers.
- Ergonomically designed for multiple grip positions.
- Rubber grip molded directly onto shaft.
- Specially textured handle grip for improved performance even when wet.
- Enlarged handle to help reduce gripping fatigue.

#### Nail Hammers

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-941	Curve Claw	16	450	13-5/16"	337
51-942	Rip Claw	16	450	13-5/16"	337
51-943	Curve Claw	20	570	13-15/16"	354
51-944	Rip Claw	20	570	13-15/16"	354

#### Framing Hammers

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-946	Plain Face	22	680	16"	406
51-947	Checkered Face	22	680	16"	406
51-948	Checkered Face	28	795	16"	406



### JACKETED GRAPHITE HAMMERS

- Graphite core provides strength and durability.
- The "feel" of wood but with overstrike protection.
- Rim tempered end.
- High carbon, polished steel head is precision balanced.
- Ribbed grip handle allows air to cool hand and channel sweat away.
- Patented head-to-handle assembly and smooth handle-to-grip contour that won't hang up on your tool belt.
- Flared grip end prevents hammer from slipping off hand.

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-505	Curve Claw	16	450	13-1/4"	337
51-506	Rip Claw	16	450	13-1/4"	337
51-507	Curve Claw	20	570	13-1/4"	337
51-508	Rip Claw	20	570	13-1/4"	337



### STEELMASTER™ HAMMERS

- Heat treated, high carbon steel head for greater durability.
- Rim-tempered face helps reduce chipping.
- Fully polished and laser-marked head attached to a chromed and shot-blasted tubular steel shaft.
- Rubber grip has a textured surface for better grip and comfort.
- Flared grip end to help prevent the hammer from slipping.

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-031	Curved Claw	16	450	13-1/4"	337
51-517	Ripping Claw	16	450	13-1/4"	337
51-033	Curved Claw	20	570	13-1/4"	337



**JACKETED FIBERGLASS NAIL HAMMERS**

- Jacketed design provides superior overstrike protection for long life and safety.
- Cushion grip handle for comfort.
- Rim-tempered face helps reduce chipping.
- Fiberglass handle allows for maximum shock absorption.
- Bright yellow color is easy to locate.

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-110	Curved Claw	16	450	13-1/4"	337
51-518	Ripping Claw	16	450	13-1/4"	337



**WOOD HANDLE NAIL HAMMERS**

- High carbon steel head fully heat treated with polished bell face.
- Hickory handle.

Product ID No.	Description	Weight		Overall Length	
		Oz.	Grams	Inches	mm
51-613	Curved Claw	7	200	11-1/2"	290
51-713	Curved Claw	13	370	13"	330
51-616	Curved Claw	16	450	13-1/4"	335
51-716	Ripping Claw	16	450	13-1/4"	335
51-620	Curved Claw	20	570	13-1/4"	335
51-720	Ripping Claw	20	570	13-1/4"	335



**BRICKLAYERS WOOD HANDLE HAMMERS**

- Forged, heat treated steel head.
- Clear lacquered hickory handle.

Product ID No.	Weight		Overall Length	
	Oz.	Grams	Inches	mm
54-435	24	680	11"	280



**JACKETED GRAPHITE BALL PEIN HAMMERS**

- Heat-treated, high-carbon steel head for superior strength and durability.
- Rim-tempered process around the striking face minimizes chipping from off-center strikes.
- Patented head-to-handle assembly for a permanent fit.
- Molded jacket over graphite handle means maximum overstrike protection.
- Cushioned grip, molded jacket is designed to absorb shock.
- Ergonomically designed grip is contoured for working comfort while the ribbed channels allows air to ventilate and cool hand, allows moisture to escape.
- Flared end provides greater control and reduces slippage.
- Exceeds ANSI safety specifications.

Product ID No.	Size	Weight		Overall Length	
		Oz.	Grams	Inches	mm
54-712	2/0	12	340	13"	345
54-716	0	16	450	13"	345
54-724	2	24	680	15"	381
54-732	4	32	910	15"	381



**BALL PEIN HAMMERS**

- High carbon steel forged heads, hardened and tempered.
- Rim Tempered face minimizes chipping, assures greater safety.
- Selected clear lacquered hickory handles.
- Polished face, and pein.

Product ID No.	Size	Weight		Overall Length	
		Oz.	Grams	Inches	mm
54-004*	5/0	4	110	10-7/8"	275
54-008	3/0	8	230	12-1/4"	311
54-012	2/0	12	340	13"	345
54-016	0	16	450	14"	355
54-024	2	24	680	15"	381
54-032	4	32	910	16"	405
54-040	6	40	1130	16"	405
54-048	8	48	1360	16"	405

(\*54-004 does not have Rim Tempered face.)



**MAGNETIC TACK HAMMER**

- Forged head, black finish.
- Polished face, clear lacquered hickory handle.
- Magnetic tip.

Product ID No.	Weight		Head Length		Overall Length	
	Oz.	Grams	Inches	mm	Inches	mm
54-304	5	140	3-3/4"	95	10-1/2"	265



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**



## SOFT FACE HAMMERS

- Tips are made of tough plastic that won't mar finely finished surfaces.
- Handles are made of hickory and securely locked in oval eye body.
- Lacquered handle.

Product ID No.	Head Weight		Handle Length	
	Oz.	Grams	Inches	mm
57-594	8	230	12"	305
57-595	16	450	13-1/2"	343



## HICKORY HANDLE HAND DRILLING HAMMER

- Forged steel head is hardened and tempered.
- Faces machine finished.
- Selected clear lacquered handles.

Product ID No.	Weight		Face Diameter		Handle Length		Head Length	
	Lbs.	Kg.	Inches	mm	Inches	mm	Inches	mm
56-703	3	1.4	1-9/16"	40	10-1/4"	260	4-3/8"	111



## RUBBER MALLET

- Tough rubber head molded to a lacquered handle.

Product ID No.	Weight		Face Diameter	Mid-Head Diameter	Head Length	Overall Length	
	Lbs.	Kg.				Inches	mm
57-522	18	510	2-3/8"	2-3/4"	3-15/16"	13-3/4"	350



## JACKETED FIBERGLASS ENGINEER HAMMERS

- Forged steel head is hardened and tempered.
- Faces machine finished.
- Yellow colored, jacketed fiberglass handles provide greater visibility, strength, and durability.

Product ID No.	Weight		Face Diameter		Head Length		Overall Length	
	Lbs.	Kg.	Inches	mm	Inches	mm	Inches	mm
56-202	2-1/2	1.1	1-3/4"	44	4"	102	13-5/8"	346
56-204	4	1.8	1-15/16"	49	4-15/16"	129	13-5/8"	346



## JACKETED FIBERGLASS BLACKSMITH'S HAMMERS

- New England pattern head.
- Forged from high quality, hardened and tempered steel.
- Faces are ground and polished.
- Yellow colored, jacketed fiberglass handles provide greater visibility, strength, and durability.

Product ID No.	Weight		Face Diameter	Head Length	Overall Length			
	Lbs.	Kg.			Inches	mm		
56-218	2-1/2	1.1	1-23/32"	44	5"	125	13-3/8"	340
56-220	4	1.4	1-29/32"	48	5-1/8"	135"	13-3/8"	340



## HICKORY HANDLE ENGINEER HAMMERS

- Forged steel head is hardened and tempered.
- Faces machine finished.
- Selected clear lacquered hickory handles.

Product ID No.	Weight		Face Diameter		Head Length		Overall Length	
	Lbs.	Kg.	Inches	mm	Inches	mm	Inches	mm
56-802	2-1/2	1.1	1-1/2"	38	4-3/8"	112	16"	405
56-803	3	1.4	1-5/8"	41	5-1/8"	130	16"	405
56-804	4	1.8	1-3/4"	45	5-1/4"	135	16"	405



## HICKORY HANDLE BLACKSMITH'S HAMMER

- New England pattern head.
- Forged from high quality, hardened and tempered steel.
- Faces are ground and polished.
- Selected clear lacquered hickory handles.

Product ID No.	Weight		Face Diameter	Handle Length	Head Length			
	Lbs.	Kg.			Inches	mm		
56-412	2 1/2	1.1	1-1/2"	38	16"	405	5"	125





54-516

**COMPO-CAST® BALL PEIN HAMMERS**

- Dead blow steel face ball pein hammer heads are tempered alloy steel with crowned faces for more accuracy—no bounce back.
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike.
- Dead blow function uses steel shot.


Product ID No.	Weight Oz.	Face Diameter Inches mm	Head Length Inches mm	Overall Length Inches mm
54-508	8	1" 25	3-5/8" 92	10-3/4" 275
54-516	16	1-1/4" 32	4-1/8" 105	12-3/4" 325
54-524	24	1-1/2" 38	4-1/2" 114	13-1/4" 335
54-532	32	1-11/16" 43	4-3/4" 121	14" 355



**COMPO-CAST® HAND DRILLING/ENGINEER'S HAMMERS**

- Dead blow steel face hammer heads are tempered alloy steel with crowned faces for more accuracy—no bounce back.
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike.
- Dead blow function uses steel shot.

Product ID No.	Weight Oz.	Small Face Diameter Inches mm	Large Face Diameter Inches mm	Head Length Inches mm	Overall Length Inches mm
56-532	32	1-9/32" 33	1-11/16" 43	4-3/4" 121	10-7/16" 265



57-532

**COMPO-CAST® STANDARD HEAD SOFT FACE HAMMERS**

- Non-sparking soft face hammers of Uni-Cast™ construction have no exposed metal.
- Soft face doesn't mar surfaces or equipment.
- Doesn't absorb liquids.
- Dead blow function uses steel shot.
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike.

Product ID No.	Weight Oz.	Face Diameter Inches mm	Head Length Inches mm	Overall Length Inches mm
57-530	10	1.2" 30	3-1/8" 79	10-1/8" 257
57-531	18	1.6" 40	3-3/4" 95	11-1/4" 286
57-532	21	1.8" 45	4-1/16" 103	12-3/4" 325
57-533	42	2" 53	4-5/8" 117	14" 355
57-534	52	2.5" 63	5-3/8" 136	16" 405




57-543

**COMPO-CAST® SLIMLINE HEAD SOFT FACE HAMMERS**

- Non-sparking soft slimline hammers of Uni-Cast™ construction have no exposed metal.
- Soft face doesn't mar surfaces.
- Doesn't absorb liquids.
- Slimline models offer unique profile, ideal for assembly and repair applications in confined areas.
- Dead blow function uses steel shot.
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike.

Product ID No.	Weight Oz.	Face Diameter Inches mm	Head Length Inches mm	Overall Length Inches mm
57-540	5	1" 25	3" 76	10" 255
57-541	14	1-1/4" 32	4-1/4" 108	10-1/2" 265
57-542	18	1-1/2" 38	4-1/4" 108	12" 305
57-543	21	1-3/4" 45	5-1/4" 133	13" 330



57-550

**COMPO-CAST® SLEDGE HEAD SOFT FACE HAMMERS**

- Non-sparking soft face sledge hammers.
- Flat area on heads allows upright storage.
- Urethane covering helps reduce noise pollution.
- Dead blow function uses steel shot.
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike.

Product ID No.	Weight lbs.	Face Diameter Inches mm	Head Length Inches mm	Overall Length Inches mm
57-550	5.0	2.5" 63	7" 178	19-5/8" 498
57-551	8.0	2.6" 66	7-1/8" 181	29-7/8" 759
57-552	10.5	3.0" 76	8-1/4" 210	30" 762
57-554	11.5	3.0" 76	8-1/8" 206	36" 914

The shape of the Compo-Cast® hammer is a trademark of the Stanley Works or its affiliates.



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



### CUSHION GRIP NAIL SET

- Color coded by tip size for easy identification.
- 25% longer makes it easy to set nails in hidden and hard to reach areas.
- Cushioned grip is designed for a slip resistant grip in all weather conditions.
- Shock absorbing ribbed grip for precision hold.
- Fully hardened precision milled steel for extra long life.
- Long beveled tip for easier nail head alignment.



Product ID No.	Contains	Overall Length		Tip	
		Inches	mm	Inches	mm
58-930	58-911	5"	127	1/32"	0.8
	58-912	5"	127	2/32"	1.6
	58-913	5"	127	3/32"	2.4



### NAIL SETS

- Round knurled body.
- Alloy steel hardened and tempered.
- Tips are cupped and chamfered.
- Square head prevents rolling.



Product ID No.	Tip		Square Stock Size		Overall Length	
	Inches	mm	Inches	mm	Inches	mm
58-111	1/32"	0.8	5/16"	8.0	4"	101
58-112	1/16"	1.6	5/16"	8.0	4"	101
58-113	3/32"	2.4	5/16"	8.0	4"	101
58-114	1/8"	3.2	5/16"	8.0	4"	101

### NAIL SET PACK

- Assortment of 3 nail sets.
- One of each 1/32", 2/32", 3/32" (0.8, 1.6, 2.4mm)
- Round knurled body.
- Alloy steel hardened and tempered.
- Tips are cupped and chamfered.
- Square head prevents rolling.



Product ID No.	Description
58-230	Nail Set Pack

### FatMax



### FATMAX® 3 PC. WOOD CHISEL SET

- Bevel edge chisels for the professional or craftsman.
- Full size bi-material Cellulose Acetate Buterate (CAB) & TPE handle provides superior grip and comfort.
- Large and ergonomically designed to provide comfort in prolonged use.
- The steel striking cap allows the chisel to withstand blows from a steel hammer and is break resistant.
- Sheffield long blades made from high quality chrome carbon ball bearing grade steel.
- Precision ground to high standards of accuracy, with a descriptive etch mark displaying the size.
- Hardened and tempered to 58-60HRC over the full length (except the last 1"), for superior cutting edge durability.
- Blades electrophoretic lacquered for protection against corrosion.
- Protective blade guards are included for safety and storage protection.

Product ID No.	Contains	Overall Length		Width	
		in	mm	in	mm
16-268	16-254	10-1/4"	260	1/2"	10
	16-258	10-7/8"	280	3/4"	12
	16-261	11-1/4"	260	1"	16





**900 SERIES WOOD CHISELS  
TRADITIONAL STANLEY CHISEL**

- Sheffield blades made all one length from high quality chrome carbon ball bearing grade steel.
- Short series blade for strength and control during use.
- Blades are precision ground to high standards of accuracy, with a descriptive etch mark displaying the size.
- Hardened and tempered to 58-60HRC, for cutting edge durability.
- Electrophoretic lacquered for outstanding corrosion protection.
- Handles are made from impact resistant amber colored cellulose acetate.
- Longer handle design for shock and shatter resistance.
- Steel striking cap ensures chisel can withstand blows with a steel hammer.

Product ID No.	Size		Overall Length	
	Inches	mm	Inches	mm
16-903	1/4"	6	9"	228
16-904	3/8"	10	9"	228
16-905	1/2"	12	9"	228
16-906	5/8"	16	9"	228
16-907	3/4"	18	9"	228
16-908	1"	25	9"	228
16-909	1-1/4"	32	9"	228
16-910	1-1/2"	38	9"	228
16-911	2"	50	9"	228

**900 SERIES  
3 PIECE WOOD CHISEL SET**

Product ID No.	Contains:	Size		Overall Length	
		Inches	mm	Inches	mm
16-900	16-905	1/2"	12	9"	228
	16-907	3/4"	18	9"	228
	16-908	1"	25	9"	228

**900 SERIES  
6 PIECE WOOD CHISEL SET**

Product ID No.	Contains:	Size		Overall Length	
		Inches	mm	Inches	mm
16-901	16-903	1/4"	6	9"	228
	16-905	1/2"	12	9"	228
	16-907	3/4"	18	9"	228
	16-908	1"	25	9"	228
	16-909	1-1/4"	32	9"	228
	16-910	1-1/2"	38	9"	228



**200 SERIES WOOD CHISELS**

- Sheffield blades made all one length with high carbon steel blades.
- Short series blade for strength and control during use.
- Blades are precision ground to high standards of accuracy.
- Hardened and tempered to 58-60HRC, for cutting edge durability.
- Lacquered blade for outstanding corrosion protection.
- Handles are made from impact resistant amber colored cellulose acetate.

Product ID No.	Size		Overall Length	
	Inches	mm	Inches	mm
16-204	1/4"	6	7-13/32"	188
16-208	1/2"	12	7-13/32"	188
16-212	3/4"	18	7-13/16"	198
16-216	1"	25	7-13/16"	198
16-220	1-1/4"	32	7-13/16"	198
16-224	1-1/2"	38	7-13/16"	198

**200 SERIES  
3 PIECE WOOD CHISEL SET**

Product ID No.	Contains:	Size		Overall Length	
		Inches	mm	Inches	mm
16-180	16-208	1/2"	12	7-13/32"	188
	16-212	3/4"	18	7-13/16"	198
	16-216	1"	25	7-13/16"	198

**200 SERIES  
4 PIECE WOOD CHISEL SET**

Product ID No.	Contains:	Size		Overall Length	
		Inches	mm	Inches	mm
16-200A	16-204	1/4"	6	7-13/32"	188
	16-208	1/2"	12	7-13/32"	188
	16-212	3/4"	18	7-13/16"	198
	16-216	1"	25	7-13/16"	198



**150 SERIES  
3 PIECE WOOD CHISEL SET**

- Carbon steel blade with a black polypropylene handle.

Product ID No.	Contains:	Size		Overall Length	
		Inches	mm	Inches	mm
16-150	16-153	1/2"	12	7-3/4"	199
	16-155	3/4"	18	7-3/4"	199
	16-157	1"	25	7-3/4"	199



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



**SUPER WONDER BAR® PRY BAR**

- Extra long length for extra reach and more leverage.
- Tightly radiused bend angle for precise positioning.
- Extra long tongue for better grip and longer reach for hard-to-get-at places.
- Arch in center of bar gives more swing during nail pulling—no need for a wood block.

Product ID No.	Blade Width		Overall Length	
	Inches	mm	Inches	mm
55-525	1-3/4"	44	15-1/2"	395



**WONDER BAR® PRY BAR**

- Forged high carbon steel.
- Heat treated for extra toughness with polished and beveled cutting edges.
- Contoured bar is ideal for pulling nails, prying, lifting, scraping.
- Beveled nail slot both ends.

Product ID No.	Blade Width		Overall Length	
	Inches	mm	Inches	mm
55-515	1-3/4"	44	12-3/8"	314



**WONDER BAR® II PRY BAR**

- Tempered steel with nickel plated finish.

Product ID No.	Blade Width		Overall Length	
	Inches	mm	Inches	mm
55-045	7/8"	22	7"	180



**NAIL CLAW**

- Special extracting claw.
- Heat treated.
- Beveled nail slot.

Product ID No.	Stock Size		Overall Length	
	Inches	mm	Inches	mm
55-033	9/16"	14	10"	254



**NAIL PULLERS**

- Double end puller features 90° and 30° offset claws.
- Fully sharpened claw tips.

Product ID No.	Stock Size		Overall Length	
	Inches	mm	Inches	mm
55-035	5/8"	16	11"	280



**COMBINATION NAIL CLAW AND CHISEL**

- Combination puller features 90° offset claw and bevel.
- Sharpened ripping chisel end.

Product ID No.	Stock Size		Overall Length	
	Inches	mm	Inches	mm
55-040	5/8"	16	15"	380



**OFFSET PATTERN RIPPING CHISEL**

- Extra wide claw.
- Beveled nail slot.

Product ID No.	Stock Size		Cutting Edge		Overall Length	
	Inches	mm	Inches	mm	Inches	mm
55-818	1 1/16"	17	1-11/16"	43	17"	432



**FORGED HEXAGONAL STEEL RIPPING BAR**

- High carbon steel for extra strength.
- Chisel end beveled.
- Slotted claw and chisel end.

Product ID No.	Overall Length		
	Inches	mm	
55-124	3/4" x 23"	19 x 610	
55-130	3/4" x 29"	19 x 760	
55-136	3/4" x 35"	19 x 915	
55-424	23/32" x 23"	18 x 610	Goose Neck Pattern
55-430	23/32" x 29"	18 x 760	Goose Neck Pattern



**BOARDBENDER**

- Designed by builders to straighten deck and joist boards faster and easier.
- Extra heavy-duty, high carbon steel 5/8" bar for extra strength and durability.
- Cushioned handle designed for kneeling to maintain pressure; frees both hands for nailing.
- Saves time, money, and material.

Product ID No.	Overall Length	
	Inches	mm
93-310	24"	61

**FATMAX®**



**FATMAX® BRASSBOUND HARDWOOD LEVEL**

- Level accuracy of 0.0010 in/in (1.0 mm/m)
- Precision milled hardwood for accuracy and long life.
- Thicker glass vial covers for increased impact-resistance with rubber gaskets to protect vials from moisture.
- Brass reinforced rubber end caps to absorb shock.
- Metal hook allows easy job-site hanging (48" only).


**MADE IN USA**

Product ID No.	Length	No. of Vials
42-345	24"	6
42-350	48"	6

**FATMAX®**



Shock absorbing end caps



Magnetic versions have stronger holding power than conventional strips

**FATMAX® LEVELS**

- Level accuracy of 0.0005 in/in (0.5mm/m).
- Aluminum structure for increased durability.
- Top-read center vial for easy readability.
- Block vials for maximum accuracy and durability.
- Highly visible accents to easily find level on worksite.
- Shock absorbing end caps and overall design to maintain accuracy.
- Superior magnetic holding power (Magnetic versions only).
- Hang hole for easy storage. Hand hole with soft grip for comfort.
- Seamless one-piece extrusion for rugged use.
- Milled working surface for improved accuracy.
- Non-marring side bumpers for use against finished surfaces


Product ID No.	Length	Hand Holes	No. of Vials
43-500	24"	Yes	3 (1 Level/2 Plumb)
43-504 <i>Magnetic</i>	24"	Yes	3 (1 Level/2 Plumb)
43-502	48"	Yes	3 (1 Level/2 Plumb)
43-506 <i>Magnetic</i>	48"	Yes	3 (1 Level/2 Plumb)
43-507	72"	Yes	3 (1 Level/2 Plumb)



**PROFESSIONAL I-BEAM LEVELS**

- Level accuracy of 0.0010 in/in (1.0 mm/m)
- Durable heavy duty aluminum construction to maintain accuracy.
- Top read center vial for easy readability.
- 360° vial set directly into frame, never need adjustment.
- Large, clear vial covers for easy readability.
- Removable vial cover for easy vial replacement.
- Pipe groove for use on rounded surfaces.
- Full length magnetic strip (Magnetic versions only).
- Hang hole for easy storage.
- Hand holes for ease in handling.

Product ID No.	Length	Hand Holes	No. of Vials
42-240	24"	No	3 (1 Level/2 Plumb)
42-244 <i>Magnetic</i>	24"	No	3 (1 Level/2 Plumb)
42-480	48"	Yes	3 (1 Level/2 Plumb)
42-486 <i>Magnetic</i>	48"	Yes	3 (1 Level/2 Plumb)
42-720	72"	Yes	6 (3 Level/3 Plumb)
42-789 <i>Magnetic</i>	78"	Yes	6 (3 Level/3 Plumb)



**TOP READ ALUMINUM LEVELS**

- Level accuracy of 0.0020 in/in (2.0 mm/m)
- Durable yet lightweight aluminum construction for all purpose use.
- Top read center vial for easy readability.
- Yellow vial covers for high visibility and easier reading vials.
- Hang hole for easy storage.

Product ID No.	Length	Hand Holes	No. of Vials
42-073	18"	No	3 (1 Level/2 Plumb)
42-074	24"	Yes	3 (1 Level/2 Plumb)
42-076	48"	Yes	3 (1 Level/2 Plumb)



**HIGH IMPACT ABS LEVEL**

- Level accuracy of 0.0020 in/in (2.0 mm/m)
- Made from yellow high impact ABS plastic.
- Durable shock resistant construction to maintain accuracy.
- Top read center vial for easy readability.
- Measuring scale for multi-tasks.
- Non-marring for use on finished surfaces.

Product ID No.	Length	Hand Holes	No. of Vials
42-466	12"	No	2 (1 Level/1 Plumb)
42-467	18"	No	3 (1 Level/2 Plumb)
42-468	24"	Yes	3 (1 Level/2 Plumb)



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.


Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



### SHOCK-RESISTANT TORPEDO LEVEL

- Aluminum frame with rubber end caps for durability.
- Open top read vial.
- Rubber end caps for shock absorption.
- Pipe groove for use on rounded surfaces.
- Water resistant. Magnetic and lighted versions available.
- Automatic shut off (43-512 only).


Product ID No.	Length		No. of Vials
	Inches	mm	
43-510 <i>High Impact Torpedo Level</i>	9"	229	3
43-511 <i>Magnetic High Impact Torpedo Level</i>	9"	229	3
43-512 <i>Lighted High Impact Torpedo Level</i>	9"	229	3



### CAST ALUMINUM TORPEDO LEVEL

- Durable, heavy-duty cast aluminum frame with large, top read vial window.
- Tinted 360° vials for easy reading are replaceable in seconds.
- Ideal for pipe and conduit work.
- Magnetic strip allows hands-free operation on metal surfaces.

Product ID No.	Length		No. of Vials
	Inches	mm	
42-465 <i>Magnetic Base</i>	9"	229	3



### 8" TORPEDO LEVELS

- High impact ABS plastic.
- Top reading feature allows greater visibility.
- One level, plumb and 45° vial.
- Magnetic strip on 42-291.

Product ID No.	Length		No. of Vials
	Inches	mm	
42-291 <i>Magnetic Base</i>	8"	203	3
42-294	8"	203	3



### ALUMINUM LINE LEVEL

- Lightweight aluminium construction, hexagon case.
- Special hooks allow level to slide freely.
- Flat bottom for surface leveling.
- 360° vial.

Product ID No.	Length		No. of Vials
	Inches	mm	
42-287	3-3/32"	79	1



### HIGH VISIBILITY LINE LEVEL

- Lightweight plastic construction.
- Special hooks allow level to slide freely.
- Flat bottom for surface leveling.


Product ID No.	Length		Color	No. of Vials
	Inches	mm		
42-193	3"	76	Yellow	1



### LEVEL CASES

- High density polyethylene case for long life.
- Twist lock screw cap prevents accidental opening.
- Convenient hang tab that allows for easy storage.
- Holes in bottom allow drainage.

Product ID No.	Length
42-027	48"



### MAXSTICK® STRAIGHT EDGE

- Lightweight.
- Rigid aluminum construction.
- Provides accurate measure and can be used as a saw guide.
- Laminated tape rule guide permanently adhered for durability.
- Center wall protects fingers.
- Easy to read scale, front and back.
- Marked with standard heights for light switches, dead bolts, door locks and electrical outlets.


Product ID No.	Material	Length	Width	Graduation	
				Face	Back
45-101	Aluminum	24"	2"	1/8"	1/8"
45-103	Aluminum	48"	2"	1/8"	1/8"



**PREMIUM ALUMINUM RAFTER SQUARE**

- Deep graduations and figures filled with yellow paint for superior readability.
- Body 24" x 2" (610 mm x 51 mm).
- Tongue 16" x 1-1/2" (406 mm x 38 mm). Rafter tables.
- Brace measure, Octagon scale.
- Board measure 2 way read sleeve.
- Extra thick aircraft grade aluminum for durability and maintaining accurate measure
- Surface protected to resist corrosion.


Product ID No.	Material	Graduation	
		Face	Back
45-011	Aluminum	1/16"-1/8"	1/16"-1/8"-1/12"



**STEEL RAFTER SQUARE**

- Body 24" x 2" (610 mm x 51 mm).
- Tongue 16" x 1-1/2" (406 mm x 38 mm).
- 1/8" graduations on face and back.
- Embossed graduations and figures.
- Essex board measure octagon scale, brace scale and rafter table.
- Work-hardened steel for durability and long life.
- Buffed finish with clear laquer to resist rust.

Product ID No.	Material	Graduation	
		Face	Back
45-910	Steel	1/8"	1/8"



**STEEL CARPENTER SQUARES**

- English Carpenter Square.
- Body 24" x 2".
- Tongue 16" x 1-1/2".
- Graduations 1/8" on face and back.
- Reverse reading scale.
- Tempered steel designed for durability.
- Surface protected with a clear finish to resist rust.
- Deep graduations and figures for easy reading.


Product ID No.	Material	Graduation	
		Face	Back
45-500	Steel	1/8"	1/8"
45-600	Steel	2mm	1/8"



**ALUMINUM CARPENTER SQUARE**

- Body 24" x 2" (610 mm x 51 mm).
- Tongue 16" x 1-1/2" (406 mm x 38 mm).
- High tempered aluminum for maximum durability.
- Lumber Scale—Board Feet Equivalent.
- Decimal Equivalent Table—Fractions to Decimals.
- Metric Conversion Table—Inches to Meters.
- Formula for Squaring a Foundation.
- 45°, 60°, 30° Angle Markings.
- Volume and Area Formulas.
- Wood Screw Gauge Table—Drill Sizes.
- Nail Sizes (Common and Finish) quantity per pound.
- Depth Scale.
- 1/8" graduations on face and back.
- Tables and information imprinted on both sides of square.
- Deep, long wearing graduations for easy reading.
- Protective laquered coating resists corrosion.

Product ID No.	Material	Graduation	
		Face	Back
45-300	Aluminum	1/8"	1/8"



**12" STEEL SQUARE**

- Body 12" x 1-1/2" (305 mm x 38 mm).
- Tongue 8" x 1" (203 mm x 25 mm).
- 1/16" graduations on face and back.
- Deep long-wearing graduations and figures for easy readability.
- Work hardened steel for durability.
- Surface protected with clear lacquer finish to resist rust.

Product ID No.	Material	Graduation	
		Face	Back
45-912	Steel	1/16"	1/16"



**STAIR GAUGES**

- Solid brass body.
- Easily attached to all carpenter squares for fast layout of stair treads.
- Sold in pairs.


Product ID No.	Material
45-711	Brass



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.




Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



## FOLDING SQUARE

- 90° and 45° angles for versatility of job applications.
- For use in tiling floors and patios, cabinetry and general layout.
- Durable yet lightweight aluminum construction.
- Easy to fold and store.
- Hang hole for easy storage.

Product ID No.	Open Dimension	Collapsed Dimension
45-013	4' x 4'	4' x 2-1/2"



## COMBINATION SQUARES

- 12" square has precision machined working surfaces.
- High visibility yellow, die cast handle.
- Durable etched, hard chrome plated blades.
- Rust-resistant for blade longevity.
- Scriber for easily marking surfaces.
- Easy read vial.
- Brass hardware.

Product ID No.	Description	Body Color	Overall Length	Yellow Fill
46-323	English	Yellow	7"	Yes
46-131	English/Metric	Yellow	16"	Yes
46-028	English	Yellow	12"	Yes
46-123	English	Yellow	12"	Yes



## COMBINATION SQUARE

- 12" Square
- Die cast metal handle has built in accuracy and durability.
- Coated blade resists rust.
- Scriber conveniently stores in handle.
- Level vial increases versatility.

Product ID No.	Overall Length	
	Inches	mm
46-222	12"	305



## PLASTIC HANDLE COMBINATION SQUARE

- 12" Square
- Durable plastic handle for long life.
- Coated blade resists rust.
- Deep debossed graduations are more accurate and longer lasting.
- Level vial increases versatility.

Product ID No.	Overall Length	
	Inches	mm
46-012	12"	305






**PREMIUM ADJUSTABLE QUICK SQUARE® LAYOUT TOOL**

- Rafter layout square with our exclusive adjustable arm.
- Ideal for marking repetitive cuts accurately.
- Black body with yellow graduations for maximum readability in all light conditions.
- Heavy duty aluminum construction is lightweight yet durable.
- Common/Jack and Hip/Valley scales.
- Can be used as a saw guide, bevel, or protractor.

Product ID No.	Base Length	Rule Length
46-053	10-3/4"	6-3/4"



**ADJUSTABLE QUICK SQUARE® LAYOUT TOOLS**

- Movable locking arm ensures fast accurate and repeatable measurements.
- Made of rugged die-cast aluminum for maximum durability.
- Used as a power saw guide, protractor, rafter square, and combination square.
- Detailed instruction book included.

Product ID No.	Base Length	Rule Length
46-050	10-3/4"	6"
46-052	16-1/4"	10"



**PREMIUM QUICK SQUARE® LAYOUT TOOL**

- Rafter layout square with black body and yellow graduations for maximum readability in all light conditions.
- Aluminum construction is lightweight yet durable.
- Extra thick body for use as a saw guide with a 0° to 90° protractor scale.

Product ID No.	Base Length	Rule Length
46-071	10-1/4"	6-3/4"



**QUICK SQUARE® POCKET SQUARE**

- Versatile layout tool works as a rafter square, try square, protractor, or power saw guide.
- Heavy duty ABS plastic body.
- Detailed instruction book included.

Product ID No.	Base Length	Rule Length
46-060	10-3/16"	6-7/8"



**QUICK SQUARE® LAYOUT TOOL**


- Aluminum, light weight for durability.
- Deep, permanent graduations are designed for easy reading and long life.
- Used as a rafter square, protractor, or circular saw guide.
- Detailed instruction book included.

Product ID No.	Base Length	Rule Length
46-067	10-1/4"	6-3/4"



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**



## SOLID HARDWOOD TRY SQUARE

- Durable etched stainless steel blade.
- Coated blade to resist rust.
- 1/16" graduations.
- Handle is solid hard wood, lacquer coated with brass face plates.

Product ID No.	Blade Length		Blade Width	Handle	
	Inches	mm		Inches	mm
46-209	8"	203	1-1/2"	5-3/8"	136



## PLASTIC HANDLE TRY / MITRE SQUARE

- Lightweight square for measuring 45° and 90° angles.
- Plastic handle.
- 8" blade, 1/8" graduations.

Product ID No.	Blade Length		Blade Width	Handle	
	Inches	mm		Inches	mm
46-502	8"	203	1-1/2"	5-1/8"	130



## SOLID HARDWOOD T-BEVEL

- Durable steel blade coated to resist rust.
- Select, hard rock maple wood handle.
- Recessed grip area.
- Solid brass end plates.

Product ID No.	Blade Length		Handle	
	Inches	mm	Inches	mm
46-813	8"	203	5-1/2"	140



## BEVEL

- Tough plastic handle with handy grip.
- Stainless-steel blade and blade locking device.

Product ID No.	Blade Length		Handle	
	Inches	mm	Inches	mm
46-825	8"	203	5-1/2"	140

STANLEY

## FatMax®



## FATMAX® CHALK LINE REEL

- 3:1 gear drive for faster rewind.
- Holds up to a 4 oz. bottle of Stanley® chalk.
- Chalk line has two times the tensile strength of traditional lines.
- Locking button holds string in place.
- Water resistant case with rubber grips for comfort.

Product ID No.	Length	
	Feet	Meters
47-140	100'	30



## FATMAX® CHALK LINE REEL 3 PIECE LAYOUT SET

- 100 ft FatMax® chalk line reel with a 4 oz. bottle of blue chalk and aluminum line level.

Product ID No.	Length	
	Feet	Meters
47-681	100'	30



## DIE CAST CHALK LINE REEL

- Durable, heavy-duty die cast body for extra long life.
- Long wearing felt gasket hugs line and distributes uniform chalk coating.
- Universal hook has been designed to endure the rigors of everyday use.
- Can be used as plumb bob.

Product ID No.	Length	
	Feet	Meters
47-099	100'	30



## CHALK LINE REELS

- Shatter resistant polypropylene case.
- Easy to fill.
- Free wheeling crank mechanism.

Product ID No.	Length	
	Feet	Meters
47-200	100'	30



**REPLACEMENT CHALK LINE**

- High quality replacement line, 100 ft (30 m) on reel.

Product ID No.	Length	
	Feet	Meters
47-101	100'	30



**BRASS PLUMB BOB**

- For use in framing, deck building, plumbing, transit location and construction applications.
- Screw top to easily attach string to center of plumb.
- Polished lacquered solid brass construction resists rust.
- Long slender profile for easy storage.
- Replaceable, hardened, steel tip for longer life.
- Additional tip included on 8 oz. and 16 oz. sizes.
- Thru hole for easy tightening.

Product ID No.	Size	
	Oz.	Grams
46-969	4	113
46-973	8	226



**CHALK REFILLS**

- High grade chalk in two vivid colors.
- Packed in plastic canisters.

Product ID No.	Size	Chalk Color
		47-917
47-919	2.2lb/35 oz	Red



**MAGNETIC STUD FINDER**

- Useful tool for locating wall studs easily.
- Base of the stud finder is grooved for marking once studs are located.

Product ID No.	Size
	47-400



**CHALK REFILLS**

- High grade chalk in a choice of two colors.
- Packed in plastic canisters for easy pouring.

Product ID No.	Size	Chalk Color
		47-803
47-804	8 oz	Red



**PLASTIC MARKING GAUGE**

- Made of tough impact resistant plastic with metal face plate for long wear.
- Thumbscrew and shoe.
- One side graduated in 16ths and reverse side in 2 mm graduations.

Product ID No.	Overall Length	
	Inches	mm
47-064	8-7/16"	214





**INTELLISENSOR® DIGISCAN**

- Detects and differentiates wood, metal and live wires simultaneously through drywall, tile, plaster and other common wall materials
- Easy to read LCD display for visual and audio detection of stud edge and center positions.
- Locates wood studs and live AC wires in both standard (3/4") and Deep Read modes (1 1/2")
- Automatic calibration in both standard and Deep Read mode.
- Pencil line to easily note location of stud edges.
- Heavy duty ABS construction for durability.
- Automatic shut off.

Product ID No.	Description
77-250	Stud Sensor



**INTELLISENSOR® STUD SENSOR**

- Detects and locates studs and joists.
- LED display and buzzer indicates stud edge and center position for accurate marking.
- Pencil hole marker.
- High Impact ABS case.
- Automatic calibration.

Product ID No.	Description
77-110	Stud Sensor



**NONCONTACT TEMPERATURE READER**

- Easy to use—just point, shoot and read.
- Instant readings in Fahrenheit or Celsius.
- Accurate digital readout (+/- 2% or +/- 2°C [+/- 2° F]).
- Temperature range: -18 to 260° C (0 to 500° F).
- Laser aiming for more precise readings.

Product ID No.	Description
ETSTL1	Temperature Sensor



**INTELLIMEASURE® DISTANCE ESTIMATOR WITH LASER POINTER**

- Ultrasonic measurer with laser pointer.
- Safe, visible red laser pointer to precisely locate point to be measured.
- Greater accuracy in readings 50' range and accurate to +/- .5% of reading.
- Measuring time: 2-6 seconds. Readings may be taken from top or bottom of the case.
- Incorporates: areas and volume calculation, memory storage and recall, automatic summing of measurements.
- Digital display gives readings in both English and metric graduations.
- Data input accompanied by beep when buttons pressed.
- Low battery indicator.
- Automatic shut off.

Product ID No.	Description
77-007	Ultrasonic Measurer with Laser Pointer




**FATMAX<sup>®</sup>**  
**LEVEL LASER**

**FATMAX<sup>®</sup> LEVEL WITH LASER**

- Use to trim porches and deck posts to uniform heights; align wall tiles, align cabinets and plumb/level windows and frames.
- 5mW power.
- Wave length 635-670nm.
- Laser class IIIA.
- System accuracy +/- 1/4" @ 100'.
- Shock absorbing end caps with non-marring bumpers.
- Extra large comfort grip.
- Complete kit includes: Fatmax<sup>™</sup> LevelLaser, Beam Line Spreader, Beam Cross Line, Carrying Case, Reflective Laser Target, Instruction Manual.

Product ID No.	Description	Size
43-700	Level Laser	24"



**INTERNAL ROTATING VIAL (90° TO 0° TO 90°) WITH DETENTS AND BUILT IN SWITCH TO CHANGE LASER DOT TO CROSS BEAM.**

**INTELLIPOINT<sup>™</sup> — PLUS LEVEL**

- Aluminum base for added strength and accuracy.
- Base fitted with 1/4-20 threaded insert for tripod mounting.
- Accurate to 1/4" over 100 ft.
- Projects eye-safe Class 3a Laser dot visible on almost any surface.
- Rotating vial that operates through 180°.
- Made of tough ABS plastic.
- Built in dot to cross lines lens.

Product ID No.	Description
77-009	Level Laser



**TRIPOD**

- Aluminum construction.
- Allows for hands-off use of IntelliLevel<sup>™</sup> Laser Rail and other products that require a tripod.
- Extendible legs.
- Easy to use leveling feature.
- 5/8-11 tripod thread.

Product ID No.	Description
77-005	Tripod



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



6 INCH



8 INCH

### MAXGRIP™ PLIERS

- Self adjusting 6" or 8" Pliers.
- One hand adjustment up to 1-7/16".
- Dual material handle for superior gripping.
- Ergonomic shape for maximum comfort in all applications.
- Handle hole for tethering, hanging or storage.
- Meets or exceeds ANSI specifications.
- Patented design.

Product ID No.	Length	
	Inches	mm
84-881	6"	152
84-880	8"	203



### MAXGRIP™ NEEDLE NOSE PLIERS

- Parallel jaw movement for improved holding force.
- Larger jaw capacity.
- Solid steel jaws for durability and strength.
- Bi-material handles ergonomically designed for comfort and ease of use.
- Handle hole for tethering, hanging or storage.
- Meets or exceeds ANSI specifications.
- Patented design.

Product ID No.	Length	
	Inches	mm
84-888	7"	178
84-887	9"	228



### MAXGRIP™ MULTI-PACK

- Convenient multi-pack.

Product ID No.	Contents	Description	Length
84-890	84-881	MaxGrip™ self-adjusting pliers	6"
	84-888	MaxGrip™ needle nose pliers	7"



### ADJUSTABLE WRENCH

- Forged chrome vanadium steel construction for strength.
- Meets or exceeds ANSI specification.
- Rust resistant polished chrome finish.
- Handle hole for tethering, hanging or storage.

Product ID No.	Length	
	Inches	mm
87-367	6"	152
87-369	8"	203
87-471	10"	250
87-473	12"	305



### CUSHION GRIP WRENCHES

- Soft cushion grip fits palm for comfort.
- Extra wide jaw capacity.
- Inch scale is laser etched onto jaw for easy measurement.
- Meets or exceeds ANSI specification.
- Handle hole for tethering, hanging or storage.

Product ID No.	Length	
	Inches	mm
85-764	6"	152
85-763	8"	203
85-762	10"	250
85-798	12"	305



### MAXGRIP™ ADJUSTABLE WRENCH

- Precision machined face with etched measurement scale in English and Metric.
- Strong chrome vanadium steel exceeds ANSI specifications.
- Slip-resistant bi-material cushion grip.
- Rust-resistant phosphate coating.
- Handle hole for tethering, hanging or storage.

Product ID No.	Length	
	Inches	mm
87-791	6"	152
87-792	8"	203
87-793	10"	250
87-794	12"	305



**CURVED JAW LOCKING PLIERS**

- Curved jaw help to grasp round objects such as nuts, bolts or pipes.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
85-761	10"	



**SLIP JOINT PLIERS**

- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.


Product ID No.	Length	
	Inches	mm
84-097	6"	152
84-098	8"	203



**LONG NOSE LOCKING PLIERS**

- Jaws lock in holding position with applied pressure.
- Long, tempered jaws for working in tight places.
- Forged steel construction.
- Rust resistant finish.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-040	6"	



**LONG NOSE PLIERS**

- Long tempered jaws for working in hard to reach areas.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Description	Length	
		Inches	mm
84-119	Mini	4"	102
84-096	Needle Nose	5"	127
84-100	Standard	5"	127
84-101	Standard	6"	152
84-102	Standard	8"	203
84-126	Bent Nose	4"	102



**MAXGRIP™ LOCKING ADJUSTABLE WRENCH**

- Patented design.
- Two tools in one: traditional adjustable wrench and locking plier.
- Jaw grips fastener and won't slip off.
- Forged body exceeds ANSI standards for torque.

Product ID No.	Length	
	Inches	mm
85-610	10"	250



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



## GROOVE JOINT PLIERS

- Machined jaws for slip-resistant grip.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-018	4"	102
84-019	6"	152
84-109	8"	203
84-110	10"	254
84-111	12"	304
84-020	16"	407



## FLAT NOSE PLIERS

- Non-serrated, flat jaws for grasping and bending without marring work piece.
- Spring loaded handles for ease of use.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-122	5"	127



## LINESMAN PLIERS

- Hardened cutting edges for durability.
- Serrated jaw for additional grip and leverage.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-112	7"	177
84-113	8"	203



## MINI END NIPPER PLIERS

- End cutting jaw design for pulling or cutting small tacks and staples.
- Spring loaded handles for ease of use.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-125	4"	102



## DIAGONAL PLIERS

- Hardened cutting edges for durability.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-124	4"	102
84-104	5"	127
84-105	6"	152
84-108	7"	177



## PLASTIC NIPPER PLIERS

- Specialty ground jaws for making flush cuts.
- Spring loaded handles for ease of use.
- Forged steel construction.
- Rust resistant finish.
- Double dipped handle for comfort.
- Meets or exceeds ANSI standards.

Product ID No.	Length	
	Inches	mm
84-134	5"	127
84-135	6"	152







**84-114  
3 PIECE PLIERS SET**

Product ID No.	Contents	Description	Length	
			Inches	mm
84-114	84-097	Slip Joint Pliers	6"	152
	84-101	Long Nose Pliers	6"	152
	84-105	Diagonal Pliers	6"	152




**84-892  
3 PIECE PLIERS SET**

Product ID No.	Contents	Description	Length	
			Inches	mm
84-892	84-097	Slip Joint Pliers	6"	152
	84-101	Long Nose Pliers	6"	152
	84-110	Groove Joint Pliers	10"	254



**84-117  
4 PIECE PLIERS SET**

Product ID No.	Contents	Description	Length	
			Inches	mm
84-117	84-098	Slip Joint Pliers	8"	203
	84-102	Long Nose Pliers	8"	203
	84-108	Diagonal Pliers	7"	177
	84-113	Linesman Pliers	8"	203



**WIRE STRIPPER**

- Cuts and strips 10 to 26 gauge stranded and 8 to 22 solid wire.
- Rust-resistant finish.
- Comfortable vinyl grips.
- Crimps 10 to 26 insulated terminals and 10 to 22 non-insulated terminals.
- Cuts five sizes of bolts.

**MADE IN USA**

Product ID No.  
**84-199**



**WIRE STRIPPER**

- Cuts and strips wire from 10 to 26 gauge.
- Adjustable slide stop and hole for bending and looping wire.
- Rust-resistant finish.
- Comfortable vinyl grips.

Product ID No.  
**84-213**



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708



**SURFORM® PLANE**

- Resilient enough for use on materials that would dull a traditional bench plane blade.
- Manufactured with metallic gray, die-cast alloy body.
- Handle made of high impact polymer.
- Fitted with replaceable (10"/250mm) blade.

Product ID No.	Overall Length		Width	
	Inches	mm	Inches	mm
21-296	12-1/2"	315	1-5/8"	41



**SURFORM® POCKET PLANE**

- One handed tool.
- Ideal for end-grain work, sheetrocking and smoothing edges of laminates.
- Manufactured with a metallic gray, die-casting alloy body.
- Includes thumb screw tension for quick blade replacement.
- Fitted with a replaceable (5-1/2"/140mm) fine cut.

Product ID No.	Overall Length		Width	
	Inches	mm	Inches	mm
21-399	5-1/2"	140	1-5/8"	41



**SURFORM® FLAT FILE**

- Superb tool for use as a rasp on wood, plastic, soft metals and many other materials.
- Manufactured with a metallic grey, die-cast alloy body.
- Handle made of high impact polymer.
- Fitted with a replaceable (10"/250mm) blade.

Product ID No.	Overall Length		Width	
	Inches	mm	Inches	mm
21-295	17-3/8"	400	1-5/8"	41



**SURFORM® SHAVER TOOL**

- Compact and effective lightweight polypropylene molded body.
- Curved blade for increased stock removal.
- The blade also has side cut teeth for shaving in corners.
- Works on the pull stroke.
- Simple, click-on blade replacement.

Product ID No.	Overall Length		Width	
	Inches	mm	Inches	mm
21-115	7-1/4"	184	1-5/8"	41



**SURFORM® ROUND FILE**

- Especially useful for enlarging holes and smoothing curved surfaces.
- Ideal for pipe installations in MDF, chipboard, drywall or laminates.
- Front grip can be removed when used in small holes.
- Manufactured with high impact polymer handle and thumb support.
- Fitted with a replaceable (10"/250mm) round blade.

Product ID No.	Overall Length	
	Inches	mm
21-297	15-3/4"	400

**BLADES FOR SURFORM® TOOLS**

Product ID No.	Length	Fits Tool(s)	Shape	Type of Cut	Applications
21-398	5-1/2" (140 mm)	21-399	Flat	Fine cut	Use on hardwoods,
21-393	10" (254 mm)	21-295, 21-296	Flat	Fine cut	end grain, plywood, chipboard, and plaster.
21-299	10" (254 mm)	21-295, 21-296	Half Round	Regular cut	Use on woods, vinyl,
21-291	10" (254 mm)	21-297	Round	Round cut	plaster, linoleum,
21-515	2-1/2" (64 mm)	21-115	Flat	Curved cut	autobody fillers, and
21-293	10" (254 mm)	21-295, 21-296	Flat	Regular cut	soft metals.



**BAILEY® LOW ANGLE PLANE**

- Grey cast iron base with side and bottom precision ground.
- Durable epoxy coating for long-lasting protection.
- Hardened, tempered, and precision ground tool steel cutter for cutting edge durability.
- Exact depth and lateral cutter adjustment for precise shaving.
- Quick release cam-lock for easy blade removal.
- Machined finger grips in sides provide for easy single-handed use.
- The 13-1/2° low angle cutter ensures that vibration is kept to a minimum for a fine finish. Ideal for planing end grain, and plastic materials.

Product ID No.	Length	Cutter Width	Type
12-960	6"	1-3/8"	Low Angle Block Plane



**BAILEY® BENCH PLANE SMOOTH PLANE NUMBER 4®**

- Grey cast iron base with side and bottom precision ground.
- Durable epoxy coating for long-lasting protection.
- Hardened, tempered, and precision ground tool steel cutter for cutting edge durability.
- Fully machined and polished double iron cutter and lever.
- Frog seat is machined for precise mouth adjustment.
- Exact depth and lateral cutter adjustment for precise shaving.
- Solid brass cutter adjustment knob for accuracy and durability.
- Quick release cam-lock for easy iron removal.
- Kidney shaped hole in lever cap prevents accidental slippage of cutter.
- Contoured and polished high impact polymer handles and knobs.

Product ID No.	Length	Cutter Width	Type
12-904	9-3/4"	2"	Smooth Plane Number 4®



**BAILEY® BLOCK PLANE**

- Grey cast iron base with side and bottom precision ground.
- Durable epoxy coating for long-lasting protection.
- Hardened, tempered, and precision ground tool steel cutter for cutting edge durability.
- Exact depth and lateral cutter adjustment for precise shaving.
- Quick release cam-lock for easy blade removal.
- Machined finger grips in sides provide for easy single-handed use.
- Fully adjustable cutter resting at 21°.

Product ID No.	Length	Cutter Width	Type
12-920	6-1/4"	1-5/8"	Block Plane



**BAILEY® BENCH PLANE JACK FORE, PLANE NUMBER 5®**

- Grey cast iron base with side and bottom precision ground.
- Durable epoxy coating for long-lasting protection.
- Hardened, tempered, and precision ground tool steel cutter for cutting edge durability.
- Fully machined and polished double iron cutter and lever.
- Frog seat is machined for precise mouth adjustment.
- Exact depth and lateral cutter adjustment for precise shaving.
- Solid brass cutter adjustment knob for accuracy and durability.
- Quick release cam-lock for easy iron removal.
- Kidney shaped hole in lever cap prevents accidental slippage of cutter.
- Contoured and polished high impact polymer handles and knobs.

Product ID No.	Length	Cutter Width	Type
12-905	14"	2"	Jack Plane Number 5®



**SMOOTH PLANE**

- Grey cast iron base with sides and bottom machined smooth and true.
- Durable epoxy coating for long-lasting protection.
- Hardened and tempered tool steel cutter for cutting edge durability.
- Cutter is fully adjustable for depth of cut and alignment.
- Quick release cam-lock for easy blade removal.
- Contoured polymer handles and knobs.

Product ID No.	Length	Cutter Width	Type
12-204	9-3/4"	2"	Smooth Plane Number 4®



**WOOD HANDLE WALL SCRAPERS**

- High carbon blade—hardened, tempered, taper grounded and polished.
- Full tang blade permanently fastened to solvent resistant hardwood handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-539	Flexible	3"	76
28-543	Stiff	3"	76



**PLASTIC HANDLE WALL SCRAPER**

- Steel blade hardened, tempered and polished.
- Full tang blade permanently fastened to shatter-resistant nylon handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-139	Stiff	3"	76



**WOOD HANDLE PUTTY KNIVES**

- High carbon blade—hardened, tempered, taper grounded and polished.
- Full tang blade permanently fastened to solvent resistant hardwood handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-540	Flexible	1-1/4"	32
28-541	Stiff	1-1/4"	32



**PLASTIC HANDLE PUTTY KNIVES**

- Steel blade hardened, tempered and polished.
- Full tang blade permanently fastened to shatter-resistant nylon handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-140	Stiff	1-1/4"	32
28-240	Flexible	1-1/4"	32
28-141	Stiff	1-1/2"	38
28-241	Flexible	1-1/2"	38
28-142	Stiff	2"	51
28-242	Flexible	2"	51



**WOOD HANDLE JOINT KNIVES**

- High carbon blade—hardened, tempered, taper grounded and polished.
- Full tang blade permanently fastened to solvent resistant hardwood handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-538	Flexible	5"	127
28-546	Flexible	6"	152



**PLASTIC HANDLE JOINT KNIVES**

- Steel blade hardened, tempered and polished.
- Full tang blade permanently fastened to shatter-resistant nylon handle.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-244	Flexible	4"	102
28-246	Flexible	6"	152



**SCRAPER**

- Quality tempered steel blade.
- For use by painters and paper hangers.
- Accurately ground bevel edge.
- Full size hardwood handle with lacquer finish.

Product ID No.	Blade Length		Width of Scraping Edge	
	Inches	mm	Inches	mm
28-189	3-13/16"	97	3-1/2"	89



**BURN-OFF SCRAPER**

- Heavy-duty steel blade bent at a 20° angle for easy paint removal.

Product ID No.	Blade Type	Blade Width	
		Inches	mm
28-170	Bent	3"	76



**RETRACTABLE RAZOR BLADE SCRAPER**

- Removes paint, glue, putty or adhesives from glass, tile, walls, floors or other smooth surfaces.
- Blade retracts for safe storage. Uses standard single edge razor blades.
- Comes with 5 blades.

Product ID No.	Overall Length	
	Inches	mm
28-500	3-3/4"	95



**REFINISHING HAND SCRAPER**

- Selection of steel and heat treatment of this blade make it a superior tool.
- For achieving a fine finish on wood.

Product ID No.	Length		Cutter Width	
	Inches	mm	Inches	mm
28-035	5"	127	3"	76



**HIGH VISIBILITY MINI-RAZOR BLADE SCRAPER**

- Lightweight and economical plastic razor blade scraper.
- Blade reverses for safe storage.
- Uses standard single edge razor blade.
- Great for scraping in hard-to-reach places.

Product ID No.	Overall Length	
	Inches	mm
28-100	1-13/16"	46



**SINGLE EDGE RAZOR BLADES**

- Steel backed high carbon steel blade fits all standard razor blade tools.
- Replacement blades for 28-100 and 28-500 scrapers.

Product ID No.	Packed	Length		Thickness
		Inches	mm	
28-510	10	1-1/2"	.009"	
11-515	100	1-1/2"	.009"	



**WINDOW SCRAPER**

- Scrapes paint from windows, mirrors, tiles and other flat surfaces.
- Uses 11-921 Utility Knife Replacement Blade.

Product ID No.	Overall Length	
	Inches	mm
28-593	7"	178



**FINE WOODWORKING CABINET SCRAPER**

- The cabinet scraper is used for fine finishing of hardwood surfaces or where planing is not advisable, such as veneered boards.
- The cast iron double handle design provides control and efficiency.
- The raised handles protect the user's hands during use.
- Single edged cutter can be tensioned to give coarse or fine settings.


Product ID No.	Length		Cutter Width	
	Inches	mm	Inches	mm
12-080	11-1/2"	288	2-3/4"	70



**PAINT SCRAPERS**

- Lightweight molded polypropylene contoured paint scrapers.
- Designed for long life comfort.

Product ID No.	Handle Size	Blade Type	Blade Width	
			Inches	mm
28-616	6"	2-Edge	1"	25
28-617	7"	2-Edge	1-1/2"	38
28-619	9"	2-Edge	2-1/2"	64



**2-EDGE SCRAPER REPLACEMENT BLADES**

- High carbon steel to maintain maximum sharpness.

Product ID No.	Blade Width		Fits Scraper
	Inches	mm	
28-292	2-1/2"	64	28-293, 28-622, 28-619
28-290	1-1/2"	38	28-291, 28-617

( 28-631 2 Blades Per Pack)



**WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.**

**Toll Free Customer Service Number: 1-800-800-TOOL  
Customer Service FAX Number: 1-770-385-3708**