

STANLEY®

HAND TOOLS CATALOG 2015

STANLEY®

Stanley Black & Decker India Limited
No. 28 "Akemps" 3rd Main, 1st Cross, Ashwini Layout,
Koramangala Intermediate Ring Road, Bangalore - 560047
www.stanleyblackanddeckerindia.in
www.stanleyrindia.in

Helpline No. 1860-425-1111

Dealer's Seal

Rev CAT - 01/02/2015





TOOLS THAT BUILD THE WORLD

Since 1843, **STANLEY**[®] has been proudly offering quality and innovative tool solutions. For over a century, we have built a legacy by producing some of the most well known hand tools and storage products in the world, all to help you build a legacy of your own.

We are committed to bringing you durable and quality tools that are inventive and distinct. With superior quality, constant innovation and rigorous operational improvements, **STANLEY**[®] defines excellence and is trusted by professionals around the globe.


In 2013, **STANLEY**[®] embraced a new brand logo and identity, modernizing one of the most recognizable brands in the world. The new brand identity exemplifies **STANLEY**'s 170-year reputation for innovation, merit and performance. With the evolution of the brand logo, we are proud to offer you even more cutting edge products for all your job site needs. It is time to experience the power of innovation!



THE HISTORY OF STANLEY® TOOLS

1843

The Stanley Works was founded in New Britain, Connecticut by Frederick T. Stanley.



1863

Stanley introduced hammers to their line-up.



1870

Stanley began manufacturing screwdrivers and hand planes

1900

Rule & Level is the largest manufacturer of planes and related tools in the world.



1869

Purchased Bailey, Chaney and Company and acquired the right to manufacture tools under Bailey's patents

1857

Stanley Rule & Level Company established by Henry Stanley. Stanley begins to manufacture levels and squares

1876

Miter boxes were introduced.

1924

Stanley filed a patent for the ratcheting screwdriver.

1928

The Stanley Works broke into the electric hand tools market with an electric drill, screwdriver and bench grinder.

1930

Stanley made the first steel tape rule.



1936

Stanley manufactured its first utility knife.



1937

Henry Phillips, inventor of Phillips head screw, chose Stanley as the first company to begin making Phillips screwdrivers.

1954

Time Magazine published a cover story titled "Do-It-Yourself – The New Million Dollar Hobby". Stanley was ideally positioned to benefit from this trend and quickly developed products for this new market



1969

The PowerLock Tape Rule represented Stanley as a part of Apollo 11's Lunar Landing Gear

1963

Stanley opens the largest hand tool plant in the world in New Britain, CT. The same year, they introduce the PowerLock Tape Rule.



1970

Stanley began producing manual staplers.



1998

Stanley acquires ZAG Industries Lt., an Israeli maker of plastic storage products, including tool boxes.

2008

Stanley re-introduces Sweetheart planes.

1980

The Stanley Works was presented the American Eagle Award from the American Supply & Machinery Manufacturers' Associ., Inc. for its "unusual across-the-board quality".



1999

Stanley launched the FatMax Tape Rule and the FatMax AntiVibe Hammer.

2013

Stanley launches the next generation of hand tools and power tools

ACHIEVING UNPARALLELED PERFORMANCE WITH STANLEY® TOOLS

A BRAND YOU CAN TRUST

For over a century, we have built a legacy by producing some of the most well known hand tools and storage products in the world, all to help you build a legacy of your own. It is this rich history of innovation that has made **STANLEY®** a trusted name and industry pioneer.

In 1843, **STANLEY®** started to manufacture bolts, hinges, and other hardware by using wrought iron. By merging superior quality materials, constant innovation, and rigorous operational improvements, **STANLEY®** defined excellence and till today, is trusted by professionals on job sites around the globe.



FULL RANGE OF PRODUCTS FOR ALL PROFESSIONALS

Be it construction or mechanic tools, we have got you covered. **STANLEY®** provides a broad range of over 2,000 products in all tool categories. No matter what car you drive, what stores you shop at, or what building you work in, you can bet that we deliver the tools and solutions that you can count on, and you can be sure that we will keep making it better.

QUALITY THAT EXCEEDS STANDARDS

Most of the products produced by **STANLEY®** exceed government and industry standards such as ASME/ANSI, ISO and DIN. We push ourselves every day to deliver tough, strong, and reliable hand tools. We have state-of-the-art test facilities that cover solvent resistance and drop testing to ensure that our products meet critical standards. In each product category, we also perform specific performance and life tests to ensure product durability and quality.



Hardness Test



Corrosion & Solvent Test



Drop Test



Proof Torque

STANLEY® PROVIDES NOT ONLY TOOLS THAT HELP YOU GET THE JOB DONE, BUT ALSO HELP YOU TO GET IT DONE RIGHT.

INNOVATIVE DESIGN WITH GREAT FUNCTIONALITY

STANLEY® designs tools based on end user research and user insights. Our innovative processes are fashioned to determine what users want even before they know it. The brand new range of **STANLEY®** tools meet the demanding nature of all professionals within construction, renovation and automotive sectors. We are the pioneers in many hand tool categories and

have created several patented features focused on solving problems faced by users. We have dedicated product design practices that tap into professional needs to conceptualize products that offer the best user benefits. From the field straight to the design team, we strive to offer valuable benefits to all professionals.



MANUFACTURING

STANLEY® has been managing and manufacturing tools for over a century. The company has built a brand synonymous with quality and assurance. Facilities located all over the world meticulously churn out quality tools to meet the ceaseless demands of our clients. Our best-in-class manufacturing process ensures that the final product is something to be proud of.

STANLEY® GLOBAL PRESENCE

● 20+ Global manufacturing sites and labs with similar process and quality controls for consistent quality.



STANLEY.

MECHANIC TOOLS



MASTER TOOL SETS

1/4 & 3/8 DRIVE SETS

1/2 & 3/4 DRIVE SETS



CONTENTS

MECHANICS TOOLS 01



MASTER TOOL SETS
1/4 & 3/8 DRIVE SETS
1/2 & 3/4 DRIVE SETS

SOCKETS & ACCESSORIES 09



3/8, 1/2 & 3/4 DRIVE SOCKETS
3/8, 1/2 & 3/4 RATCHETS & ACCESSORIES
T-HANDLE SOCKETS & 1/2 IMPACT SOCKETS

SPANNERS & SETS 21



DOE, RING & COMBINATION SPANNERS / SETS
OPEN / RING END SLOGGING SPANNERS
ADJUSTABLE WRENCHES / SPANNERS

SPECIALITY TOOLS 29



3 JAW PULLERS
FEELER GAUGE, OIL FILTER WRENCH
12-IN-1 MULTI TOOL, SCREW EXTRACTOR

SPECIALITY TOOL SETS 35



TELECOMMUNICATION TOOL SETS
ULTIMATE TOOL KIT
BASIC TOOL KIT

TOOL STORAGE 39



METAL STORAGE
PLASTIC TOOL BOX
NYLON TOOL BAG

PLIERS 46



COMBINATION, NOSE, DIAGONAL CUTTING PLIERS
CIRCLIP PLIERS
CRIMPING, LOCKING & STRIPPING PLIERS

CUTTING TOOLS 58



RETRACTABLE UTILITY KNIFE & BLADES
SNAP-OFF KNIFE & BLADES
HACKSAWS, BOLT CUTTERS & SNIPS

PIPE TOOLS 68



ALUMINUM PIPE WRENCH
CI PIPE WRENCH, STILLSON PIPE WRENCH
WATER PUMP PLIER, TUBING CUTTER

FASTENING TOOLS 75



CUSHION GRIP SCREWDRIVERS / SETS,
OPEN / RING END SLOGGING SPANNERS,
ADJUSTABLE WRENCHES / SPANNERS,
C-CLAMP, SOLDERING IRON, RIVETERS

MEASURING & LAYOUT TOOLS 91



MEASURING TAPE & MEASURING WHEELS
TORPEDO, BOX, I-BEAM LEVELS
CHALK LINE REEL & REFILL

HAMMERS 100



CLAW HAMMERS
SOFT FACE HAMMERS, RUBBER MALLET
BALL PEIN & SLEDGE HAMMERS

HYDRAULIC TOOLS 105



BOTTLE JACKS

TORQUE WRENCHES 108



BRITTOOL 3/8, 1/2, 3/4 & 1 SQUARE DRIVE
STANLEY RATCHETING TYPE 3/8 & 1/2 DRIVE

MECHANICS TOOLS THAT MOVED THE WORLD

All Mechanics Tools meet or exceeds applicable ANSI & DIN Standards

Double Nickel Chromium alloy coating reduces corrosion



Maxi-Drive™

Patented gripping designed to out perform conventional drive configuration Reduces the chance of rounding fastener corners and extends fastener life
Enables to turn worn or rounded fasteners

Maxi-Drive™



MECHANICS TOOLS

Thin Head Allows access to tight spaces

5 Ratcheting arc allows you to use Micro-Tough in the most confined applications
Locking Mechanism retains sockets to make your work safer and more Productive



MECHANIC TOOLS - 150 PC MASTER SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
94-181	10Pc 1/4 DRIVE 6 POINT SOCKETS: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2	1	2	24,631
	10Pc 1/4 DRIVE 6 POINT METRIC SOCKETS: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm			
	6 Pc 1/4 DRIVE 6 POINT METRIC DEEP SOCKETS: 4, 5, 6, 7, 8, 9mm			
	3 Pc 3/8 DRIVE PHILLIPS® BIT SOCKETS: #1, #2, #3			
	9 Pc 3/8 DRIVE 6 POINT SOCKET: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8			
	6 Pc 3/8 DRIVE 6 POINT METRIC DEEP SOCKETS: 10, 11, 12, 13, 14, 15, mm			
	2 Pc 3/8 DRIVE EXTENSION BAR - LOCKING: 3, 6 (76, 152mm)			
	2 Pc 3/8 DRIVE SPARK PLUG METRIC SOCKETS: 16, 21mm			
	8 Pc 3/8 DRIVE 6 POINT TORX® SOCKETS: E8, E10, E11, E12, E14, E16, E18, E20			
	11Pc 3/8 DRIVE 6 POINT METRIC SOCKETS: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	4 Pc 1/2 DRIVE IMPACT 6 POINT METRIC SOCKETS: 17, 19, 21, 23mm			
	4 Pc 1/2 DRIVE 12 POINT SOCKETS: 15/16, 1, 1-1/16, 1-1/4			
	7 Pc 1/2 DRIVE 12 POINT SOCKETS: 20, 21, 22, 24, 27, 30, 32mm			
	6 Pc 3/8 DRIVE HEX BIT SOCKET 3, 4, 5, 6, 8, 10mm			
	3 Pc 3/8 DRIVE POZIDRIVE® BIT SOCKETS: #1, #2, #3,			
	12Pc FULL POLISH LONG PANEL COMBINATION WRENCHES: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	3 Pc DOUBLE BOX REVERSAL METRIC RACHETING WRENCHES: 8x9, 12x13, 17x19mm			
	7 Pc 1/4 DRIVE TORX (HOLE) BIT: T-10, T-15, T-20, T-25, T-27, T-30, T-40			
	10Pc HEX KEY: 1.5, 2.0, 2.5, 3.0, 4, 5, 6, 7, 8, 10mm			
	1 Pc 1/4 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP			
	1 Pc 1/4 DRIVE EXTENSION BAR 100mm			
	1 Pc 1/4 SPINNER HANDLE			
	6 Pc 1/2 DRIVE DEEP 6 POINT METRIC SOCKET : 10, 12, 13, 14, 17, 19mm			
	2 Pc 1/2 DRIVE EXTENSION BAR : 5, 10 (125, 150mm)			
	3 Pc 3/8 DRIVE SLOTTED BIT SOCKETS: 4, 5.5, 6.5mm			
	7 Pc 3/8 DRIVE TORX® BIT SOCKETS : T-20, T-30, T-40, T-45, T-50, T-55, T-60			
	1 Pc 1/4 DRIVE UNIVERSAL JOINT			
	1 Pc 1/4 DRIVE ADAPTER			
	1 Pc 3/8 DRIVE PEAR HEAD RATCHET WITH COMFORT GRIP			
	1 Pc 3/8 DRIVE UNIVERSAL JOINT			
	1 Pc 1/2 DRIVE PEAR HEAD RATCHET WITH COMFORT GRIP			
	1 Pc 1/2 DRIVE UNIVERSAL JOINT			



MECHANIC TOOLS - 120 PC MASTER SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
91-931	10 Pc 1/4 DRIVE SOCKET 6 POINT: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2	1	2	17,008
	12 Pc 1/4 DRIVE SOCKET 6 POINT: 4, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13mm			
	4 Pc 1/4 DRIVE DEEP SOCKET 6 POINT: 8, 9, 10, 12mm			
	11 Pc 3/8 DRIVE SOCKET 6 POINT: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	9 Pc 3/8 DRIVE SOCKET 6 POINT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8			
	4 Pc 3/8 DRIVE DEEP SOCKET 6 POINT: 13, 14, 15, 17mm			
	7 Pc 1/2 DRIVE SOCKET 6 POINT: 20, 21, 22, 24, 27, 30, 32mm			
	8 Pc 3/8 DRIVE TORX® SOCKET: E8, E10, E11, E12, E14, E16, E18, E20			
	4 Pc 1/2 DRIVE SOCKET 6 POINT: 15/16, 1, 1-1/16, 1-1/4			
	4 Pc 1/2 DRIVE IMPACT SOCKET 6 POINT: 14, 19, 21, 23mm			
	2 Pc 3/8 DRIVE SPARK PLUG SOCKET 6 POINT: 16, 21mm			
	7 Pc 3/8 DRIVE TORX® (HOLE) BITS: T10, T15, T20, T25, T27, T30, T40			
	17 Pc 3/8 DRIVE 6 POINT BIT SOCKETS: TORX®: T20, T30, T40, T45, T50, T55, T60 HEX: 3 4 5 6mm, PHILLIPS®: 1Pt, 2Pt, POZIDRIVE®: 1Pt 2Pt, SLOTTED: 5.5, 6.5mm			
	3 Pc UNIVERSAL JOINT: 1/4, 3/8, 1/2			
	1 Pc 1/4 DRIVE BIT ADAPTER: 1/4			
	1 Pc 1/4 DRIVE SPINNER			
	1 Pc 1/4 DRIVE EXTENSION BAR: 2 (50mm)			
	2 Pc 3/8 DRIVE EXTENSION BAR: 3, 10 (75, 250mm)			
	2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 250mm)			
	3 Pc PEAR HEAD RACHET: 1/4, 3/8, 1/2			
	10 Pc FULL POLISH LONG PANEL COMBINATION WRENCHES: 9, 10, 11, 12, 13, 14, 17, 18, 19mm			



MECHANIC TOOLS - 26PC 1/2 DRIVE METRIC 12 POINT SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
86-477	20 Pc 1/2 DRIVE 12 POINT SOCKETS: 10,11,12,13,14,15,16,17,18,19,20, 21,22,23, 24,25,26,27,30,32mm	1	4	4,055
	6 Pc 1/2 DRIVE ACCESSORIES: 2 PC EXTENSION BAR: 5 & 10(125 & 250mm) ,			
	1 Pc UNIVERSAL JOINT, 1 Pc SPARK PLUG SOCKET 6 POINT 13/16, 1 Pc SLIDING T-BAR 10(254mm), 1 Pc FLIP-DRIVE RACHET			

MECHANIC TOOLS - 26PC 1/2 DRIVE 12 POINT SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
86-478	20 Pc 1/2 DRIVE 12 POINT SOCKETS: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4	1	4	4,297
	6Pc 1/2 DRIVE ACCESSORIES: 2 EXTENSION BAR: 5 & 10(125, 250mm), 1PC UNIVERSAL JOINT, 1 PC SPARK PLUG SOCKET 6 POINT 13/16, 1 SLIDING T-BAR 10(254mm), 1 PC FLIP-DRIVE RACHET			

MECHANIC TOOLS - 26PC 1/2 DRIVE METRIC 12 POINT SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
91-938	18 Pc 1/2 DRIVE 6 POINT SOCKET : 10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24, 27,30,32mm	1	4	6,380
	2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 25mm)			
	1 Pc 1/2 DRIVE UNIVERSAL JOINT			
	1 Pc 1/2 ADAPTER			
	1 Pc PEAR HEAD RACHET			
	1 Pc ADJUSTABLE SPANNER 8(200mm)			
	1 Pc LONG NOSE PLIER 6(152mm)			
	3 Pc SCREWDRIVER: SLOTTED: 3 x 75mm, 5 x 100mm Phillips®: 2 x 100mm			

SOCKETS & ACCESSORIES - 24 PCS 1/2 DRIVE METRIC SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
STM72795-8	1Pc 1/2 DRIVE QUICK RELEASE RATCHET	1	4	3,480
	1Pc 1/2 DRIVE EXTENSIONS : 130 & 250mm			
	1Pc 1/2 DRIVE UNIVERSAL JOINT			
	1Pc 1/2 DRIVE SLIDING T-HANDLE			
	1Pc 1/2 DRIVE SPARK PLUG SOCKETS 21mm			
	18Pc 1/2 DRIVE 6 POINT SOCKET - 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27, 30,32mm			

MECHANIC TOOLS - 24PC 1/2 DRIVE 6 POINT METRIC SOCKET SET



Part No.	Description	PBQ	SBQ	Rs. EACH
1-86-589	17Pc 1/2 DRIVE 6 POINT SOCKETS: 10,11,12,13,14,15,17,18,19,20, 21,22,23,24,27,30,32mm	1	4	5152
	7Pc 1/2 DRIVE ACCESSORIES: 1Pc SPARK PLUG SOCKET, 1 Pc FULL POLISHED RACHET, 1 Pc SLIDING T-BAR 10(254mm), 1 Pc UNIVERSAL JOINT, 1 Pc FLEX HANDLE 17(432mm), 2 Pc EXTENSION BAR: 5 & 10 (125, 250mm)			

MECHANIC TOOLS - 9PC 1/2 DRIVE TORX® BIT SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-89-098	9Pc 1/2 DRIVE TORX® BIT SOCKET SET-METRIC-T-20, T-25, T-27, T-30, T-40, T-45, T-50, T-55, T-60	1	12	1,186

MECHANIC TOOLS - 86 PC 1/4 & 1/2 DRIVE 6 POINT METRIC SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
94-190	14 Pc 1/4 DRIVE 6 POINT METRIC SOCKET: 3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm	1	2	9,976
	8 Pc 1/4 DRIVE 6 POINT METRIC DEEP SOCKETS: 6, 7, 8, 9, 10, 11, 12, 13mm			
	2 Pc 1/4 & 1/2 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP			
	2 Pc 1/4 DRIVE EXTENSION BAR: 2, 4 (50, 100mm)			
	1 Pc 1/4 SLIDING T-BAR: 4 (100mm), 1 Pc 1/4 DRIVE BIT SPINNER			
	1 Pc 1/4 DRIVE UNIVERSAL JOINT			
	1 Pc 3/8 DRIVE FEMALE & 1/2 DRIVE MALE: 3-WAY ADAPTER			
	14 Pc 1/2 DRIVE 6 POINT METRIC SOCKETS: 13,15,16,17,18,19,20,21,22,23,24,27,30, 32mm			
	4 Pc 1/2 DRIVE 6 POINT DEEP METRIC SOCKETS: 14, 16, 17, 19mm			
	2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 250mm)			
	1 Pc 1/2 DRIVE UNIVERSAL JOINT, 1 Pc 1/2 DRIVE BIT HOLDER: 5/16			
	2 Pc 1/2 DRIVE 6 POINT SPARK PLUG METRIC SOCKETS: 16, 21mm			
	6 Pc 1/4 DRIVE TORX® BIT SOCKETS: T-8, T-10, T-15, T-20, T-25, T-30			
	4 Pc 1/4 DRIVE HEX BIT SOCKETS: 3, 4, 5, 6mm			
	2 Pc 1/4 DRIVE PHILLIPS® BIT SOCKETS: #1, #2			
	2 Pc 1/4 DRIVE POZIDRIV® BIT SOCKET: #1, #2			
	3 Pc 1/4 DRIVE SLOTTED BIT SOCKETS: 4, 5.5, 6.5mm			
	3 Pc 5/16 DRIVE SLOTTED®: 8, 10, 12mm			
	2 Pc 5/16 DRIVE PHILLIPS® BIT: #3, #4			
	2 Pc 5/16 DRIVE POZIDRIV® BIT: #3, #4			
	4 Pc 5/16 Drive Torx® Bit with Rubber Holder: T-40, T-45, T-50, T-55			
	4 Pc 5/16 Drive Hex Bits: 8, 10, 12, 14mm			

MECHANIC TOOLS - 35 PC 1/4 DRIVE 6 POINT SOCKET & BIT SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-89-033	13 Pc 1/4 DRIVE 6 POINT SOCKETS: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	1	16	2,175
	6 Pc 1/4 DRIVE ACCESSORIES: 1 PC SPINNER HANDLE, 2 PC EXTENSIONS: 75, 150mm, 1 Pc UNIVERSAL JOINT, 1 PC "PROFESIONAL" RACHET, 1 PC HEX BIT HOLDER			
	4 Pc HEX BIT: 3, 4, 5, 6mm,			
	6 Pc TORX® BITS: T-10, T-15, T-20, T-25, T-30, T-40			
	3 Pc POSIDRIVE® BITS: 1, 2, 3			
	3 Pc Slotted Bits: 4, 5.5, 6.5			

SOCKETS & ACCESSORIES - 46 PCS 1/4 DRIVE METRIC SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
STMT72794-8	1Pc 1/4 DRIVE QUICK RELEASE RACHET	1	8	2,289
	2Pc 1/4 DRIVE EXTENSIONS: 50 and 100mm			
	1Pc 1/4 DRIVE FLEXIBLE EXTENSION			
	1Pc 1/4 DRIVE UNIVERSAL JOINT			
	1Pc 1/4 DRIVE SLIDING T-BAR			
	1Pc 1/4 DRIVE SPINNER HANDLE			
	4Pc 1/4 HEX KEYS 1.5, 2, 2.5, 3mm			
	22Pc 1/4 DRIVE BIT SOCKETS - HEX 3,4,5,6,7,8mm TORX® T8,T10,T15,T20,T25,T30,T40 PHILLIPS® 1PT, 2PT, 3PT POZIDRIVE® 1,2,3 SLOTTED- 4,5,7mm			
	13Pc 1/4 DRIVE 6 POINT SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm			

MECHANIC TOOLS - 24 PIECE 3/8 DRIVE METRIC SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-89-035	19 Pc 3/8 DRIVE 6 POINT SOCKETS: 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21, 22,23, 24mm	1	8	3,115
	5 Pc 3/8 DRIVE ACCESSORIES: 2 Pc EXTENSIONS: 75, 150mm, 1 Pc UNIVERSAL JOINT, 1 Pc SLIDING T-BAR 1 Pc PROFESSIONAL RACHET			

MECHANIC TOOLS - 46 PIECE 1/4 & 3/8 DRIVE SOCKET & BIT SET



PART No.	DESCRIPTION	PBQ	SBQ	EACH
89-516	7 Pc 3/8 DRIVE 12POINT SOCKETS: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	1	2	3,548
	12 Pc 3/8 DRIVE 12 POINT SOCKETS: METRIC- 8,9,10,11,12,13,14,15,16,17,18,19mm			
	9 Pc 1/4 DRIVE BIT SET: POZIDRIV BIT-1,2,3mm & HEX BIT-3,4,5,6,7,8mm			
	9 Pc 1/4 DRIVE BIT SET: SLOTTED BITS - 4,5,6,5 & TORX® BITS - T10,T15,T20,T25, T30,T40			
	9 Pc 3/8 DRIVE ACCESSORIES: 2 PC. SPARK PLUG SOCKET, 6 POINT SOCKET: 5/8 & 13/16, 2 Pc EXTENSION BAR-75& 150mm, 1 Pc UNIVERSAL JOINT, 1 PC ADAPTER, 1 Pc FULL POLISH QUICK RELEASE RACHET, 1 Pc 1/4 DRIVE BIT ADAPTER 1 Pc 1/4 DRIVE SPINNER HANDLE			

MECHANIC TOOLS - 43PC 1/2 DRIVE 12 POINT SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	EACH
89-509	15 Pc 1/2 DRIVE 12 POINT SOCKETS: 3/16, 7/16, 1/2, 9/16, 1-1/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-1/4	1	2	7,357
	20 Pc 1/2 DRIVE 12 POINT SOCKETS: METRIC-10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24,26,27,28,30,32mm			
	8 Pc 1/2 DRIVE ACCESSORIES: 2 PC 6 POINT SPARK PLUG SOCKET: 5/8 & 13/16, 1 Pc UNIVERSAL JOINT, 1 PC FLEX HANDLE-375mm, 3 EXTENSION BARS - 3.5 & 10 (75, 125, 250mm), 1 PC FULL POLISH QUICK RELEASE RACHET			

MECHANIC TOOLS - 7PC 1/2 DRIVE HEX BIT METRIC SOCKET SET



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-89-099	7Pc 1/2 DRIVE HEX BIT SOCKETS: 6,8,10,12,14,17,19mm	1	12	1,261

MECHANIC TOOLS - 26PC 1/2 DRIVE METRIC 12 POINT SOCKET SET




PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-89-101	15Pc 3/4 DRIVE 12 POINT SOCKETS: 22,24,27,28,29,30,32,33,34,36,38,41,42,46,50MM	1	2	13,337
	4PC 3/4 DRIVE ACCESSORIES: 2 PC EXTENSION BAR: 200 & 400mm, 1 PC SLIDING T-BAR 480mm, 1 PC STANDARD RACHET			



“ THIS TOOL HAS A SMOOTH ACTION AND FINE RATCHET, PLUS THE ABILITY TO TIGHTEN ACCURATELY IN BOTH DIRECTIONS. ”

STANLEY.

SOCKETS & ACCESSORIES



3/8, 1/2 & 3/4 DRIVE SOCKETS

3/8, 1/2 & 3/4 RATCHETS & ACCESSORIES

T-HANDLE SOCKETS & 1/2 IMPACT SOCKETS



138 MILLION SOCKETS

is what is produced Every Year in STANLEY Factories across the globe. We have been doing this for more than **40 years.**




All stanley Mechanics Tools , Sockets & Accessories are made of Chrome Vanadium (CR-V) steel material.

Products meets or exceeds applicable ANSI and DIN standards
(DIN - Deutches Institute for Normang e.v.)
(ANSI - American National Standards Institutions)

Maxi-Drive™

Patented gripping designed to out perform conventional drive configuration
Reduces the chance of rounding fastener corners and extends fastener life
Enables to turn worn or rounded fasteners



Stanley Socket & Ratchets

Stanley offers a complete range of sockets and 3/8, 1/2 & 3/4 drive tools. Our sockets sets combine the most popular tools in drop tested durable multi use cases convenient for storage and transporting to the work site.

Stanley drive tools are forged from high quality steel and finished in high-polish double Nickle Chromium Alloy and are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism. Sockets and extensions remain locked onto the drive until disengaged with an easy-to-reach, low-profile quick-release button.

Stanley sockets feature our MAXI-DRIVE design, a unique radius corner design which provides 15% more torque to tighten fasteners easily and prevent rounding of the fastener.

MAXI-DRIVE helps reduce fastener wear & tear by minimizing contact on the outer 5% of the fastener; helping increase life expectancy of the fastener. It also helps reduce slipping on frozen or rusted fasteners.

All Stanley Ratchets, Sockets and Wrenches are manufactured globally, to Stanley specifications, meeting or exceeding ANSI, DIN specifications.



SOCKETS & ACCESSORIES - METRIC SOCKETS 6 POINTS



1/2 Drive

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-508	SOCKET STD 1/2 SQ. DR.	8mm	43	6	96	67
1-86-509	SOCKET STD 1/2 SQ. DR.	9mm	45	6	96	67
1-86-510	SOCKET STD 1/2 SQ. DR.	10mm	47	6	96	67
1-86-511	SOCKET STD 1/2 SQ. DR.	11mm	49	6	96	67
1-86-512	SOCKET STD 1/2 SQ. DR.	12mm	51	6	96	67
1-86-513	SOCKET STD 1/2 SQ. DR.	13mm	52	6	96	67
1-86-514	SOCKET STD 1/2 SQ. DR.	14mm	52	6	96	65
1-86-515	SOCKET STD 1/2 SQ. DR.	15mm	53	6	96	64
1-88-738	SOCKET STD 1/2 SQ. DR.	16mm	62	6	96	73
1-88-739	SOCKET STD 1/2 SQ. DR.	17mm	80	6	96	86
1-88-740	SOCKET STD 1/2 SQ. DR.	18mm	82	6	96	89
1-88-741	SOCKET STD 1/2 SQ. DR.	19mm	88	6	96	85
1-88-742	SOCKET STD 1/2 SQ. DR.	20mm	96	6	96	93
1-88-743	SOCKET STD 1/2 SQ. DR.	21mm	104	4	96	99
1-88-744	SOCKET STD 1/2 SQ. DR.	22mm	113	4	96	113
1-88-745	SOCKET STD 1/2 SQ. DR.	23mm	120	4	96	107
1-88-746	SOCKET STD 1/2 SQ. DR.	24mm	126	4	96	119
1-88-747	SOCKET STD 1/2 SQ. DR.	25mm	136	4	96	127
1-88-748	SOCKET STD 1/2 SQ. DR.	26mm	140	4	96	128
1-88-749	SOCKET STD 1/2 SQ. DR.	27mm	166	4	96	154
1-88-750	SOCKET STD 1/2 SQ. DR.	28mm	172	4	96	161
1-88-751	SOCKET STD 1/2 SQ. DR.	29mm	180	4	96	168
1-88-752	SOCKET STD 1/2 SQ. DR.	30mm	191	2	96	198
1-88-753	SOCKET STD 1/2 SQ. DR.	32mm	222	2	96	214
1-86-196	SOCKET STD 1/2 SQ. DR.	34mm	254	2	96	248
1-86-536	SOCKET STD 1/2 SQ. DR.	36mm	495	2	24	339



SOCKETS & ACCESSORIES - 1/2 DRIVE METRIC DEEP SOCKETS 12 POINTS



1/2 Drive

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-418	SOCKET DEEP 1/2 SQ. DR.	10mm	125	6	96	133
1-86-419	SOCKET DEEP 1/2 SQ. DR.	11mm	130	6	96	134
1-86-420	SOCKET DEEP 1/2 SQ. DR.	12mm	130	6	96	133
1-86-421	SOCKET DEEP 1/2 SQ. DR.	13mm	135	6	96	133
1-86-422	SOCKET DEEP 1/2 SQ. DR.	14mm	135	6	96	129
1-86-423	SOCKET DEEP 1/2 SQ. DR.	15mm	135	6	96	140
1-86-424	SOCKET DEEP 1/2 SQ. DR.	16mm	150	6	96	147
1-86-425	SOCKET DEEP 1/2 SQ. DR.	17mm	155	6	96	165
1-86-426	SOCKET DEEP 1/2 SQ. DR.	18mm	165	6	96	169
1-86-427	SOCKET DEEP 1/2 SQ. DR.	19mm	190	6	96	175
1-86-428	SOCKET DEEP 1/2 SQ. DR.	20mm	195	6	96	191
1-86-429	SOCKET DEEP 1/2 SQ. DR.	21mm	200	4	96	191
1-86-430	SOCKET DEEP 1/2 SQ. DR.	22mm	230	4	96	214
1-86-431	SOCKET DEEP 1/2 SQ. DR.	23mm	230	4	96	220
1-86-432	SOCKET DEEP 1/2 SQ. DR.	24mm	240	4	96	211
1-86-433	SOCKET DEEP 1/2 SQ. DR.	25mm	250	4	96	252
1-86-434	SOCKET DEEP 1/2 SQ. DR.	26mm	250	4	96	255
1-86-435	SOCKET DEEP 1/2 SQ. DR.	27mm	280	4	96	279
1-86-436	SOCKET DEEP 1/2 SQ. DR.	28mm	320	4	96	281
1-86-438	SOCKET DEEP 1/2 SQ. DR.	30mm	360	4	96	363
1-86-439	SOCKET DEEP 1/2 SQ. DR.	32mm	380	4	96	388



SOCKETS & ACCESSORIES - 1/2 DRIVE METRIC SOCKET 12 POINT



3/8 Drive

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-342	SOCKET STD 3/8 SQ. DR.	7mm	21	6	96	48
1-86-343	SOCKET STD 3/8 SQ. DR.	8mm	25	6	96	48
1-86-344	SOCKET STD 3/8 SQ. DR.	9mm	26	6	96	48
1-86-345	SOCKET STD 3/8 SQ. DR.	10mm	26	6	96	51
1-86-346	SOCKET STD 3/8 SQ. DR.	11mm	26	6	96	51
1-86-347	SOCKET STD 3/8 SQ. DR.	12mm	29	6	96	57
1-86-348	SOCKET STD 3/8 SQ. DR.	13mm	32	6	96	62
1-86-349	SOCKET STD 3/8 SQ. DR.	14mm	40	6	96	62
1-86-350	SOCKET STD 3/8 SQ. DR.	15mm	43	6	96	68
1-86-351	SOCKET STD 3/8 SQ. DR.	16mm	43	6	96	77
1-86-352	SOCKET STD 3/8 SQ. DR.	17mm	50	6	96	81
1-88-146	SOCKET STD 3/8 SQ. DR.	18mm	56	6	72	84
1-88-147	SOCKET STD 3/8 SQ. DR.	19mm	64	6	96	92
1-88-148	SOCKET STD 3/8 SQ. DR. 12PT	20mm	70	4	96	102
1-88-149	SOCKET STD 3/8 SQ. DR. 12PT	21mm	78	4	96	119
1-88-150	SOCKET STD 3/8 SQ. DR. 12PT	22mm	82	4	96	135
1-88-151	SOCKET STD 3/8 SQ. DR. 12PT	23mm	82	4	96	138



1/2 Drive

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-540	SOCKET STD 1/2 SQ. DR. 12PT	8mm	43	6	96	67
1-86-541	SOCKET STD 1/2 SQ. DR. 12PT	9mm	45	6	96	67
1-86-542	SOCKET STD 1/2 SQ. DR. 12PT	10mm	47	6	96	67
1-86-543	SOCKET STD 1/2 SQ. DR. 12PT	11mm	49	6	96	67
1-86-544	SOCKET STD 1/2 SQ. DR. 12PT	12mm	51	6	96	67
1-86-545	SOCKET STD 1/2 SQ. DR. 12PT	13mm	52	6	96	67
1-86-546	SOCKET STD 1/2 SQ. DR. 12PT	14mm	52	6	96	65
1-86-547	SOCKET STD 1/2 SQ. DR. 12PT	15mm	53	6	96	64
1-88-788	SOCKET STD 1/2 SQ. DR. 12PT	16mm	62	6	96	74
1-88-789	SOCKET STD 1/2 SQ. DR. 12PT	17mm	80	6	96	87
1-88-790	SOCKET STD 1/2 SQ. DR. 12PT	18mm	82	6	96	84
1-88-791	SOCKET STD 1/2 SQ. DR. 12PT	19mm	88	6	96	89
1-88-792	SOCKET STD 1/2 SQ. DR. 12PT	20mm	96	4	96	91
1-88-793	SOCKET STD 1/2 SQ. DR. 12PT	21mm	104	4	96	98
1-88-794	SOCKET STD 1/2 SQ. DR. 12PT	22mm	113	4	96	111
1-88-796	SOCKET STD 1/2 SQ. DR. 12PT	24mm	126	4	96	120
1-88-797	SOCKET STD 1/2 SQ. DR. 12PT	25mm	136	4	96	125
1-88-799	SOCKET STD 1/2 SQ. DR. 12PT	27mm	166	4	96	152
1-88-800	SOCKET STD 1/2 SQ. DR. 12PT	28mm	180	4	96	159
1-88-802	SOCKET STD 1/2 SQ. DR. 12PT	30mm	191	2	96	199
1-88-803	SOCKET STD 1/2 SQ. DR. 12PT	32mm	222	2	96	213
1-86-192	SOCKET STD 1/2 SQ. DR. 12PT	34mm	254	2	96	263
1-88-187	SOCKET STD 1/2 SQ. DR. 12PT	36mm	495	2	24	341

3/4 Drive

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-89-619	SOCKET STD 3/4 SQ. DR. 12PT	19mm	210	4	48	328
1-89-624	SOCKET STD 3/4 SQ. DR. 12PT	24mm	230	4	48	335
1-89-627	SOCKET STD 3/4 SQ. DR. 12PT	27mm	260	4	48	371
1-89-628	SOCKET STD 3/4 SQ. DR. 12PT	28mm	280	4	48	382
1-89-630	SOCKET STD 3/4 SQ. DR. 12PT	30mm	280	4	48	419
1-89-633	SOCKET STD 3/4 SQ. DR. 12PT	33mm	310	4	48	494
1-89-634	SOCKET STD 3/4 SQ. DR. 12PT	34mm	340	4	48	538
1-89-635	SOCKET STD 3/4 SQ. DR. 12PT	35mm	370	4	24	561
1-89-636	SOCKET STD 3/4 SQ. DR. 12PT	36mm	400	4	48	593
1-89-638	SOCKET STD 3/4 SQ. DR. 12PT	38mm	450	4	24	620
1-89-640	SOCKET STD 3/4 SQ. DR. 12PT	40mm	540	4	24	655
1-89-641	SOCKET STD 3/4 SQ. DR. 12PT	41mm	540	4	24	705
1-89-642	SOCKET STD 3/4 SQ. DR. 12PT	42mm	580	4	24	705
1-89-644	SOCKET STD 3/4 SQ. DR. 12PT	44mm	600	4	24	708
1-89-646	SOCKET STD 3/4 SQ. DR. 12PT	46mm	650	4	24	812
1-89-650	SOCKET STD 3/4 SQ. DR. 12PT	50mm	780	4	24	907
1-89-655	SOCKET STD 3/4 SQ. DR. 12PT	55mm	980	4	20	1,100
1-89-658	SOCKET STD 3/4 SQ. DR. 12PT	58mm	1000	4	20	1,151
1-89-660	SOCKET STD 3/4 SQ. DR. 12PT	60mm	1050	4	20	1,299

SOCKETS & ACCESSORIES - METRIC HEX BIT SOCKETS

1/2 Drive



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-89-188	SOCKET HEX BIT 1/2 SQ. DR.	6mm	64	6	96	119
1-89-189	SOCKET HEX BIT 1/2 SQ. DR.	8mm	74	6	96	126
1-89-190	SOCKET HEX BIT 1/2 SQ. DR.	10mm	83	6	96	126
1-89-191	SOCKET HEX BIT 1/2 SQ. DR.	12mm	94	6	96	139
1-89-192	SOCKET HEX BIT 1/2 SQ. DR.	14mm	105	6	96	149
1-89-193	SOCKET HEX BIT 1/2 SQ. DR.	17mm	143	6	96	179
1-89-194	SOCKET HEX BIT 1/2 SQ. DR.	19mm	182			265

SOCKETS & ACCESSORIES - 3/4 DRIVE ROUND HEAD RATCHET



Extra long handle for added leverage and more torque
 Anti-slip and durable knurled metal handle design suit most industrial applications
 Heavy duty round head ratchet with 45 tooth gear design for small 8 arc swing
 Reversing lever designed for quick, one handed operation

PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
91-316	RATCHET 3/4 SQ. DR. PRO	500mm	1930g	2	8	2,915

SOCKETS & ACCESSORIES - QUICK RELEASE PEAR HEAD RATCHET



PART No.	DESCRIPTION	TOTAL LENGTH	PBQ	SBQ	Rs. EACH
1-93-638	1/2 SQ. DR. Pear Head Ratchet NP7	250g	8	48	1,456

SOCKETS & ACCESSORIES - QUICK RELEASE PEAR HEAD RATCHET



Pear head ratchet with a slim profile design
 7° arc-swing for accessibility to hard to reach fasteners
 A single pawl with 8 teeth engages the gear to deliver strength
 Comfortable & durable moulded plastic handle withstands most industrial solvents
 Quick release push button provide extra safety and handy operation
 Reversing lever designed for quick, one hand operation

PART No.	DESCRIPTION	TOTAL LENGTH	PBQ	SBQ	Rs. EACH
1-93-637	3/8 SQ. DR. Pear Head Ratchet NP7	370mm	4	32	1,253

SOCKETS & ACCESSORIES - 1/2" DRIVE QUICK RELEASE PEAR HEAD RATCHET



Thin head design for accessibility
 Quick release push button provide extra safety & handy operation
 Reversing level designed for quick, one hand operation
 Full polish finish, double-nickle with chrome plating steel handle for extra rust resistance & prolonged life
 Fine-tooth pear head ratchet 1/4 degree arc swing

PART No.	DESCRIPTION	WT. (GM)	PBQ	SBQ	Rs. EACH
1-89-819	RATCHET 1/2 SQ. DR QUICK RELEASE	586g	4	24	983

SOCKETS & ACCESSORIES - 1/2 DRIVE QUICK RELEASE ROUND HEAD RATCHET



3 way quick release ratchet head for direction rotates
 Round head ratchet for tight access area
 Comfortable & durable moulded plastic handle withstands most industrial solvents
 Quick release push button provide extra safety & handy operation

PART No.	DESCRIPTION	WT. (GM)	PBQ	SBQ	Rs. EACH
1-86-397	RATCHET 1/2 SQ. DR QUICK RELEASE	620g	4	32	727

SOCKETS & ACCESSORIES - RATCHET ROUND HEAD



Round head ratchet for tight access area
Anti-slip & durable knurled metal handle design that suits most industrial applications
Flip drive ratchet head for easy direction rotates

PART No.	DESCRIPTION	WT.(GM)	PBQ	SBQ	Rs. EACH
1-87-715	RATCHET 3/8 SQ. DR. FLIP DRIVE	150g	4	48	566
1-87-720	RATCHET 1/2 SQ. DR. FLIP DRIVE	620g	4	48	687

SOCKETS & ACCESSORIES - FLEX HANDLE



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-405	FLEX HANDLE 1/2 SQ. DR.	250mm	485g	4	32	527

SOCKETS & ACCESSORIES - EXTENSION BARS



PART No.	DESCRIPTION	SIZE	WT.(gm)	PBQ	SBQ	Rs. EACH
STMT86206-88	EXTENSION BAR 3/8 SQ. DR.	75mm	75g	3	60	128
STMT86207-88	EXTENSION BAR 3/8 SQ. DR.	150mm	145g	8	128	192
1-86-406	EXTENSION BAR 1/2 SQ. DR.	63mm	100g	4	96	141
1-86-407	EXTENSION BAR 1/2 SQ. DR.	125mm	204g	4	40	188
1-86-408	EXTENSION BAR 1/2 SQ. DR.	250mm	398g	4	40	281
1-89-308	EXTENSION BAR 3/4 SQ. DR.	400mm	1260g	2	16	1,336

SOCKETS & ACCESSORIES - SPEEDER HANDLE



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-212	HANDLE SPEEDER 3/8 SQ. DR.	380mm	328g	6	18	537
1-86-412	HANDLE SPEEDER 1/2 SQ. DR.	420mm	328g	4	48	533

SOCKETS & ACCESSORIES - L - HANDLE



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
86-493-22	L-HANDLE 1/2 SQ. DR	250mm	325g	20	40	396
86-375-22	L-HANDLE 3/4 SQ. DR	460mm		6	12	983

SOCKETS & ACCESSORIES - SLIDING T-BAR



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
STMT86202-88	SLIDING T-BAR 3/8 SQ. DR.	170mm	133g	4	48	280
1-86-440	SLIDING T-BAR 1/2 SQ. DR.	243mm	289g	4	32	333
1-89-303	SLIDING T-BAR 3/4 SQ. DR.	480mm	1400g	2	8	1,248

SOCKETS & ACCESSORIES - ADAPTERS



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-86-414	ADAPTER 1/2 SQ. DR. F*3/8 SQ. DR. M	1/2F x 3/8M	48g	6	96	98
1-86-215	ADAPTER 3/8 SQ. DR. F*1/2 SQ. DR.M	3/8F x 1/2M	45g	6	96	103
1-88-558	ADAPTER 1/2 SQ. DR. F*3/4 SQ. DR. M	1/2F x 3/4M	113g	6	96	168

SOCKETS & ACCESSORIES - 6 POINT T-HANDLE



High quality Chrome Vanadium steel forging
Thin wall design

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-302-1-22	T-Bar Socket	8 mm	10	50	412
93-303-1-22	T-Bar Socket	9 mm	10	50	412
93-304-1-22	T-Bar Socket	10 mm	10	50	412
93-306-1-22	T-Bar Socket	12 mm	10	50	424
93-307-1-22	T-Bar Socket	13 mm	10	40	424
93-308-1-22	T-Bar Socket	14 mm	10	40	429
93-309-1-22	T-Bar Socket	17 mm	10	40	502



IMPACT SOCKETS & ACCESSORIES - 6 PT. 1/2 DRIVE METRIC IMPACT SOCKET



Chrome Molybdenum for stronger torque

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
89-435	IMPACT SOCKET 1/2 SQ. DR. 6 PT	8mm	10	200	124
89-436	IMPACT SOCKET 1/2 SQ. DR. 6 PT	9mm	10	200	124
89-437	IMPACT SOCKET 1/2 SQ. DR. 6 PT	10mm	10	200	124
89-438	IMPACT SOCKET 1/2 SQ. DR. 6 PT	11mm	10	200	124
89-439	IMPACT SOCKET 1/2 SQ. DR. 6 PT	12mm	10	200	125
89-440	IMPACT SOCKET 1/2 SQ. DR. 6 PT	13mm	10	200	125
89-441	IMPACT SOCKET 1/2 SQ. DR. 6 PT	14mm	10	200	125
89-442	IMPACT SOCKET 1/2 SQ. DR. 6 PT	15mm	10	200	125
89-443	IMPACT SOCKET 1/2 SQ. DR. 6 PT	16mm	10	200	143
89-444	IMPACT SOCKET 1/2 SQ. DR. 6 PT	17mm	10	200	154
89-446	IMPACT SOCKET 1/2 SQ. DR. 6 PT	19mm	10	200	168
89-448	IMPACT SOCKET 1/2 SQ. DR. 6 PT	21mm	10	200	187
89-449	IMPACT SOCKET 1/2 SQ. DR. 6 PT	22mm	10	80	191
89-450	IMPACT SOCKET 1/2 SQ. DR. 6 PT	23mm	10	80	205
89-452	IMPACT SOCKET 1/2 SQ. DR. 6 PT	25mm	10	80	235
89-453	IMPACT SOCKET 1/2 SQ. DR. 6 PT	26mm	10	80	235
89-454	IMPACT SOCKET 1/2 SQ. DR. 6 PT	27mm	10	80	239
89-455	IMPACT SOCKET 1/2 SQ. DR. 6 PT	28mm	10	80	242
89-456	IMPACT SOCKET 1/2 SQ. DR. 6 PT	30mm	10	80	261
89-458	IMPACT SOCKET 1/2 SQ. DR. 6 PT	32mm	10	80	271
89-459	IMPACT SOCKET 1/2 SQ. DR. 6 PT	33mm	10	80	358
89-460	IMPACT SOCKET 1/2 SQ. DR. 6 PT	34mm	10	80	377
89-461	IMPACT SOCKET 1/2 SQ. DR. 6 PT	36mm	10	80	400



IMPACT SOCKETS & ACCESSORIES - 1/2 DRIVE 6 PT. METRIC IMPACT SOCKET



Provides strength & durability

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
1-92-959	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	10mm	10	80	254
1-92-960	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	11mm	10	80	254
1-91-379	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	12mm	10	80	254
1-87-500	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	13mm	10	80	254
1-87-501	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	14mm	10	80	254
1-87-502	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	15mm	10	80	299
1-91-380	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	16mm	10	80	299
1-87-504	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	17mm	10	80	299
1-87-505	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	18mm	10	80	302
1-87-506	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	19mm	10	80	308
1-87-507	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	21mm	10	80	322
1-87-508	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	22mm	10	80	336
1-91-395	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	26mm	4	16	351
1-91-396	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	27mm	4	48	351
1-91-398	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	29mm	2	20	409



SOCKETS & ACCESSORIES - 6 POINT T-HANDLE



Part No.	Description	Wt.(gm)	PBQ	SBQ	Rs. EACH
STMT86211-8B	3/8 DRIVE UNIVERSAL JOINT	65	8	64	168
STMT86411-8B	1/2 DRIVE UNIVERSAL JOINT	165	10	80	235

SOCKETS & ACCESSORIES - SPARK PLUG SOCKET



Part No.	Description	Size	Wt.(gm)	PBQ	SBQ	Rs. EACH
STMT88941-8B	3/8 DRIVE 6 POINT SPARK PLUG SOCKET	16	100	2	24	128
STMT88996-8B	1/2 DRIVE 6 POINT SPARK PLUG SOCKET	21	160	4	48	142

STANLEY®

SPANNERS & SETS



DOE, RING & COMBINATION SPANNERS / SETS


OPEN / RING END SLOGGING SPANNERS

ADJUSTABLE WRENCHES / SPANNERS

OPTIMUM TORQUE PERFORMANCE & SAFETY



Made of High Quality Cr-V (Chrome Vanadium) steel
Nickel Chrome finish for superior Corrosion resistance
Product Quality Meet and Exceeds Indian Standards
Racheting spanners with advanced manufacturing process
5° Racheting arc



Open end spanner



SPANNERS - METRIC DOUBLE OPEN END SPANNER SET - MATTE FINISH



II

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-378E	6PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17mm	1	60	214
70-379E	8PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm	1	40	341
70-380E	12PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm	1	15	821

SPANNERS - METRIC DOUBLE OPEN END SPANNER - MATTE FINISH



II

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-366E	DOUBLE OPEN END SPANNER	6x7mm	10	1,000	26
70-367E	DOUBLE OPEN END SPANNER	8x9mm	10	800	26
70-368E	DOUBLE OPEN END SPANNER	10x11mm	10	600	28
70-369E	DOUBLE OPEN END SPANNER	12x13mm	10	500	34
70-370E	DOUBLE OPEN END SPANNER	14x15mm	10	300	39
70-371E	DOUBLE OPEN END SPANNER	16x17mm	10	250	49
70-372E	DOUBLE OPEN END SPANNER	18x19mm	10	200	58
70-373E	DOUBLE OPEN END SPANNER	20x22mm	10	150	74
70-374E	DOUBLE OPEN END SPANNER	21x23mm	10	1201	100
70-375E	DOUBLE OPEN END SPANNER	24x27mm	10	80	116
70-376E	DOUBLE OPEN END SPANNER	25x28mm	10	80	146
70-377E	DOUBLE OPEN END SPANNER	30x32mm	10	60	156
72-060	DOUBLE OPEN END SPANNER	32x36mm	5	40	480
72-061	DOUBLE OPEN END SPANNER	34x36mm	5	50	480
72-062	DOUBLE OPEN END SPANNER	36x41mm	5	20	646
72-063	DOUBLE OPEN END SPANNER	41x46mm	5	10	1,273
72-064	DOUBLE OPEN END SPANNER	46x50mm	2	8	2,040
72-065	DOUBLE OPEN END SPANNER	50x55mm	2	8	2,819
72-066	DOUBLE OPEN END SPANNER	55x60mm	2	8	3,307

SPANNERS - DOUBLE OPEN END SLIMLINE SPANNER SET



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
1-87-718	8PC SLIMLINE Dbl OpenEnd WRENCH SET, Met	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm	1	12	2,253
87-712	7 PCS. DOUBLE OPEN END WRENCH SET, IMP	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1	1	12	2,361

SPANNERS - COMBINATION SPANNERS



II

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-938E	COMBINATION SPANNER	8mm	10	800	34
70-939E	COMBINATION SPANNER	9mm	10	800	35
70-940E	COMBINATION SPANNER	10mm	10	600	38
70-941E	COMBINATION SPANNER	11mm	10	400	40
70-942E	COMBINATION SPANNER	12mm	10	400	41
70-943E	COMBINATION SPANNER	13mm	10	300	43
70-944E	COMBINATION SPANNER	14mm	10	300	52
70-946E	COMBINATION SPANNER	16mm	10	250	64
70-947E	COMBINATION SPANNER	17mm	10	200	65
70-948E	COMBINATION SPANNER	18mm	10	200	79
70-949E	COMBINATION SPANNER	19mm	10	150	82
70-950E	COMBINATION SPANNER	20mm	10	150	93
70-951E	COMBINATION SPANNER	21mm	10	100	110
70-952E	COMBINATION SPANNER	22mm	10	100	118
70-953E	COMBINATION SPANNER	23mm	10	100	144
70-954E	COMBINATION SPANNER	24mm	5	80	160
70-955E	COMBINATION SPANNER	25mm	5	80	176
70-957E	COMBINATION SPANNER	27mm	5	60	231
70-960E	COMBINATION SPANNER	30mm	5	40	316
70-961E	COMBINATION SPANNER	32mm	5	40	355


SPANNERS - COMBINATION SPANNERS SET



II

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-962E	6PCS. COMBINATION SPANNER SET	8, 10, 12, 13, 14 & 17mm	1	40	285
70-963E	8PCS. COMBINATION SPANNER SET	8, 9, 10, 11, 13, 14, 17 & 19mm	1	20	401
70-964E	12PC COMBINATION SPANNER SET	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19 & 22mm	1	10	632
70-965E	23PC COMBINATION SPANNER SET	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32mm	1	4	2,632

SPANNERS - 14PC COMBINATION SLIM LINE SPANNERS SET



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
1-87-038	14 PCS. SLIMLINE COMBINATION SPANNER SET - METRIC	10-32mm	2300	1	66	5,284
1-87-709	14PCS SLIMLINE Comb WRENCH SET - IMPERIAL	3/8 - 1 1/4	10400	1	6	5,676

SPANNERS - SHALLOW OFFSET RING END SPANNER - MATTE FINISH



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-381E	SHALLOW OFFSET RING SPANNER	6x7mm	10	400	57
70-382E	SHALLOW OFFSET RING SPANNER	8x9mm	10	300	65
70-383E	SHALLOW OFFSET RING SPANNER	10x11mm	10	250	73
70-384E	SHALLOW OFFSET RING SPANNER	12x13mm	10	200	77
70-385E	SHALLOW OFFSET RING SPANNER	14x15mm	10	160	88
70-386E	SHALLOW OFFSET RING SPANNER	16x17mm	10	120	105
70-387E	SHALLOW OFFSET RING SPANNER	18x19mm	10	100	126
70-388E	SHALLOW OFFSET RING SPANNER	20x22mm	5	60	152
70-389E	SHALLOW OFFSET RING SPANNER	21x23mm	5	60	182
70-390E	SHALLOW OFFSET RING SPANNER	24x27mm	5	50	226
70-391E	SHALLOW OFFSET RING SPANNER	25x28mm	5	40	264
70-392E	SHALLOW OFFSET RING SPANNER	30x32mm	5	30	343
72-067	SHALLOW OFFSET RING SPANNER	32x36mm	5	20	849
72-068	SHALLOW OFFSET RING SPANNER	36x41mm	5	10	1,180
72-069	SHALLOW OFFSET RING SPANNER	41x46mm	5	10	3,665
72-070	SHALLOW OFFSET RING SPANNER	46x50mm	2	8	3,993
72-071	SHALLOW OFFSET RING SPANNER	50x55mm	2	6	6,199
72-072	SHALLOW OFFSET RING SPANNER	55x60mm	2	6	7,085

SPANNERS - METRIC SHALLOW OFFSET RING SPANNER SET- MATTE FINISH



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-393E	6 Pc SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17,	1	30	488
70-394E	8 Pc SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm	1	20	758
70-395E	12 Pc SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm, 21X23, 24X27, 25X28, 30X32mm	1	6	1,689

SPANNERS - OPEN END SLOGGING SPANNER



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
96-936-23	OPEN END SLOGGING WRENCH	30mm	1	25	911
96-938-23	OPEN END SLOGGING WRENCH	32mm	2	25	1,076
96-939-23	OPEN END SLOGGING WRENCH	36mm	1	20	1,202
96-940-23	OPEN END SLOGGING WRENCH	41mm	1	20	1,527
96-941-23	OPEN END SLOGGING WRENCH	46mm	1	10	1,903
96-950-23	OPEN END SLOGGING WRENCH	50mm	1	10	2,354
96-951	OPEN END SLOGGING WRENCH	55mm	1	10	2,603
96-952	OPEN END SLOGGING WRENCH	60mm	1	5	3,024
96-953	OPEN END SLOGGING WRENCH	65mm	1	5	3,307
96-954-23	OPEN END SLOGGING WRENCH	70mm	1	5	4,066
96-955-23	OPEN END SLOGGING WRENCH	75mm	1	5	4,858
96-956	OPEN END SLOGGING WRENCH	80mm	1	4	6,571
96-957	OPEN END SLOGGING WRENCH	85mm	1	4	7,460
96-958	OPEN END SLOGGING WRENCH	90mm	1	3	10,350
96-959	OPEN END SLOGGING WRENCH	95mm	1	3	12,879
96-960-23	OPEN END SLOGGING WRENCH	100mm	1	2	15,291
	OPEN END SLOGGING WRENCH	105mm	1	2	17,530

SPANNERS - RING END SLOGGING SPANNER



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
71-682	RING END SLOGGING SPANNER	24mm	1	50	699
96-911	RING END SLOGGING SPANNER	27mm	1	25	733
96-913	RING END SLOGGING SPANNER	30mm	1	25	805
96-914	RING END SLOGGING SPANNER	32mm	1	25	882
96-915	RING END SLOGGING SPANNER	36mm	1	25	1,014
96-917	RING END SLOGGING SPANNER	41mm	1	10	1,286
96-918	RING END SLOGGING SPANNER	46mm	1	10	1,766
96-919	RING END SLOGGING SPANNER	50mm	1	10	1,905
96-920	RING END SLOGGING SPANNER	55mm	1	10	2,409
96-921	RING END SLOGGING SPANNER	60mm	1	10	2,390
96-922	RING END SLOGGING SPANNER	65mm	1	10	2,905
96-923	RING END SLOGGING SPANNER	70mm	1	5	5,355
96-924	RING END SLOGGING SPANNER	75mm	1	5	5,488
96-925	RING END SLOGGING SPANNER	80mm	1	5	7,069
96-927	RING END SLOGGING SPANNER	90mm	1	4	8,594
96-928	RING END SLOGGING SPANNER	95mm	1	4	10,918
96-929	RING END SLOGGING SPANNER	100mm	1	2	11,104
96-930	RING END SLOGGING SPANNER	105mm	1	2	12,740
96-931	RING END SLOGGING SPANNER	110mm	1	2	15,541
96-932	RING END SLOGGING SPANNER	115mm	1	2	18,452
96-934	RING END SLOGGING SPANNER	120mm	1	2	21,494

SPANNERS - FULL POLISH COMBINATION REVERSIBLE RATCHETING SPANNERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
85-931-1-22	REVERSIBLE RATCHETING SPANNER	8mm	6	120	805
89-519-1-22	REVERSIBLE RATCHETING SPANNER	9mm	6	120	819
89-558-1-22	REVERSIBLE RATCHETING SPANNER	11mm	6	120	943
85-938-1-22	REVERSIBLE RATCHETING SPANNER	15mm	6	60	1,205
85-939-1-22	REVERSIBLE RATCHETING SPANNER	18mm	6	60	1,469
89-515-1-22	REVERSIBLE RATCHETING SPANNER	19mm	6/10	60	1,469

SPANNERS - FULL POLISH COMBINATION REVERSIBLE RATCHETING SPANNERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
STMT89934-8B	REVERSIBLE RATCHETING SPANNER	8mm	10	300	437
STMT89935-8B	REVERSIBLE RATCHETING SPANNER	9mm	10	300	441
STMT89936-8B	REVERSIBLE RATCHETING SPANNER	10mm	10	300	442
STMT80012-8B	REVERSIBLE RATCHETING SPANNER	11mm	10	180	458
STMT89937-8B	REVERSIBLE RATCHETING SPANNER	12mm	10	180	458
STMT89938-8B	REVERSIBLE RATCHETING SPANNER	13mm	10	180	489
STMT89939-8B	REVERSIBLE RATCHETING SPANNER	14mm	10	180	511
STMT89940-8B	REVERSIBLE RATCHETING SPANNER	15mm	10	90	538
STMT89941-8B	REVERSIBLE RATCHETING SPANNER	16mm	10	90	591
STMT89942-8B	REVERSIBLE RATCHETING SPANNER	17mm	10	90	604
STMT89943-8B	REVERSIBLE RATCHETING SPANNER	18mm	10	60	642
STMT89944-8B	REVERSIBLE RATCHETING SPANNER	19mm	10	60	656

*Product will be available from May 2015

SPANNERS - ADJUSTABLE SPANNERS



Comfort grip for anti-slip & comfort
 Jaws fully hardened & tempered
 25% more torque
 For holding on fastening nuts & bolts
 Rust resistant finish

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
87-796	HD ADJUSTABLE WRENCH,	450mm-18	1	6	2,183

SPANNERS - ADJUSTABLE SPANNERS



Jaws Fully hardened & tempered
 For holding on fastening nuts & bolts
 25% more torque
 Rust resistant
 Micro Satin Finish

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
87-431-1-23	ADJUSTABLE WRENCH	150mm/ 6	6	120	315
87-432-1-23	ADJUSTABLE WRENCH	200mm/ 8	6	60	413
87-433-1-23	ADJUSTABLE WRENCH	250mm/ 10	6	60	510
87-434-1-23	ADJUSTABLE WRENCH	300mm/ 12	6	24	672
87-435-1-23	ADJUSTABLE WRENCH	375mm/ 15	4	24	1,174



“ I BELIEVE THAT WITH THE RIGHT TOOLS, ANYTHING IS POSSIBLE. STANLEY’S WIDE VARIETY OF PRODUCTS HAS ENABLED ME TO PROVE NOT JUST TO THE WORLD, BUT TO MYSELF WHAT I CAN ACCOMPLISH.”

STANLEY.

SPECIALITY TOOLS



3 JAW PULLERS

FEELER GAUGE, OIL FILTER WRENCH

12-IN-1 MULTI TOOL, SCREW EXTRACTOR



A PROFESSIONAL CHOICE FOR EVERY TASK



SPECIALITY TOOLS - 3 JAW PULLER



The high quality chrome vanadium steel material, puller fingernail to pass through the special heat treatment.
Durable
 The user-friendly design, comfortable to use.
 Suitable in the demolition automobile profession & the industry profession bearing, the gear & so on

PART No.	DESCRIPTION	SIZE	PULLING FORCE	PBQ	SBQ	Rs. EACH
70746-S	3 JAW GEAR PULLER	75mm / 3	1.5 ton	1	24	1,926
70747-S	3 JAW GEAR PULLER	100mm / 4	3.5 ton	1	12	2,598
70748-S	3 JAW GEAR PULLER	150mm / 6	5.0 ton	1	4	4,332
70875-S	3 JAW GEAR PULLER	200mm / 8	15.0 ton	1	8	4,056
70876-S	3 JAW GEAR PULLER	250mm / 10	18.0 ton	1	4	8,774
70877-S	3 JAW GEAR PULLER	300mm / 12	22.0 ton	1	3	11,076

SPECIALITY TOOLS- 25 BLADES FEELER GAUGE

Standard type feeler gauge with blades fold into metal case.
 25 precision blades sizes form 0.04mm to 1.00mm
 High grade stainless steel with anti rust



PART No.	DESCRIPTION	SIZE	WT.(GM)	PBQ	SBQ	Rs. EACH
70115-S	FEELER GAUGE 25 BALDES	0.04 TO 1.00mm	125G	10	50	398

SPECIALITY TOOLS- OIL FILTER WRENCH (STRAP TYPE)

16 inches High strength Nylon Strap



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
997694-S	OIL FILTER WRENCH STRAP TYPE	50-108mm	1	25	625

SPECIALITY TOOLS- 12-IN-1 MULTI TOOL



PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
1-84-519	MULTITOOl - 12 IN 1 WITH A POUCH LONG NOSE PLIER, WIRE CUTTER, SAW, 1/4 SCREWDRIVER, SMALL KNIFE, BOTTLE OPENER, CURVE JAW PLIER, 5/16 SCREWDRIVER, FILE, LARGE KNIFE, PHILLIPS SCREWDRIVER, STANDARD SCREWDRIVER 1/8	1	12	926

SPECIALITY TOOLS- SCREW EXTRACTORS



Uses the Cr-Mo steel after the heat treatment
 The fast convenient disassemblage of screw, pipe, bolt & stud & so on


PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
94-171	5PC. EXTRACTORS SET	3, 6, 8, 11, 14mm	5	25	394



“AS MECHANICS, MY TEAM AND I TAKE PRIDE IN BEING AS ACCURATE AS HUMANLY POSSIBLE AND STANLEY’S RANGE OF TOOLS GIVES US THE CHANCE TO BE THE BEST THAT WE CAN BE.”

STANLEY®

TOOL SETS




TELECOMMUNICATION TOOL SETS

ULTIMATE TOOL KIT

BASIC TOOL KIT

ONE OF A KIND IMPROVED EFFICIENCY

TOOL SETS



Stanley unique tool suite, optimal configuration, handy use
Saddle bag of high quality nylon bag, comfortable easy to carry
Saddlebag layer fix framework, correct placement of tools ensured, no deformation



SPECIALITY TOOLS- 53 PCS TELECOMMUNICATION TOOL SET



A customized tool set specially designed for professional or technician field service applications - ideal for trouble-shooting, general service & maintenance
 Equipped with most basic tools and test equipments-the essentials you need for everyday on the job
 Popular tool set - widely used in industry & government sectors
 Toughest and durable blow mould case compared with normal tool bag
 Economically priced, trusted quality product selection & value

PART No.	DESCRIPTION - CONTENTS	PBQ	SBQ	Rs. EACH
STHT89883-8	TELECOMMUNICATION SET 53 PCS	1	3	12,341
	1PC STANDARD DIGITAL MULTI METER,			
	4PC PHILLIPS SCREWDRIVERS : #1X75, #1X150, #2X45, #2X100MM			
	4PC SLOTTED SCREWDRIVERS : 3X75, 3X150, 6.5X45, 6.5X100MM			
	1PC MEASURING TAPE 3M, 1PC UTILITY KNIFE			
	1PC LONG NOSE PLIER 150MM/6, 1PC LINESMAN PLIER 200MM/8			
	1PC MINI-HACKSAW, 1PC ADJUSTABLE WRENCH 250MM/10			
	1PC WIRE STRIPPER 225MM/9, 10PC HEX KEY SET: 1.5,2, 2.5,3,4,5,5.5,6,8,10MM			
	1PC 1/4 SPINNER HANDLE, 1PC 1/4 DRIVE ADAPTER			
	13PC 1/4 DRIVE 6 POINT SOCKETS: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14MM			
	6PC PRECISION SCREWDRIVER SET: OPT, 1PT, 1.4MM, 2.0MM, 2.4MM, 3.0MM			
	1PC SOLDERING IRON, 1PC SOLDER,			
	1PC DESORDERING PUMP, 1PC DIGITAL TESTER, 1PC TWEEZERS, 1PC BLOW MOULD CASE			

SPECIALITY TOOLS- 42 PCS ULTIMATE HOME HAND TOOL KIT



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
71-996-IN	8PCS HEX KEY WITH HOLDER: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 5/32, 3/16, 7/32, 1/4	1	4	3,432
	8PCS HEX KEY WITH HOLDER: 1.5,2,2.5,3,4,5,5.5,6mm			
	1PC ADHESIVE TAPE 300mm/12			
	1PC 175mm/7 COMBINATION PLIER			
	10PCS 25L BIT WITH HOLDER			
	4PCS PRECISION SCREWDRIVER			
	1PC 7 oz CLAW HAMMER			
	1PC 225mm/9 VIAL TORPEDO LEVEL			
	1PC BIT DRIVER			
	1PC SET HARDWARE ACCESSORY BOX			
	1PC ZIPPER BAG			
	1PC TORCH			
	1PC 200mm/8 SCISSOR			
	1PC SNAP-OFF KNIFE			
	1PC DIGITAL TESTER			
	1PC 250mm/10 MINI HACK SAW			

SPECIALITY TOOLS- 8 PCS BASIC TOOL KIT



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
72-118-IN	Basic Hand Tool Kit (8 Pcs. with Bag)	1	6	2,078
	1PC 200mm/8 ADJUSTABLE SPANNER			
	1PC 200mm/8 COMBINATION PLIER			
	1PC MINI HACK SAW			
	1PC CLAW HAMMER			
	1PC SPARK DETECTING TESTER			
	1PC SCREWDRIVERS 1/4 X 100mm/4			
	1PC PHILLIPS SCREWDRIVER #2 X 100mm/4			

STANLEY.

TOOL STORAGE



**METAL STORAGE
 PLASTIC TOOL BOX
 NYLON TOOL BAG**



PRACTICAL STORAGE SOLUTIONS



TOOL BOXES



STANLEY® offers a full line of plastic and metal tool box solutions to satisfy virtually any tradesman, machinist, technician or DIYer. These tool boxes come in various sizes and designs and are made with long-lasting materials such as heavy-duty structural foam, high-impact plastic and a combination of plastic and metal.

TOOL BAGS



The STANLEY® range of soft storage options is intuitive and contemporary. Portable tool storage options such as pouches and tool belts feature easy access compartments and pockets made from heavy duty materials. From soft sided tool bags, to totes with multiple pockets and compartments, this range offers maximum tool organization.

TOOL BOXES



Built to store large volumes, this range was designed with durability and convenience in mind. As the pioneer in this category, STANLEY® offers a range of inventive high mobility storage solutions, offering accessibility and ease.

TOOLS STORAGE - 7 DRAWER WORKSTATION



Electro-powder coating to resist scratch & solvent markings
 Ball bearing slide with quick disconnect
 Double wall construction with heavy duty metal side handle to provide ultimate durability
 Full-length drawer pulls with liners & top vinyl mat included
 Heavy duty 5"x2" casters & easy grip cabinet side handle for better mobility

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-547-23ID	7 DRAWER ROLLER CABINET	674 x 459 x 857mm	1	1	44,711

TOOLS STORAGE - 5 TRAY CANTILEVER BOX



Electro-powder coating to resist scratch & solvent markings
 Heavy duty metal for body construction & handle to provide ultimate durability
 Double latch for greater strength Tray swing out for easy tool access
 Single handle with cushion grip to press open

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
STST73595-8	CANTILEVER TOOLS BOX	460x200x200mm	1		2,520
STST73596-8	CANTILEVER TOOLS BOX	530x200x200mm	1		2,842

TOOLS STORAGE - 560mm / 22 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
 Lock button using the metal material nickel plating accomplished, durable, strong lock
 The product does not include tools & accessories of pictures

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
92-908	PLASTIC TOOL BOX	565x315x282mm	1	25	3,429

TOOLS STORAGE - 480mm / 19 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
 Imported new pattern double colour plastic aesthetic impact
 Lock button using the metal material nickel plating accomplished durable strong lock

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
92-906	PLASTIC TOOL BOX	486x270x237mm	1		2,311

TOOLS STORAGE - 400mm / 16 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
 Lock button using the metal material nickel plating accomplished durable strong lock
 The product does not include tools & accessories of pictures

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
92-905	PLASTIC TOOL BOX	400x254x183mm	1		1,788

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - BIG



High grade water proof nylon material
 Durable & easy to carry about
 Unique design, convenience of use

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-225	NYLON TOOL BAG, WATER PROOF	650x230x300mm	1	10	2,296

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - MEDIUM



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-224	NYLON TOOL BAG, WATER PROOF	450x230x300mm	1	10	1,765

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - MEDIUM



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-223	NYLON TOOL BAG, WATER PROOF	230x300x300mm	1	10	1,488

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - SMALL



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
93-222	NYLON TOOL BAG, WATER PROOF	100x170x250	1	25	511

STANLEY

PLIERS



**COMBINATION, NOSE, DIAGONAL CUTTING PLIERS
CIRCLIP PLIERS
CRIMPING, LOCKING & STRIPPING PLIERS**



www.stanleyindia.in

PERFECTION IN ACTION

Extensive quality testing is done on every clamping tool design, ensuring that daily performance exceeds industry standards. This comprehensive range allows for varied utility.

Whatever the task is, there is a **STANLEY®** pliers to help. Manufactured from quality steel, the range of pliers are built for high performance in any situation.

The range of options include linesman, combination, diagonal cutter, long nose, bent nose, wire stripper, slip joint, groove joint, and locking pliers.

PLIERS Available as:
Linesman, combination, long nose, bent nose, wire stripper, slip joint & groove joint variants



LOCKING PLIERS Available as:
Curved jaw, Straight jaw, Long nose, Welding, Sheet metal or 'C' clamp variants



LINESMAN



LONG NOSE



SLIP JOINT



DIAGONAL CUTTER



CURVED JAW



ANSI
American National Standards Institute

VDE PLIERS

STANLEY® is proud to be one of the market leaders in providing VDE solutions. Tested and proven, these tools either meet or exceed industry standards and can ensure safety when working with live equipment up to 1000VAC or 1500 VDC

PIPE PLIERS

The pipe pliers by **STANLEY®** boast a solid cast iron body and jaw forged with chrome molybdenum steel. Tough materials are used to ensure that the entire range provides users with great performance and durability.


ADJUSTABLE WRENCH

Every wrench produced by **STANLEY®** exceeds ANSI standards. Adjustable jaw design allows tool to grip many fastener sizes. Knurl adjusting mechanism is available for quick and precise adjustments

PLIERS RANGE OVERVIEW

TYPE	SIZE								
	4"	5"	6"	7"	8"	9"	9-1/2"	10"	12"
Long Nose		•	•		•				
Linesman				•	•				
Diagonal Cutting	•		•	•	•				
Bent Nose		•							
End Nipper	•								
Slip Joint			•		•				
Groove Joint								•	•
Flat Nose		•							
Round Nose			•						
Nedde Nose		•							
Wire Stripper			•						
Combination Snap Ring		•							
Crimping Plier						•			
Locking Plier								•	
Circlip		•		•		•			


PLIERS - VDE PLIERS SET



1000 volt rated handle, safe live wire working handle tested up to 10000 volts, conform to current norms
Bi-material grip for comfort
Finger guard for better control & added user safety
Confirm to DIN standard

PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
84-011-22	VDE 3PC PLIERS SET(84-001,84-003,84-007)	1	4	3,199

PLIERS - VDE COMBINATION PLIERS



1000 volt rated handle, safe live wire working handle tested up to 10000 volts confirm to current norms
Bi-material grip for comfort
Finger guard for better control & added user safety
Confirm to DIN standard

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-002-22	VDE COMBINATION PLIERS	200mm/8	4	24	1,676

PLIERS - VDE DIAGONAL CUTTING PLIERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-003-22	VDE DIAGONAL CUTTING PLIER	180mm/ 7	4	24	1,676

PLIERS - LINESMAN PLIERS



Forged Steel construction
 Double dipped handles for comfortable use
 Hand ground cutting edges
 Machined jaws for gripping
 Rust-resistant finish
 Chrome-Nickel steel for tough durable hardened cutting edge

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-112-23	PLIER LINESMAN	180mm/ 7	6	36	370
84-113-23	PLIER LINESMAN	205mm/ 8	6	36	416

PLIERS - DIAGONAL CUTTING PLIERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-105-23	PLIER DIAGONAL CUTTING	152mm/ 6	6	36	285
84-108-23	PLIER DIAGONAL CUTTING	177mm/ 7	6	36	322

PLIERS - LONG NOSE PLIERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-101-23	PLIER LONG NOSE,	152mm/ 6	1	25	285
84-102-23	PLIER LONG NOSE,	203mm/ 8	6	36	346

PLIERS- SLIP JOINT PLIERS



2 Jaw position

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-097-23	PLIER-SLIP JOINT,	152mm/6	6	36	198
84-098-23	PLIER-SLIP JOINT,	203mm/8	6	36	232

PLIERS - GROOVE JOINT PLIERS



Imported new pattern double colour plastic aesthetic impact
 Lock button using the metal material nickel plating accomplished durable strong lock
 The product does not include tools & accessories of pictures

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-110-23	PLIER GROOVE JOINT,	254mm/ 10	6	36	407
84-111-23	PLIER GROOVE JOINT,	305mm/ 12	4	24	517

PLIERS - MINIATURE PLIERS



Small sized for precision work
 Nickel chromed for durability
 Double dip handles for comfort

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-096-23	PLIER MINIATURE, NEEDLE NOSE,	127mm/5	6	36	251
84-119-23	PLIER MINIATURE, LONG NOSE,	127mm/5	6	36	210
84-122-23	PLIER MINIATURE, FLAT NOSE,	127mm/5	6	36	227
84-124-23	PLIER MINIATURE,DIAGONAL Cuttng,	102mm/4	6	36	227
84-125-23	PLIER MINIATURE, END NIPER,	102mm/4	6	36	221
84-126-23	PLIER MINIATURE, BEND NOSE,	127mm/5	6	36	227

PLIERS - PLASTIC NIPPERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-134-1-23	PLASTIC NIPPER	PLIER 127mm/ 5	6	36	559
84-135-1-23	PLASTIC NIPPER	PLIER 152mm/ 6	6	36	636

PLIERS - COMBINATION PLIERS



Material: C45, Full Body Hardened
 Jaws & Cutting Edge are Induction Hardened & Tempered- Black - Phosphate Finish
 Anti-Rust Protected
 Single Acetate / Double Color Sleeve (Acetate + TPR)

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
71-878E	COMBINATION CUTTING PLIER	180mm/ 7	6	25	283
70-461	COMBINATION PLIER, SINGLE COLOR SLEEVE	205mm/ 8	6	25	309
70-482	COMBINATION PLIER, DOUBLE COLOR SLEEVE	205mm/ 8	6	25	336

PLIERS - LONG NOSE PLIER



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
70-462	LONG NOSE PLIER SINGLE COLOR SLEEVE	152mm/ 6	6	96	273
70-483	LONG NOSE PLIER DOUBLE COLOR SLEEVE	152mm/ 6	6	96	312

PLIERS - DIAGONAL CUTTING PLIERS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
71-8E1E	DIAGONAL CUTTING PLIER	152mm-6	6	96	282
71-8E2E	DIAGONAL CUTTING PLIER	180mm-7	6	72	299

PLIERS - CIRCLIP PLIERS CURVED CLAMP (BENT INTERNAL)



Overall Cr-v Forging Steel derived, Durable
 In strict accordance with the DIN5254 standards of production
 The first clamp Fine polishing and processing blackening, good looking
 Single Acetate / Double Color Sleeve (Acetate + TPR)

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-446-23	PLIER CIRCLIP, BENT INTERNAL	130mm/ 5	6	36	292
84-447-23	PLIER CIRCLIP, BENT INTERNAL	180mm/ 7	6	36	390
84-448-23	PLIER CIRCLIP, BENT INTERNAL	230mm/ 9	6	36	483

PLIERS- CIRCLIP PLIER STRAIGHT JAW (EXTERNAL)



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-332-23	PLIER CIRCLIP, STRAIGHT EXTERNAL,	130mm-5	6	36	292
84-334-23	PLIER CIRCLIP, STRAIGHT EXTERNAL,	180mm-7	6	36	382
84-335-23	PLIER CIRCLIP, STRAIGHT EXTERNAL,	230mm-9	6	36	483

PLIERS - CIRCLIP PLIER CURVED JAW (BENT EXTERNAL)



Overall Cr-V forging steel derived, durable
In strict accordance with the DIN5254 standards of production
The first clamp fine & processing good looking

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-338-23	PLIER CIRCLIP, BENT EXTERNAL,	130mm-5	6	36	292
84-341-23	PLIER CIRCLIP, BENT EXTERNAL,	180mm-7	6	36	382
84-348-23	PLIER CIRCLIP, BENT EXTERNAL,	230mm-9	6	36	483

PLIERS - GERMAN HOLE CORE-CATCHER STRAIGHT BEAK CLAMP (INTERNAL)



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-362-23	PLIER CIRCLIP, STRAIGHT INTERNAL,	130mm-5	6	36	317
84-363-23	PLIER CIRCLIP, STRAIGHT INTERNAL,	180mm-7	6	36	420
84-364-23	PLIER CIRCLIP, STRAIGHT INTERNAL,	230mm-9	6	36	495

PLIERS- COMBINATION SNAP RING PLIER



Internal-external positioning 45°-90°-180°
10-50mm range

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-168	PLIER COMB SNAPRNG, INT-EXT POST,	152mm / 6	1	25	616

PLIERS- CRIMPING PLIERS



Cuts electrical wires strips insulation shears screws & bolts clean
(Warning: Grips do not protect against electrical shock.)

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-223-22	CRIMPING PLIER,	230mm-9	6	96	267
84-253-22	CRIMPING PLIER SET,	230mm-9	6	96	529

PLIERS- LOCKING PLIERS WITH BI-MATERIAL HANDLE



Bi-material handle for anti-slip & comfort
Serrated jaws made of Cr-Mo material
Heat treated adjustable screw
Curved jaws puts tremendous pressure on four points at any style or bolt head

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-369-1-23	Bi-Mat Handl, Curv Lock PLIER,	254mm-10	10	100	766

PLIERS- WIRE STRIPPER WITH CUTTING EDGE



Professional peeling ideal tool for cutting the line
Used for line suppressing & line bending function
Laser calibration & facilitate operations

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-475-22	WIRE STRIPPER(CUTTER)-AWG12-22	150mm/6	10	100	731

STANLEY.

CUTTING TOOLS



RETRACTABLE UTILITY KNIFE & BLADES

SNAP-OFF KNIFE & BLADES

HACKSAWS, BOLT CUTTERS & SNIPS

“THE RANGE IS EQUIPPED WITH BLADES MADE WITH HIGH QUALITY CARBON STEEL FOR LONG LASTING DURABILITY”



“ITS HIGH IMPACT POLYMER COMPONENTS ALSO PLAY A ROLE IN THE TOOL’S LONGEVITY.”

PRECISION EVERY TIME

STANLEY® manufactured its first utility knife back in 1935. We are the pioneer and innovator in this category. The STANLEY® cutting tool range is built to last, to provide excellent cutting performance and to have noteworthy safety and ergonomic features.



SNAP-OFF KNIVES

STANLEY® Snap-off Knives have high quality carbon steel blades that snap off in sections, providing a fresh and sharp cutting point to the user without the need to open up the knife. We bring innovation to snap-off knives by providing unique features that users have never experienced before.



UTILITY KNIVES

The STANLEY® range of advanced utility knives encompass a design that features more comfort, grip and handling than other brands. They have a thicker knife blade, simplifying efforts when it comes to tough cutting tasks. We provide a wide range of utility knives that offer different blade options and special applications.

Do you know...

Stanley's blades are very popular in the market. In fact, its state-of-the-art manufacturing facilities must pump out 20,000 miles of blades each and every year to keep up with the demand.




Leather



Cardboard



Carpet



Venyl



SNIPS

The STANLEY® range of advanced utility knives encompass a design that features more comfort, grip and handling than other brands. They have a thicker knife blade, simplifying efforts when it comes to tough cutting tasks. We provide a wide range of utility knives that offer different blade options and special applications.



HACKSAWS

STANLEY® hacksaws have excellent safety features, making them some of the safest and most reliable tools on the market. Its excellent blade tension mechanism system plays a role in ensuring that less accidents happen on the job, creating a safe and tension-free work environment.

KNIFE BLADES

Extensive tests and the use of advanced technology such as induction heat treated blade edge, make STANLEY® the leader in the category.



FUN FACT

In the UK, Australia and New Zealand, any Utility Knife is simply known as a STANLEY® knife

CUTTING TOOLS - InterLock® SELF RETRACTING UTILITY KNIFE



With special round nose heavy duty blade for ultimate safety
Blade automatically retracts for safe storage
Imported new pattern double colour plastic, Aesthetic Impact
Lock button using the metal material nickel plating accomplished, Durable, strong Lock

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
10-189C	SELF RETRACTING UTILITY KNIFE	144mm-5 5/8	6	36	364

CUTTING TOOLS - Classic99® RETRACTABLE UTILITY KNIFE



Die cast zinc body shaped for comfort in use
Multi position blade slide
3pcs blade storage in handle
Interlock nose firmly secures blade into knife Lock

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
STHT10099-8	CLASSIC 99 Retractable, GREY	152mm-6,	6	36	350

CUTTING TOOLS - RETRACTABLE UTILITY KNIFE



Pastic & Die cast zinc body shaped for comfort in use
Multi position blade slide
3 Pcs. Blade Storage Handle

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
10-175	RETRACTABLE UTILITY KNIFE,	156mm - 6 1/8	6	36	181

CUTTING TOOLS - Classic 1992® HEAVY DUTY UTILITY BLADE



Heavy duty blade, ideal for carpet & vinyl
Replacement Blade for 10-099, 10-175, 10-189

PART No.	DESCRIPTION	SIZE	PACK DETAILS	# BLADES	PBQ	SBQ	Rs. EACH
11-921H	HEAVY DUTY BLADE	19mm / 3/4	100 DISPENSERS OF 10PCS	100 PCS.	1	24	1,409

CUTTING TOOLS - Quick-Point™ BLADE



Replacement blade for 10-425

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
0-11-325	QUICK POINT BLADE	26mm	10	100	449

CUTTING TOOLS - LARGE HOOK BLADE



Sharpened hook with point for penetrating & cutting sheet material
Replacement blade for 10-099, 10-175, 10-189

PART No.	DESCRIPTION	SIZE	# BLADES	PBQ	SBQ	Rs. EACH
0-11-983	LARGE HOOK BLADE	19mm	5	1	10	109
11-983A	LARGE HOOK BLADE	19mm	100	4	24	1,239

CUTTING TOOLS- 9mm & 18mm KNIFE WITH DynaGrip®



Metal & high impact polymer construction for durability
Blade sections snap-off providing the user with fresh sharp cutting points
Removable blade snapper included in cap of knife
High impact polymer body contains elastomer for great grip & comfort
Rigid stainless steel barrel provides smooth action and corrosion resistance
Pocket clip included on 10-409 9mm Dynagrip® Snap off knife
Supplied with one Quick-Point™ blade

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
10-409	DYNAGRIP SNAP-OFF KNIFE	9mm	12	72	214
10-418	DYNAGRIP SNAP-OFF KNIFE	18mm	6	36	221

CUTTING TOOLS- 25MM SNAP-OFF KNIFE WITH DynaGrip®



Thumb dial release for easy blade change
25mm / 1 snap-off blades to help resist snapping & adds durability
8 segments with 8 sharp tips
Rubber DynaGrip® panels for secure comfortable grip
Metal blade slide for positive blade positioning

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
10-425	DYNAGRIP SNAPOFF KNIFE	180M / 7	6	72	441

CUTTING TOOLS - Classic 1992® HEAVY DUTY UTILITY BLADE



Impact resistant ABS plastic body
Secure multi position slide button

PART No.	DESCRIPTION	SIZE	BLADES SIZE	PBQ	SBQ	Rs. EACH
0-10-150	KNIFE QUICK POINT	130mm / 5 1/8	9mm	12	72	49
0-10-151	KNIFE QUICK POINT	160mm / 6 1/2	18mm	12	72	71

CUTTING TOOLS - Quick-Point® BLADE



Replacement blade for 10-418, 0-10-151 and other 18mm snap-off knives
Blade with 8 cutting points.

PART No.	DESCRIPTION	SIZE	BLADE SIZE	PBQ	SBQ	Rs. EACH
11-301H	KNIFE BLADES 10 Disp(100PC)	110mm	18mm	1	27	1,383
11-301T	KNIFE BLADES 10PCS/Disp	110mm	18mm	1	24	165

CUTTING TOOLS - Quick-Point® BLADE



Replacement blade for 10-409, 0-10-150 and other 9mm snap-off knives
Blade with 13 cutting points

PART No.	DESCRIPTION	SIZE	BLADE SIZE	PBQ	SBQ	Rs. EACH
11-300H	KNIFE BLADES 10 Disp-100PC	85mm	9mm	10	100	1,107

CUTTING TOOLS - KNIFE & BLADE SELECTION GUIDE

STANLEY	11-921	11-983	11-300 9mm	11-301 18mm	11-325 25mm
Classic 99 10-099-2	●	●			
Home Owner's	●	●			
Interlock 10-189	●	●			
DynaGrip 10-409			●		
DynaGrip 10-418				●	
DynaGrip 10-425					●
Quick-Point 10-150			●		
Quick-Point 10-151				●	

CUTTING TOOLS - JUNIOR HACKSAW



Quick release hacksaw features a lever moulded into grip handle for easy blade change
Deep throat for good work capacity
1 Blade free

PART No.	DESCRIPTION	BLADE SIZE	PBQ	SBQ	Rs. EACH
0-15-218	JUNIOR HACKSAW	150mm / 6	10	60	380

CUTTING TOOLS - STEEL FRAME HACK SAW



Positive locking mechanism
Two blade position 90° / 55°
Aluminium handle - 12" blades

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
15-166	HACKSAW-STEELFRAME	305mm / 12	6	72	1,207

CUTTING TOOLS - RUBBER GRIP HACKSAW



Rigid steel frame with molded cushion grip rubber handle
D-shape guard protects hand and knuckles
Adjustable frame

PART No.	DESCRIPTION	DEPTH OF THROAT	BLADES SIZE	PBQ	SBQ	Rs. EACH
15-265-23	RUBBER GRIP HACKSAW - ADJUSTABLE FRAME	98mm / 3 7/8	254MM / 10	6		805

CUTTING TOOLS - MINI HACK™ SAW



Ergonomically designed grip with thumb rest for maximum comfort
35mm cutting capacity
Back blade stop for safe handling & use

PART No.	DESCRIPTION	DEPTH OF THROAT	BLADES SIZE	PBQ	SBQ	Rs. EACH
20-807	MINI HACK SAW	220mm / 8 3/4	254mm / 10	6	36	161

CUTTING TOOLS - GLASS CUTTER



Die cast handle has a wide contoured comfort grip and ball end for tapping
Steel wheel with general purpose cutting angle delivers precise scoring clean breakout, and smooth edges
3 Break-off notches for various depths
Honed Cutting wheel
Cuts glass up to 3mm

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
14-125	GLASS CUTTER, OVERALL LENGTH	130mm 5 1/8	24	288	185

CUTTING TOOLS - WIRE STRIPPER



Convenient hole for looping or bending wire
Ideal for cutting, stripping speaker wire & appliance cords
Slide adjust for various guage wire

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
84-214-22	WIRE STRIPPER	130mm 5 1/4	15	150	259

CUTTING TOOLS- BOLT CUTTERS



A range of bolt cutters in most sizes
Cutter blades are of chrome molybdenum tempered steel with cutting jaws tempered HRC60° 4 (FBS std)
Special heat treatment give blades extra hardness & durability

PART No.	DESCRIPTION	SIZE	MAX. LOAD	MAX. CUTTING CAP	PBQ	SBQ	Rs. EACH
14-308-23	BOLT CUTTER	203mm / 8	36kg	3mm	6	48	480
14-312-23	BOLT CUTTER	305mm / 12	46kg	4mm	6	24	837
14-314-23	BOLT CUTTER	355mm / 14	54kg	5mm	6	24	929
14-318-23	BOLT CUTTER	457mm / 18	65kg	6mm	6	12	1,143
14-324-23	BOLT CUTTER	609mm / 24	62kg	8mm	2	6	1,470
14-330-23	BOLT CUTTER	762mm / 30	84kg	10mm	1	4	1,973
14-336-23	BOLT CUTTER	914mm / 36	104kg	12mm	1	4	2,645

CUTTING TOOLS - MaxSteel™ All PURPOSE SNIPS (STRAIGHT PATTERN)



Exceeds ANSI standards for cutting performance & durability
Tough alloy steel blade
Comfortably vinyl grips
Cuts up to 0.78mm of cold rolled steel & 0.46mm of stainless steel

PART No.	DESCRIPTION	Cutting Capacity			SIZE	PBQ	SBQ	Rs. EACH
		Copper(Soft)	Cold Rolled Steel(Mild)	Hard Steel				
14-556-22	MAXSTEEL SNIP	0.94	0.78	0.6	254mm / 10	6	24	782

CUTTING TOOLS - MaxSteel™ AVIATION SNIPS



Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather & copper
Exceeds ANSI standards for cutting performance & durability
Double overwind spring for longer life
High leverage, compound cutting design cuts up to 18 guage steel
Patented hinge palte for easy product function identification

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
14-562-22	MAXSTEEL AVIATION-SNIPS - LFT CURVE,	254mm / 10	6	24	863
14-563-22	MAXSTEEL AVIATION SNIPS - STRAIGHT CUT	254mm / 10	6	24	863
14-564-22	MAXSTEEL AVIATION SNIPS - RIGHT CURVE	254mm / 10	6	24	863

Part No.	Cutting Length	Copper (Soft)	Cold-rolled Steel (Mild)	Hard Steel (HRC30)	Hard Steel (HRC40)	Stainless Steel 304
14-562-22	35	1.50	1.20	1.00	0.60	0.90
14-563-22	35	1.50	1.20	1.00	0.60	0.90
14-564-22	38	1.50	1.20	1.00	0.60	0.90

CUTTING TOOLS - TINSNIPS



Drop forged carbonsteel material, hardened, tempered, grown, glazed & tested to last

PART No.	DESCRIPTION	SIZE	CUTTING CAPACITY	PBQ	SBQ	Rs. EACH
14-163	TINSNIPS W/O SPRING,	200mm-8	0.61mm COLD ROLLED STEEL 0.41mm STAINLESS STEEL	6	36	823
14-164	TINSNIPS W/O SPRING,	250mm-10	0.78mm COLD ROLLED STEEL 0.41mm STAINLESS STEEL	6	36	947
14-165	TINSNIPS W/O SPRING,	300mm-12	0.91mm COLD ROLLED STEEL 0.63mm STAINLESS STEEL	6	24	1,286
14-166	TINSNIPS W/O SPRING,	350mm-14	1.20mm COLD ROLLED STEEL 0.70mm STAINLESS STEEL	6	24	1,684

CUTTING TOOLS - CABLE CUTTER



Designed for electric cable, copper, aluminium, etc.
Notched jaw holds & cuts cables in a in a clean & sharp way
Cuts up to 0.78mm of cold roled steel & 0.46mm of stainless steel

Part No.	Description	Max Cutting Capacity(mm) ²	Size	PBQ	SBQ	Rs. EACH
84-258-23	CABLE CUTTER	60	250mm/10	6	36	737
84-629-22	CABLE CUTTER	125	300mm/12	6	24	2,558
84-632-22	CABLE CUTTER	500	950mm/32	1	5	6,850



“DEPEND ON MY TOOLS AND CORE TEAM IS THE MOST IMPORTANT MOTTO THAT I LIVE BY. TEAM MEMBERS COME AND GO BUT STANLEY HAS BEEN THERE FOR ME SINCE DAY ONE, HELPING ME PROVIDE MY FAMILY WITH A LIFE”

STANLEY

PIPE TOOLS



ALUMINUM PIPE WRENCH
CI PIPE WRENCH, STILSON PIPE WRENCH
WATER PUMP PLIER, TUBING CUTTER

WORK WITH HIGHER EFFICIENCY



PIPE PLIERS

The pipe pliers by STANLEY® boast a solid cast iron body and jaw forged with chrome molybdenum steel. Tough materials are used to ensure that the entire range provides users with great performance and durability..

PIPE CUTTERS

STANLEY® offers an array of pipe cutters that are perfect additions to the tool box. Used for cutting metal and plastic pipes, there is an expectation for these cutters to be strong, durable and precise.

PIPE TOOLS - ALUMINIUM PIPE WRENCH



Cr-Mo steel forged jaws heat treated, hardness of HRC58-60
Super strength cast aluminium & alloy metal handle, reduce weight by 1/3
Two way toothing & spring loaded jaw provide positive grip

PART No.	DESCRIPTION	MAX. JAW OPENING	SIZE	PBQ	SBQ	Rs. EACH
84-451-23	ALUMINIUM PIPE WRENCH	45mm	250mm/10	6	36	808
84-465-23	ALUMINIUM PIPE WRENCH	65mm	350mm/14	6	24	1,339

PIPE TOOLS - HEAVY DUTY PIPE WRENCH (CAST IRON)



PART No.	DESCRIPTION	WT. (GM)	O/A LEN	MAX. JAW OPENING	SIZE	PBQ	SBQ	Rs. EACH
87-620-23	PIPE WRENCH	0.225	140mm	25mm	150mm/6	6	72	292
87-621-23	PIPE WRENCH	0.38	186mm	34mm	200mm/8	6	36	342
87-622-23	PIPE WRENCH	0.81	248mm	45mm	250mm/10	6	24	429
87-623-23	PIPE WRENCH	1.41	297mm	55mm	300mm/12	6	12	584
87-624-23	PIPE WRENCH	1.4	332mm	65mm	350mm/14	6	12	768
87-625-23	PIPE WRENCH	2.38	414mm	80mm	450mm/18	6	12	1,110
87-626-23	PIPE WRENCH	3.83	553mm	95mm	600mm/24	2	8	1,765
87-627-23	PIPE WRENCH	7.88	805mm	140mm	900mm/36	1	4	3,342

PIPE TOOLS - STILLSON TYPE PIPE WRENCH



PART No.	DESCRIPTION	MAX. JAW OPENING	SIZE	PBQ	SBQ	Rs. EACH
71-641	PIPE WRENCH STILLSON TYPE	45mm	250mm/10	6		312
71-642	PIPE WRENCH STILLSON TYPE	55mm	300mm/12	6		407
71-643	PIPE WRENCH STILLSON TYPE	65mm	350mm/14	4		523
71-644	PIPE WRENCH STILLSON TYPE	80mm	450mm/18	4		817
71-645	PIPE WRENCH STILLSON TYPE	95mm	600mm/24	2		1,532

PIPE TOOLS - WATER PUMP PLIER



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
71-668	WATER PUMP PLIER	175mm / 7	10		339
71-669	WATER PUMP PLIER	250mm / 10	10		368
71-670	WATER PUMP PLIER	300mm / 12	4		619

PIPE TOOLS - PVC PIPE CUTTER



Heavy Duty PVC Pipe cutter
Stainless steel blades
Heat treated for durability

PART No.	DESCRIPTION	CUTTING CAPACITY	PBQ	SBQ	Rs. EACH
14-442-22	PVC PIPE CUTTER,	UP TO 42mm	10	40	978

PIPE TOOLS- TUBING CUTTER



Tubing cutters for cutting copper/plastic tubing

PART No.	DESCRIPTION	CUTTING CAPACITY	PBQ	SBQ	Rs. EACH
93-021-22	TUBING CUTTER H/D,	3mm-1/8 TO 28mm-1 1/4	10	60	1,207

STANLEY

**SCREWDRIVERS
& KEYS**



**CUSHION GRIP SCREWDRIVERS / SETS,
OPEN / RING END SLOGGING SPANNERS,
ADJUSTABLE WRENCHES / SPANNERS,
C-CLAMP, SOLDERING IRON, RIVETERS**

CUSHION GRIP™ SCREWDRIVER RANGE OVERVIEW

PHILLIPS®				
Tip Size	Bar Length (mm)	Total Length (mm)	Handle Dia.(mm)	
PH0	60	76.5	16.5	
	100	16.5		
	125	141.5		
	150	166.5		
Ph1	75	104.5	29.5	
	100	129.5		
	150	179.5		
	200	229.5		
PH2	45	74.2	29.2	
	100	132.2		
	150	182.2		
	200	232.2		
	250	282.2		32.2
PH3	150	184.3	34.3	
	200	234.3		
	250	284.3		

TORX				
Tip Size	Bar Length (mm)	Total Length (mm)	Handle Dia.(mm)	
T5				
T6	80	96.5	16.5	
T7	80	96.5	16.5	
T8	80	96.5	16.5	
T10	80	96.5	16.5	
T15	80	109.5	29.5	
T20	120	149.5	29.5	
T27	120	152.2	152.2	
T30				
T40	120	154.3	32.2	

SLOTTED FLARED				
Tip Size	Bar Length (mm)	Total Length (mm)	Handle Dia.(mm)	
3mm	75	91.5	16.5	
	100	116.5		
	125	141.5		
	150	166.5		
5mm	75	104.5	29.5	
	100	129.5		
	150	179.5		
	200	229.5		
6.5mm	45	74.2	29.2	
	100	132.2		
	125	157.2		
	150	182.2		
	200	203.2		32.2
8mm	150	184.3	34.3	
	200	234.3		
	250	284.3		

SCREWDRIVER SETS

- 6 Pcs Cushion Grip™ VDE Screwdriver Set with Bonus (Tester included)
- 16 Pcs Cushion Grip™ Screwdriver Set
- 6 Pcs Cushion Grip™ Screwdriver Set
- 2 Pcs Cushion Grip™ Screwdriver Set

STANLEY®

CUSHION GRIP™ SCREWDRIVERS RANGE

The STANLEY® CUSHION GRIP™ range is fully patented and meets ANSI standards, proving the range's durability and precision. These tools have easy-to-hold handles that are comfortable and ergonomic.



UNIT PACK

Bold and attractive single packs exploit key features and provide clear user information. Minimal packaging allows full tactile opportunities with security.

FUN FACT

STANLEY® was the first company to make Phillips® screwdrivers in 1937. It was chosen by Henry Phillips, the inventor of the Phillips® head screw.





MAKING EACH TURN COUNT

STANLEY® is one of the preeminent manufacturers of fastening tools and is responsible for helping to elevate the performance of these must-have tools. The excellent quality coupled with durability has propelled the extensive range of fastening tools to be the most highly coveted in the world.

SCREWDRIVERS



STANLEY® has a full range of screwdrivers. They are sold individually or packaged in convenient multi-piece kits. We also offer a line of multi-bits and interchangeable bars bits screwdrivers.

MULTI-TOOLS



This versatile tool features a stunningly compact design. With up to 11 tools compressed into one clever model, the multi-tool is built from solid steel for maximum strength. It also features a 40 lb maximum torque.

BITS



STANLEY® are available as a combination with screwdrivers or as a stand-alone product. Together, they have a magnetism that allows for fast and secure bit changing. Made from chrome vanadium steel, the bits are undoubtedly built to last and come in a conveniently packaged storage option.

HEX KEYS



Made from durable composite materials, all the hex keys feature a compact design and exceed ANSI specifications.



FASTENING TOOLS- CUSHION GRIP2 SLOTTED SCREWDRIVERS



PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
2-65-181	STHT65181-8	CUSHION GRIP STANDARD	3mm X 100mm	12	72	145
2-65-182	STHT65182-8	CUSHION GRIP STANDARD	3mm X 125mm	12	72	145
2-65-183	STHT65183-8	CUSHION GRIP STANDARD	3mm X 150mm	12	72	149
2-65-186	STHT65186-8	CUSHION GRIP STANDARD	5mm X 75mm	12	72	174
2-65-187	STHT65187-8	CUSHION GRIP STANDARD	5mm X 100mm	12	72	178
2-65-188	STHT65188-8	CUSHION GRIP STANDARD	5mm X 150mm	12	72	183
2-65-189	STHT65189-8	CUSHION GRIP STANDARD	5mm X 200mm	12	72	198
2-65-190	STHT65190-8	CUSHION GRIP STANDARD	6.5mm X 45mm	12	72	174
2-65-191	STHT65191-8	CUSHION GRIP STANDARD	6.5mm X 100mm	12	72	196
2-65-192	STHT65192-8	CUSHION GRIP STANDARD	6.5mm X 125mm	12	72	207
2-65-193	STHT65193-8	CUSHION GRIP STANDARD	6.5mm X 150mm	12	72	212
2-65-194	STHT65194-8	CUSHION GRIP STANDARD	6.5mm X 200mm	12	72	226
2-65-195	STHT65195-8	CUSHION GRIP STANDARD	6.5mm X 250mm	12	72	242
2-65-196	STHT65196-8	CUSHION GRIP STANDARD	8mm X 150mm	12	72	261
2-65-197	STHT65197-8	CUSHION GRIP STANDARD	8mm X 200mm	12	72	277
2-65-198	STHT65198-8	CUSHION GRIP STANDARD	8mm X 250mm	12	72	292

FASTENING TOOLS- CUSHION GRIP Phillips® SCREWDRIVERS



PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
2-65-157	STHT65157-8	CUSHION GRIP PHILLIPS	0X60mm	12	72	140
2-65-158	STHT65158-8	CUSHION GRIP PHILLIPS	0X100mm	12	72	140
2-65-159	STHT65159-8	CUSHION GRIP PHILLIPS	0X125mm	12	72	147
2-65-160	STHT65160-8	CUSHION GRIP PHILLIPS	0X150mm	12	72	147
2-65-162	STHT65162-8	CUSHION GRIP PHILLIPS	1X75mm	12	72	172
2-65-163	STHT65163-8	CUSHION GRIP PHILLIPS	1X100mm	12	72	174
2-65-164	STHT65164-8	CUSHION GRIP PHILLIPS	1X150mm	12	72	178
2-65-165	STHT65165-8	CUSHION GRIP PHILLIPS	1X200mm	12	72	187

FASTENING TOOLS- CUSHION GRIP2 Phillips® SCREWDRIVERS



PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
2-65-166	STHT65166-8	CUSHION GRIP PHILLIPS	2X45mm	12	72	169
2-65-167	STHT65167-8	CUSHION GRIP PHILLIPS	2X100mm	12	72	192
2-65-169	STHT65169-8	CUSHION GRIP PHILLIPS	2X150mm	12	72	201
2-65-170	STHT65170-8	CUSHION GRIP PHILLIPS	2X200mm	12	72	212
2-65-171	STHT65171-8	CUSHION GRIP PHILLIPS	2X250mm	12	72	232
2-65-172	STHT65172-8	CUSHION GRIP PHILLIPS	3X150mm	12	72	252
2-65-173	STHT65173-8	CUSHION GRIP PHILLIPS	3X200mm	12	72	266
2-65-174	STHT65174-8	CUSHION GRIP PHILLIPS	3X250mm	12	72	282

FASTENING TOOLS- CUSHION GRIP2 Torx® SCREWDRIVERS



PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
2-65-145	STHT65145-8	TORX® SCREWDRIVERS	T6 X 80mm	12	72	109
2-65-146	STHT65146-8	TORX® SCREWDRIVERS	T7 X 80mm	12	72	118
2-65-147	STHT65147-8	TORX® SCREWDRIVERS	T8 X 80mm	12	72	118
2-65-148	STHT65148-8	TORX® SCREWDRIVERS	T10 X 80mm	12	72	118
2-65-149	STHT65149-8	TORX® SCREWDRIVERS	T15 X 80mm	12	72	144
2-65-150	STHT65150-8	TORX® SCREWDRIVERS	T20 X 120mm	12	72	146
2-65-151	STHT65151-8	TORX® SCREWDRIVERS	T25 X 120mm	12	72	178
2-65-152	STHT65152-8	TORX® SCREWDRIVERS	T27 X 120mm	12	72	168
2-65-153	STHT65153-8	TORX® SCREWDRIVERS	T30 X 120mm	12	72	168
2-65-154	STHT65154-8	TORX® SCREWDRIVERS	T40 X 120mm	12	72	201

FASTENING TOOLS - SLOTTED SCREWDRIVERS



Improved ergonomic design for maximum grip & torque
 Chrome vanadium blade with tough hardened black oxide
 Nickel plated bar for corrosion resistance
 High quality, heat treated plated bars for lasting "pro" performance & rust resistance

PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
62-241	STHT73046-8B	SCREWDRIVER SLOTTED	3X50mm	10	150	35
62-242	STHT73047-8B	SCREWDRIVER SLOTTED	3X75mm	10	150	38
62-243	STHT73049-8B	SCREWDRIVER SLOTTED	3X100mm	10	150	39
62-244	STHT73050-8B	SCREWDRIVER SLOTTED	3X150mm	10	150	40
62-245	STHT73051-8B	SCREWDRIVER SLOTTED	4X75mm	10	150	55
62-246	STHT73052-8B	SCREWDRIVER SLOTTED	4X150mm	10	150	60
62-247	STHT73053-8B	SCREWDRIVER SLOTTED	6X100mm	10	150	60
62-248	STHT73054-8B	SCREWDRIVER SLOTTED	6X150mm	10	150	62
62-249	STHT73055-8B	SCREWDRIVER SLOTTED	6X200mm	10	150	64
62-250	STHT73056-8B	SCREWDRIVER SLOTTED	6X250mm	10	150	70
62-251	STHT73057-8B	SCREWDRIVER SLOTTED	6X300mm	10	150	75
62-252	STHT73058-8B	SCREWDRIVER SLOTTED	8X150mm	5	100	91
62-253	STHT73059-8B	SCREWDRIVER SLOTTED	8X250mm	5	100	94
62-254	STHT73060-8B	SCREWDRIVER SLOTTED	8X250mm	5	100	99
62-255	STHT73061-8B	SCREWDRIVER SLOTTED	8X250mm	5	100	104

FASTENING TOOLS - Phillips® SCREWDRIVERS



PART No.	NEW PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
62-256	STHT73066-8B	SCREWDRIVER PHILLIPS	#0X50mm	10	150	37
62-257	STHT73067-8B	SCREWDRIVER PHILLIPS	#0X100mm	10	150	45
62-258	STHT73068-8B	SCREWDRIVER PHILLIPS	#0X150mm	10	150	45
62-259	STHT73069-8B	SCREWDRIVER PHILLIPS	#1X100mm	10	150	57
62-260	STHT73070-8B	SCREWDRIVER PHILLIPS	#1X150mm	10	150	60
62-261	STHT73071-8B	SCREWDRIVER PHILLIPS	#1X200mm	10	150	62
62-262	STHT73072-8B	SCREWDRIVER PHILLIPS	#2X100mm	10	150	82
62-263	STHT73073-8B	SCREWDRIVER PHILLIPS	#2X150mm	10	150	79
62-264	STHT73074-8B	SCREWDRIVER PHILLIPS	#2X200mm	10	150	83
62-265	STHT73075-8B	SCREWDRIVER PHILLIPS	#2X250mm	10	150	85
62-266	STHT73076-8B	SCREWDRIVER PHILLIPS	#3X300mm	5	100	89
62-267	STHT73077-8B	SCREWDRIVER PHILLIPS	#3X150mm	5	100	104
62-268	STHT73078-8B	SCREWDRIVER PHILLIPS	#3X200mm	5	100	110
62-269	STHT73079-8B	SCREWDRIVER PHILLIPS	#3X250mm	5	100	115
62-270	STHT73080-8B	SCREWDRIVER PHILLIPS	#3X300mm	5	100	119

FASTENING TOOLS- CUSHION GRIP2 SCREWDRIVER SETS



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
2-65-200	CUSHION GRIP 2PC SET -CARDED	PHILLIPS® #2 X 100MM, SLOTTED 6.5 X 100MM	1	12	282
2-65-242	CUSHION GRIP 6PC SET -CARDED	PHILLIPS® #1 X 100MM,PHILLIPS® #2 X 150MM, STANDARD PARALLEL 5X100MM, STANDARD PARALLEL 5X150MM, SLOTTED 6.5 X 150MM, SLOTTED 5X100MM	1	12	876

FASTENING TOOLS - 16 PCS. CUSHION GRIP SCREWDRIVER SET



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
68-0002C	16PCS CUSHION GRIP SCREWDRIVER SET PHILLIPS®: #1x100mm, #2x100mm, #2x150mm SLOTTED: 5x100mm, 6.5x100mm, 6.5x150mm TORX®: T6x80mm, T8x80mm, T15x80mm, T20x120mm PHILLIPS® PRECISION SCREWDRIVER: #0, #1 SLOTTED PRECISION SCREWDRIVER: 1.4, 2, 2.4, 3,4mm	1	10	2,688

FASTENING TOOLS - VDE SCREWDRIVER 6PC SET WITH BONUS (TESTER)



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
65-980	VDE 6 PC SET WITH BONUS TESTER SLOTTED 3X100MM, SLOTTED 4X100MM, SLOTTED 5.5X125MM, STANDARD PARALLEL 6.5X150MM, PHILLIPS® #1X80MM, PHILLIPS® #2X100MM	1	10	2,086

FASTENING TOOLS - 2-in-1 SCREWDRIVER



PART No.	NEW PART No.	DESCRIPTION	SIZE	BLADE LENGTH	PBQ	SBQ	Rs. EACH
66-432	STHT65450-8B	PHILLIPS	#2, 6.0X0.8mm	38mm	12	240	75
66-433	STHT65460-8B	PHILLIPS	#0, 3.5.0X0.5mm	55mm	12	240	49
66-434	STHT65461-8B	PHILLIPS	#1, 5.0X0.8mm	75mm	12	240	67
66-435	STHT65467-8B	PHILLIPS	#00, 2.3.0X0.4mm	60mm	12	240	49
66-436	STHT65468-8B	PHILLIPS	#1, 3.5X PHILLIPS#0,	200mm	12	240	78
66-437	STHT65469-8B	PHILLIPS	#2, 5.0X PHILLIPS#1	200mm	12	120	99
66-438	STHT65471-8B	PHILLIPS	#3, 6.0X PHILLIPS#2	200mm	12	72	139
66-439	STHT65472-8B	PHILLIPS	#2, 6.0X0.8mm,INSLTD,	250mm	12	120	88
66-446	STHT65473-8B	PHILLIPS	#2, 6.0X0.7mm	100mm	12	120	69
66-447	STHT65474-8	PHILLIPS	#2, 6.0X0.8mm	140mm	12	120	70
66-448	STHT65493-8B	PHILLIPS	#3, 8.0X0.9mm	140mm	12	72	125
66-449	STHT65494-8B	PHILLIPS	#2, 6.0X0.8mm	200mm	12	120	72

FASTENING TOOLS - 9 WAY SCREWDRIVER SET



Improved ergonomic design for maximum grip & torque
Chrome vanadium blade with tough hardened black oxide
Nickle plated bar for corrosion resistance
High quality, heat treated plated bars for lasting "pro" performance & rust resistance



Part No.	Description	Contents	PBQ	SBQ	Rs. EACH
62-511-22	SCREWDRIVER- 9 WAY	CUSHION GRIP RIVER SET, PHILLIPS® #0, #1, #2, STANDARD 1/8, 3/16, 1/4,1 AWL,1 TRACK PULLER, 1 HOOK DRIVER	6	24	683

FASTENING TOOLS - 6 WAY SCREWDRIVER



Part No.	Description	Contents	PBQ	SBQ	Rs. EACH
STHT68012-8	SCREWDRIVER 6 WAY, QUICK CHANGE	SLOTTED 1/4, 3/16 PHILLIPS® 1 Pt, 2PT NUT DRIVER 1/4, 5/6	6	24	340


FASTENING TOOLS- CUSHION GRIP MULTI BIT 2 WAY



Bi-material handle for comfortable grip
Larger handle for greater torque
Chrome plated bar for rust resistant
Magnetized Tips

PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
65-201	SCREWDRIVER MULTI BITS 2 WAY SLOTTED 6x100mm, PHILLIPS® #2x100mm	6	72	385

FASTENING TOOLS - 10PC MULTI-BIT RACHETING SCREWDRIVER



3 Way Audible Ratchet Patented Bit Storage

Bit storage system for easy visibility, access & security
Magnetic bit holder for quick, secure change-over of bits
Top quality, three position audible ratcheting mechanism forward, reverse
Supplied with 10 bits to suit a wide variety of purpose
Overall 254mm/10

PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
STHT68010-8	SCREWDRIVER MULTI BIT RATCHETING-10PCS. 1 & 2 POINT PHILLIPS®/POZIDRIVE® / ROBERTSON, 5 & 6.5mm SLOTTED , T10 & T15 TORX®	6	36	735

FASTENING TOOLS - 6PC PRECISION SCREWDRIVER SET



66-052



66-039

Attractive bi-material handles designed for easy & comfortable grip
Chrome vanadium steel bars in black oxide finished with hardened tips-HRC 53
Comes in 6 popular sizes

PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
66-039	PRECISION SCREWDRIVER SET 6PC-0 & 1 POINT PHILLIPS®, 1.4, 2, 2.4, 3mm - SLOTTED STEEL	12	72	285
66-052	PRECISION SCREWDRIVER SET BI-MATERIAL-0 & 1 POINT PHILLIPS®, 1.4, 2, 2.4, 3mm	6	72	287

FASTENING TOOLS - SCREWDRIVER INSERT BIT SET



68-071-23

68-075-23

Made from chrome-vanadium steel
Recommended for manual applications multi-bit screwdrivers

PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
68-071-23	SCREWDRIVER INSERT BIT 29PCS SET - PHILLIPS® #1,#2,#2.3 POZIDRIVE® PZ1,PZ2,PZ3,S2 SLOTTED 6/8, 8/10, 10/12 TORX® T5, T20, T25, T30 , HEX 3/32, 1/8, 5/32, S1, S2, S3 NUT DRIVER: 3/16, 1/4, 5/16, 11/32, 3/8, BIT HOLDER	6	36	334
68-075-23	SCREWDRIVER INSERT BIT 36PCS SET - PHILLIPS® #1,#1.2,#2,#3, POZIDRIVE® PZ0, PZ1, PZ1,PZ2, PZ2,PZ3, S0, S1, S1,S2,S2,S3 SLOTTED 1/8, 3/16, 1/4, 7/32 TORX® T10,T15,T20,T25,T27,T30 HEX 1/16, 1/8, 5/32, 3/16, 7/32, 1/4	6	36	326

FASTENING TOOLS - MULTI TESTER



Direct detection 12V-220V AC/Dc live objects
Dispense with battery, economic benefits
Rapid induction voltage testing & LED display
CE certification by the EC

PART No.	DESCRIPTION	MEASURING RANGE	PBQ	SBQ	Rs. EACH
66-137	DIGITAL DETECTION SCREWDRIVER	12V-220V	12	240	131

FASTENING TOOLS- SPARK DETECTING SCREWDRIVER



66-120

STHT72991-8

STHT72992-8



Test range of 100-500V
Pocket size model c/w clip
Attractive PP card packaging

PART No.	DESCRIPTION	O/A LENGTH	TIP WIDTH	PBQ	SBQ	Rs. EACH
STHT72991-812	LINESMAN TESTER - DIY	127mm	3.5mm	20	240	50
STHT72992-812	LINESMAN TESTER - PRO	133mm	3.5mm	20	240	57
66-120	SPARK DETECTING S/D 100-500V	178mm/ 7 1/2	5mm	20	480	68


LINESMAN TESTER

- Safe & Durable
- Insulated single over mould body for longer life.




Elastic clip with tilted angle easy to clip on the pocket

100-500V



Transparent color easy to see light through

Hexagonal shape provides better gripping



Indication for Isolation for safeuse



STANLEY Tester PRO

STHT72992-812

Tip width 3.5mm
Overall length 133 mm

STANLEY Tester DIY

STHT72991-812

Tipwidth 3.5mm
Overall length 128mm

Certificate of Safety



NEW

QUALITY MATERIALS FOR HIGH PERFORMANCE PROFESSIONAL HEX

Attentively engineered, the STANLEY® Hex Key range comes conveniently grouped into sets or as multiples of the same size for common tasks. Hex or Torx drive options are perfectly suited to typical repair and maintenance situations.

Manufactured from S2 grade steel with a choice of short or long variants, spherical head options and up to 25° work angles, you can be sure that these ANSI certified products will live up to expectations.



S2 S2 Steel material



Hex Head




Spherical Head Allows for 25° working angle



TorxHead



FASTENING TOOLS - KEY SETS



69-251-22

69-256-22



69-260-22

69-213-22

PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
69-213-22	HEX KEY SET-RING, 10PCS, METRIC 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	6	72	213
69-230-22	HEX KEY SET-RING, 10PCS, IMPERIAL 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	12	72	216
69-251-22	HEX KEY SET, 8PCS, METRIC 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	12	72	191
69-253-22	HEX KEY SET 10PC MET 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	12	72	264
69-256-22	HEX KEY SET, 9PCS, METRIC, L/ARM BALL 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm Ball Tips	6	36	676
69-257-22	HEX KEY SET, 12PCS, IMPERIAL, L/ARM 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 Ball Tips	6	36	759
69-259-22	HEX KEY SET, 9PCS, IMPERIAL, FOLDING 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4	12	72	388
69-260-22	HEX KEY SET, 5PCS, IMPERIAL, FOLDING 3/16, 7/32, 1/4, 5/16, 3/8	12	48	560
69-261-22	HEX KEY SET, 7PCS, METRIC, FOLDING 1.5, 2, 2.5, 3, 4, 5, 6mm	12	72	304

FASTENING TOOLS - 12PC IMPERIAL BALL END HEX KEY SET - LONG



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
94-163-23	12PCS. LONG BALL POINT HEX KEY - 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	6	48	1,145

FASTENING TOOLS - 12 PC IMPERIAL HEX KEY SET - EXTRA LONG



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
94-161	12PCS. IMPERIAL HEX KEY SET - EXTRA LONG - 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	6	48	1,108

FASTENING TOOLS - 9 PC METRIC BALL END HEX KEY SET - EXTRA LONG



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
94-158	9PCS. EXTRA LONG HEX KEY SET (METRIC) - 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6	48	1162

FASTENING TOOLS - 9 PC METRIC BALL END HEX KEY SET - LONG



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
94-162	9PCS. EXTRA LONG HEX KEY SET (METRIC) - 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6	48	925

FASTENING TOOLS - 9 PC Torx® KEY SET



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
92-625	9PCS TORX KEY SET -T10,T15,T20,T25,T27,T30,T40,T45,T50	6	48	131

FASTENING TOOLS - 8 PC TAMPER PROOF Torx® KEY SET



PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
92-624	8PC, LONG L-TYPE TAMPERPROOF TORX KEY - T6, T7, T8, T9, T10, T15, T20, T25	12	72	925

FASTENING TOOLS - METRIC BALL END HEX KEY - LONG



PART No.	DESCRIPTION	INCREASED LEN	INCREASED DIA.	SIZE	PBQ	SBQ	Rs. EACH
94-102	HEX KEY BALL END	98.5mm	19mm	3mm	72	864	72
94-103	HEX KEY BALL END	104mm	24mm	4mm	72	432	91
94-104	HEX KEY BALL END	116mm	27mm	5mm	72	432	108
94-106	HEX KEY BALL END	138mm	31mm	6mm	72	432	140
94-108	HEX KEY BALL END	158mm	5mm	8mm	72	288	179

FASTENING TOOLS - METRIC HEX KEY - LONG



PART No.	DESCRIPTION	INCREASED LEN	SIZE	PBQ	SBQ	Rs. EACH
94-149	12mmLONG HEX KEY	209mm	12mm	18	72	248
94-150	14mmLONG HEX KEY	233mm	14mm	12	48	369
94-151	16mmLONG HEX KEY	240mm	16mm	12	48	491
94-152	17mmLONG HEX KEY	246mm	17mm	6	24	566
94-153	18mmLONG HEX KEY	261mm	18mm	6	24	726
94-154-23	19mmLONG HEX KEY	276mm	19mm	6	24	797
94-156	24mmLONG HEX KEY	330mm	22mm	1	12	2,086
94-157	27mmLONG HEX KEY	370mm	24mm	1	12	2,927

FASTENING TOOLS - METRIC BALL END HEX KEY - EXTRA LONG



Part No.	Description	Size	Increased Length	Short Length Dia.	PBQ	SBQ	Rs. EACH
94-080-23	BALL END HEX KEY	2mm	99mm	15mm	72	864	72
94-081-23	BALL END HEX KEY	2.5mm	111mm	17mm	72	864	80
94-088-23	BALL END HEX KEY	10mm	223mm	39mm	36	72	276

FASTENING TOOLS - METRIC 2 WAY T-HANDLE HEX KEY



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
94-346	2-WAY T-HDL HEX KEY	4.0mm	12	144	261
94-347	2-WAY T-HDL HEX KEY	5.0mm	12	144	286
94-348	2-WAY T-HDL HEX KEY	6.0mm	12	72	389
94-350	2-WAY T-HDL HEX KEY	8.0mm	12	72	413

FASTENING TOOLS- MaxSteel™ C Clamps



High-visibility, corrosion-resistant finish
 Advanced frame design resists flexing & bending
 Heavy-duty malleable iron & steel construction
 Roll-formed screw threads ensure smooth operation & durability
 Oversized "T" handle for extra torque

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
83-031K	C CLAMP	25mm x 30mm	1 x 1 3/16	30	139
83-032K	C CLAMP	50mm x 33mm	2 x 1 5/16	20	198
83-033K	C CLAMP	75mm x 57mm	3 x 2 1/4	12	363
83-034K	C CLAMP	100mm x 75mm	4 x 3	12	523
83-035K	C CLAMP	150mm x 89mm	6 x 3 1/2	8	836

FASTENING TOOLS- SOLDERING IRON



Suitable for soldering light gauge wires, thin metals and hobby work
Reaches working temperature in 12 seconds
Comes with 2 soldering tips

PART No.	DESCRIPTION	POWER	PIN HEAD	PBQ	SBQ	Rs. EACH
69-031B	SOLDERING IRON	30W/220V	ROUND PIN	1	20	486

FASTENING TOOLS- RIVETERS



Versatile tool for joining sheet metal, fabrication, leather, plastic parts etc
Spring loaded handle ejects rivets stem
All steel body with non-slip grip & wrench for changing nose pieces
69-799 body is nickel plated

PART No.	DESCRIPTION	RIVET SIZE	PBQ	SBQ	Rs. EACH
69-646-22	RIVETER MEDIUM DUTY, C/W 3 NOSE PIECES	1/8, 5/32, 3/16	5	30	906
69-799-22	RIVETER-HEAVY DUTY, C/W 4 NOSE PIECES	3/32, 1/8, 5/32, 3/16	6	24	1,207

FASTENING TOOLS - GluePro™ TRIGGER FEED HOT MELT GLUE GUN



PART No.	DESCRIPTION	POWER	GLUE STICK SIZE	PBQ	SBQ	Rs. EACH
69-GR20B	GLUE-REG GUN ROUND PIN	100-240V CE	GS20DT / 25DT / GS260 / GS500	6	24	733

STANLEY.

MEASURING & LAYOUT TOOLS



MEASURING TAPE & MEASURING WHEELS

TORPEDO, BOX, I-BEAM LEVELS

CHALK LINE REEL & REFILL



TECHNOLOGY THAT **LIVES** THROUGH THE **AGES**

The power of creation has never been as pronounced as the STANLEY® range of electronics. Lasers and flashlights are but the tip of the iceberg on how far applied science has helped push STANLEY® to the head of the pack.

LASER DISTANCE MEASURER



STANLEY® products are designed and engineered by top minds around the world. No matter what you need, you will find STANLEY® laser products ranging from live wire detection, stub detection, distance measurement, and laser line marking.

MEASURING TOOLS & LAYOUTS - TLM165 LASER DISTANCE MEASURER



Increased 50m range
Toe end piece for accurate positioning
backlit 2 line display
5 memory storage function
Additional / subtraction calculator
Include storage pouch

PART No.	DESCRIPTION	TYPE(dot/line/rotary)	ACCURACY (dot)	WORKING RANGE	IP RATING	Rs. EACH
STHT-77139	TLM165 LASER DISTANCE MEASURER	dot	+1,5mm	0,1 - 50m	Ip54	10011

MEASURING TOOLS & LAYOUTS- TLM65 LASER DISTANCE MEASURER



20m range ideal for DIY use.
One touch operation
Point, click, measure: a quick and easy to use model with distance, area and volume functions

PART No.	DESCRIPTION	TYPE(dot/line/rotary)	ACCURACY (dot)	WORKING RANGE	IP RATING	Rs. EACH
STHT-77032	TLM65 LASER DISTANCE MEASURER	dot	+3,0mm	0,21 - 20m	Ip40	5680

MEASURING TOOLS & LAYOUTS - MEASURING TAPE



With Blister Packaging

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
STHT30436	Global Power Return Tape (With Blister Pack)	3M X 12.7mm	6	36	265
STHT30437	Global Power Return Tape (With Blister Pack)	5M X 19mm	6	36	402
STHT30439	Global Power Return Tape Metric Only (With Blister Pack)	3M X 12.7mm	6	36	265

MEASURING TOOLS & LAYOUTS- 318mm/ 12 MEASURING WHEEL



12" aluminium wheel counts up to 10,000 feet (1000m) with convenient push-button reset
2-section snap-lock handle with ergonomic handle
Built-in kickstand

PART No.	DESCRIPTION	WHEEL SIZE	PBQ	SBQ	Rs. EACH
1-77-174	MW408, MEASURING WHEEL	318mm-12	1	6	3,214

MEASURING TOOLS & LAYOUTS - FatMax Xtreme 180° ADJUSTABLE TORPEDO LEVEL - MAGNETIC



Aluminium moulded ruler body durable
Durable vials high precision 0.0005in/in. (0.5mm/M)
180° rotary vials can be used in multi-angle
Self strap large vials increased visibility
The special channel ditch facilitate a smooth circular surface use
Fringe magnet can absorb metal surface work
Life long accuracy guarantee

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
43-609	FATMAX XTREME TPD LEVEL	225mm-9	6		2,259

MEASURING TOOLS & LAYOUTS - CONTRACTOR Grade™ ALUMINIUM TORPEDO LEVEL - MAGNETIC



Combines accuracy & light weight, ideal for all small installations
3 vials: Horizontal, plumb & 45°

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
42-465	LEVEL TORPEDO MAGNETIC	225mm-9	6		498

MEASURING TOOLS & LAYOUTS - PLASTIC TORPEDO LEVEL - MAGNETIC



High impact ABS plastic for durability
Handy & economical
3 vials: Horizontal plumb & 45°

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
42-264	LEVEL JOBMASTER TORPEDMAGNETIC	225mm / 9	6		279

MEASURING TOOLS & LAYOUTS - STANLEY CLASSIC BOX LEVELS



New shape box design
Block magnified central vial
Large tubular side vials
Vial Accuracy: 0,5mm/m
Benefits: Easier to read, More durable in case of shocks, More ergonomical, Easy to clean after use

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
STHT1-43118	STANLEY CLASSIC BOX LEVEL	300mm / 12	10		652
STHT1-43103	STANLEY CLASSIC BOX LEVEL	600mm / 24	10		917
STHT1-43105	STANLEY CLASSIC BOX LEVEL	1000mm / 36	10		1,369
STHT1-43106	STANLEY CLASSIC BOX LEVEL	1200mm / 48	10		1,744

MEASURING TOOLS & LAYOUTS - I-BEAM LEVELS - TOP BEAD



Durable lightweight aluminium construction suite to all purpose use
Pipe groove allows use on round objects
Top-read center vial designed for easy readability
Yellow vial for increased visibility and readability
Shock absorbing end caps hold up to heavy use
Hang hole simplifies storage
Replaceable 360° vials & cover
Comfortable hand holes on 24" & 48" levels for easy handling

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
42-072	LEVEL I-BEAM	300mm / 12	10		404
42-074	LEVEL I-BEAM	600mm / 24	5		852
42-075	LEVEL I-BEAM	900mm / 36	5		1,324
42-076	LEVEL I-BEAM	1200mm / 48	5		1,928

MEASURING TOOLS & LAYOUTS - Stanley® W/BUE CHALK LINE LEVEL



Kit contains 30m chalk line, 113g blue chalk
High impact ABS case for durability
Sliding door for quick & easy refill
Stainless steel end hook does not rust
1 oz Chalk Capacity
Can be used vertically as a plumb bob

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
47-443	STANLEY W/BUE CHALK AND LINE	30m / 100	2	6	568

MEASURING TOOLS & LAYOUTS - Stanley® CHALK LINE REEL



On-board hook storage
High impact ABS case for durability
Sliding door for quick & easy refill
Stainless steel end hook for added durability & rust prevention
1oz. chalk capacity

PART No.	DESCRIPTION	PBQ	SBQ	Rs. EACH
47-440	STANLEY CHALK LINE 30M	6	24	385

STANLEY.

HAMMERS CHISELS & PUNCHES



CLAW HAMMERS

SOFT FACE HAMMERS, RUBBER MALLET

BALL PEIN & SLEDGE HAMMERS



POUND NAILS NOT ARMS



HAMMERS

STANLEY® has offered the world a great selection of striking tools for over 150 years, securing its place as one of the world's premier makers of high quality hammers. Extensive tests for quality control are conducted on each product range, giving users the best in safety and efficiency. Major technological advances have been made, including striking accuracy, reduced arm torsion and decreased arm damaging vibrations.

TERMINOLOGY OF HAMMER



TYPES OF HAMMERS

Hammers are usually described by their head shape and head weight



CLAW HAMMER

Driving and pulling common nails
*NOT masonry nails



BALL PEIN HAMMER

Used by engineers to strike a cold chisel when cutting metal or to bend and shape metal



FACE MALLET

Striking metal against metal
without surface damage



RUBBER MALLET

For use on soft surfaces that need to be protected such as wooden floors, tiles and furniture surfaces

STRIKING TOOLS - CLAW HAMMER



PART No.	DESCRIPTION	WEIGHT	PBQ	SBQ	Rs. EACH
51-152	CLAW HAMMER STEEL SHAFT	220gms / 8	6	48	279
51-158	CLAW HAMMER STEEL SHAFT	560gms / 20	6	24	482

STRIKING TOOLS - WOOD HANDLE NAIL HAMMER



PART No.	DESCRIPTION	WEIGHT	PBQ	SBQ	Rs. EACH
51-159	Wood Handle Nail Hammer	450gms/ 16	6	24	403

STRIKING TOOLS - FIBREGLASS NAIL HAMMER



PART No.	DESCRIPTION	WEIGHT	PBQ	SBQ	Rs. EACH
51-186	FIBREGLASS NAIL HAMMER	450gms / 16	6	24	446
51-187	FIBREGLASS NAIL HAMMER	560gms / 20	6	24	525

STRIKING TOOLS - CAMP AXE



PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
54-105	CAMP AXE STEEL SHAFT	560gms / 20	6	24	593

STRIKING TOOLS - BALL PEIN HAMMER



PART No.	DESCRIPTION	WEIGHT	PBQ	SBQ	Rs. EACH
54-106	BALL PEIN HAMMER	110gms/ 4	6	96	212
54-107	BALL PEIN HAMMER	220gms/ 8	6	48	289
54-111	BALL PEIN HAMMER	340gms/ 12	6	36	348
54-114	BALL PEIN HAMMER	450gms/ 16	6	24	449
54-115	BALL PEIN HAMMER	680gms/ 24	4	8	580
54-118	BALL PEIN HAMMER	900gms/ 32	4	8	685

STRIKING TOOLS - SOFT FACE HAMMER



Hammer body using high grade carbon steel forging result in high strength.
Hammer head assembled using polyester materials, Soft semitransparent, appropriate hardness will not be deformed, disintegrate.
Hammerhead be replaced, percussion-resistant, anti-oil, anti-skid, non-combustible.

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
57-054	SOFT FACE HAMMER W/WOOD HANDLE,	22mm	6	60	637
57-055	SOFT FACE HAMMER W/WOOD HANDLE,	28mm	6	36	719
57-056-23	SOFT FACE HAMMER W/WOOD HANDLE,	35mm	6	36	977
57-057	SOFT FACE HAMMER W/WOOD HANDLE,	45mm	6	24	1,701

STRIKING TOOLS - Compo-Cast® STANDARD HEAD SOFT FACE HAMMERS



Non sparking soft face hammers
No exposed metal
Soft face doesn't mar surfaces or equipment
Steel reinforced handles provide added strength & safety resist breaking on overstrike

PART No.	DESCRIPTION	FACE DIA.	HEAD LEN	O/A LEN	WT.	PBQ	SBQ	Rs. EACH
57-531	HAMMER COMPO CAST STD SOFTFACE,	40mm	95mm	286mm	510GM-18	4		2,341
57-532	HAMMER COMPO CAST STD SOFTFACE,	45mm	103mm	327mm	595GM-21	4		2,502

STRIKING TOOLS - RUBBER MALLETS



For striking blows where steel hammers would mar or damage surface

PART No.	DESCRIPTION	HEAD LENGTH	WEIGHT	PBQ	SBQ	Rs. EACH
57-527	RUBBER MALLET HAMMER	350mm	450GM-16	6	36	257
57-528	RUBBER MALLET HAMMMER	350mm	680GM-24	6	24	308

STRIKING TOOLS- SLEDGE HAMMER WITH HICKORY HANDLE



PART No.	DESCRIPTION	WEIGHT	PBQ	SBQ	Rs. EACH
95IB56400E	SLEDGE HAMMER HICKORY HANDLE	1.36kgs / 3	4	16	769
95IB56401E	SLEDGE HAMMER HICKORY HANDLE	1.81kgs / 4	4	8	965
95IB56608E	SLEDGE HAMMER HICKORY HANDLE	3.62 kgs / 8	4	4	2,171
95IB56612E	SLEDGE HAMMER HICKORY HANDLE	5.44 kgs / 12	2	2	2,992
95IB56614E	SLEDGE HAMMER HICKORY HANDLE	6.35 kgs / 14	2	2	3,315

STRIKING TOOLS - 3 PCS. WOOD CHISEL SET



Durable precision ground cutting edges
Blades uniformly hardened for full length use
Blades are also heat tempered & lacquer coated to prevent rust

PART No.	DESCRIPTION & CONTENTS	PBQ	SBQ	Rs. EACH
16-089	WOOD CHISEL SET, 3 PCS - 1/2 x 7 3/4, 3/4 x 7 3/4, 1 x 7 3/4	5	30	555

STRIKING TOOLS- CENTER PUNCH



Used for marking metal or making indentations for starting drill holes
One piece construction forged tempered tool steel for strength
Hardened & tempered for long life

PART No.	DESCRIPTION	SIZE	PBQ	SBQ	Rs. EACH
16-228	CENTER PUNCH, 8mm-5/16 X 115mm-4 1/2		3	24	131



“WHEN I TOLD MY TEAM THAT WE WERE UPGRADING OUR TOOL KITS TO STANLEY PRODUCTS, YOU CANNOT IMAGINE THE WAVES OF EXCITEMENT THAT RIPPLED THROUGH EVERYONE. WE KNOW THAT THE QUALITY OF OUR TOOLS REFLECTS THE PROFESSIONALISM OF OUR DUTY.”

STANLEY®

HYDRAULIC
TOOLS



BOTTLE JACKS

HYDRAULIC TOOLS- HYDRAULIC BOTTLE JACK



Lifting height range from 7-1/8 to 14-12 (181-370mm)
 Capacity range from 8000kg to 50000 kg (8 ton - 50 ton)
 Precise hydraulic assembly and piston for fine maximum adjustment
 Heavy-duty construction for extra strength and safety
 Safety bypass flow valve
 Adjustable screw top with lifting cap grooved for improved load gripping
 Meet CE Specifications
 Innovative design offers a quicker lift for professional performance in Automotive / General Industry application

PART No.	DESCRIPTION	CAPACITY	LIFTING HEIGHT		N.W G.W KG	PBQ	SBQ	Rs. EACH
			MIN.	MAX.				
ST90801CE	BOTTLE JACK	8000kg/ 8	230	457	6.3 / 6.6	1	4	2,901
ST92001CE	BOTTLE JACK	20000kg/ 20	242	452	11.5 / 11.9	1	2	4,821
ST-93001CE	BOTTLE JACK	30000kg/ 30	285	465	21 / 21.7	1	1	12,361
ST-95001CE	BOTTLE JACK	50000kg/ 50	300	485	34	1	1	17,388

AVT100A

EVT600A


EVT3000A


HVT5000

GVT8400



BRITTOOL 3/8, 1/2, 3/4 & 1 SQUARE DRIVE
 STANLEY RATCHETING TYPE 3/8 & 1/2 DRIVE
 Torque Wrenches





Convert 10 ft.lb to N.m, 10ft.lb x 1.35 = 13.5 N.m

Torque Measurement Conversion Chart

TO CONVERT FROM	TO CONVERT TO								
	mN.m	cN.m	N.m	daN.m	cm.kg	m.kg	in.oz	in.lb	ft.lb
	millinewton metre	centinewton metre	newton metre	decanewton metre	centimetre kg	metre kg	inch-ounce	inch-pound	foot-pound
1mN.m	1	0.1	0.001	0.0001	0.0102	0.000102	0.1418	0.00886	0.000738
1cN.m	10	1	0.01	0.001	0.102	0.00102	1.418	0.0886	0.00738
1N.m	1000	100	1	0.1	10.2	0.102	141.8	8.863	0.738
1daN.m	10000	1000	10	1	10.2	1.02	1418	88.63	7.38
1cm.kg	98	9.8	0.098	0.0098	1	0.01	13.9	0.869	0.0724
1m.kg	9810	981	9.81	0.98	100	1	1390	86.90	7.24
1in.oz	7.05	0.705	0.00705	0.0007	0.072	0.0072	1	0.063	0.0052
1in.lb	112.8	11.28	0.1128	0.01128	1.152	1.0115	16	1	0.083
1ft.lb	1350	135	1.35	0.135	13.8	0.138	192	12	1

TORQUE WRENCHES- 3/8 CLASSIC



Part No.	Description	Torque Range	Length	PBQ	SBQ	Rs. EACH
AVT100A	3/8 Sq. Dr. Torque Wrench	2.5-11nm	318mm	1	8	11,263
AVT300A	3/8 Sq. Dr. Torque Wrench	5-33nm	422mm	1	4	11,440

TORQUE WRENCHES- 1/2 CLASSIC



Part No.	Description	Torque Range	Length	PBQ	SBQ	Rs. EACH
EVT600A	1/2 Sq. Dr. Torque Wrench	12-68nm	476mm	1	4	11,979
EVT1200A	1/2 Sq. Dr. Torque Wrench	25-135nm	546mm	1	2	12,721
EVT2000A	1/2 Sq. Dr. Torque Wrench	50-225nm	597mm	1	2	13,271
EVT3000A	1/2 Sq. Dr. Torque Wrench	70-330nm	825mm	1	4	15,078

TORQUE WRENCHES- 3/4 & 1 CLASSIC



Part No.	Description	Torque Range	Length	PBQ	SBQ	Rs. EACH
HVT5000	3/4 SQ. DR. TORQUE WRENCH	140-560nm	1130mm	1		36,673
HVT7200	3/4 SQ. DR. TORQUE WRENCH	200-810nm	1181mm	1		37,479
GVT8400	1 SQ. DR. TORQUE WRENCH	480-940nm	1397mm	1		58,318

TORQUE WRENCHES- 3/8 & 1/2 RATCHETING TYPE

STANLEY



Strong Ratchet Mechanism - 5° minimum working arc
Window Scale, Slim head with Aluminium handle
Positive lock - preventing accidental adjustment whilst in use
Exceeds the requirements of ISO 6789

Part No.	Description	Torque Range	Length	PBQ	SBQ	Rs. EACH
STMT73588-E	3/8 Sq. Dr. Torque Wrench	10-50nm	409mm	1	6	7,802
STMT73590-E	1/2 Sq. Dr. Torque Wrench	40-200nm	519mm	1	6	8,562
STMT73591-E	1/2 Sq. Dr. Torque Wrench	60-340nm	610mm	1	4	9,375



TORQUE CONTROL GUIDE



Tightening torque and tensile load

- Application of the correct force (tensile load) is essential for a reliable assembly :
 - under-tight fasteners can work loose.
 - over-tight fasteners may distort components to be connected or shear the fastener.
- Tensile load depends on tightening torque applied to the fastener and the friction coefficient.

3. Tightening torque (Cs).

Torque values are listed in Newton-meters (Nm) for each type of fastener. In the example given, the fastener would be tightened to a torque of 36 Nm.



Tensile load (Fo)

The force in Newtons (N) which maintains pressure contact between assembled components.

Tightening torque (Cs)

The product of a force and the leverage length at which it is applied : Torque (N.m) = Force (in Newtons) x length (in metres).

Tightening torque table :

Torque values are given for 85 % fastener yield strength (documentation E 25-030).

1. Friction coefficient

Choose the appropriate table according to type of fasteners used (0.10, 0.15, or 0.20).

Example : $\mu = 0.10$.

2. Fastener grade

The grade of a fastener denotes its quality (best is 12.9).

Check the appropriate column for the fasteners used.

Example : fastener dia. 10, fastener grade 8.8

CONVERSION TABLE

The Internationally accepted unit is the Newton-meter (Nm)

1. To convert Nm

- Newton-metres to Kilogramme-force metres : 1 Nm = 0.102 kgf.m
- Newton-metres to Pound-force feet : 1 Nm = 0.738 lbf.ft
- Newton-metres to Pound-force inches : 1 Nm = 8.851 lbf.in
- Newton-metres to Ounce-force inches : 1 Nm = 141.61 ozf.in

2. To convert kgf.m

- Kilogramme-force metres to Newton-metres : 1 kgf.m = 9.81 Nm
- Kilogramme-force metres to Pound-force feet : 1 kgf.m = 7.23 lbf.ft
- Kilogramme-force metres to Pound-force inches : 1 kgf.m = 86.8 lbf.in

3. To convert lbf.ft

- Pound-force feet en Newton-metres : 1 lbf.ft = 1.35 Nm
- Pound-force feet to Kilogramme-force metres : 1 lbf.ft = 0.138 kgf.m
- Pound-force feet to Pound-force inches : 1 lbf.ft = 12 lbf.in

4. To convert lbf.in

- Pound-force inches to Newton-metres : 1 lbf.in = 0.1129 Nm
- Pound-force inches to Kilogramme-force metres : 1 lbf.in = 0.0115 kgf.m
- Pound-force inches to Pound-force feet : 1 lbf.in = 0.083 lbf.ft
- Pound-force inches to Ounce-force inches : 1 lbf.in = 16 ozf.in

$\mu = 0.10$ tightening torques for phosphated or galvanized fasteners with full lubrication ($\mu =$ average friction coefficient)

d mm	hm QVQ		Steel fastener grades to ISO 898-1															
	ISO mm	mm	5.6		5.8		6.8		8.8		9.8		10.9		12.9			
			Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo		
1.6**	0.35	3.2	0.060	260	0.084	364	0.096	416	0.128	555	0.144	624	0.189	815	0.221	954		
2**	0.40	4	0.126	432	0.177	604	0.202	690	0.270	921	0.303	1 036	0.396	1 352	0.463	1 582		
2.5**	0.45	5	0.261	718	0.365	1 006	0.417	1 150	0.556	1 533	0.626	1 724	0.82	2 251	0.96	2 634		
3	0.50	5.5	0.44	1 077	0.62	1 508	0.71	1 724	0.95	2 298	1.09	2 586	1.40	3 376	1.64	3 951		
4	0.70	7	1.03	1 868	1.44	2 615	1.65	2 988	2.20	3 985	2.49	4 484	3.23	5 853	3.78	6 849		
5	0.80	8	2.03	3 053	2.85	4 275	3.25	4 885	4.34	6 514	4.92	7 335	6.3	9 568	7.4	11 196		
6	1	10	3.53	4 310	4.95	6 034	5.6	6 896	7.5	9 195	8.53	10 336	11	13 506	12.9	15 805		
8	1.25	13	8.5	7 904	11.9	11 066	13.6	12 647	18.2	16 863	20.63	18 968	26	24 768	31	28 984		
10	1.50	16	16.8	12 580	23	17 612	27	20 128	36	26 838	41	30 197	52	39 418	61	46 128		
12	1.75	18	29	18 337	40	25 672	46	29 339	62	39 119	70	44 022	91	57 457	106	67 236		
14	2	21	46	25 175	65	35 245	74	40 280	99	53 707	111	60 251	145	78 882	170	92 309		
16	2	24	71	34 597	100	48 436	115	55 356	153	73 808	173	83 165	225	108 406	263	126 858		
18	2.5	27	99	42 094	139	58 932	159	67 351	220	92 440			313	131 897	366	154 348		
20	2.5	30	140	54 059	196	75 682	225	86 494	311	119 003			440	169 385	515	198 216		
22	2.5	34	192	67 511	269	94 515	307	108 017	424	148 374			602	211 534	704	247 540		
24	3	36	241	77 845	338	108 983	387	124 552	534	171 437			758	243 914	887	285 432		
27	3	41	355	102 393	498	143 350	569	163 829	784	225 110			1 114	320 832	1 304	375 442		
30	3.5	46	483	124 491	677	174 287	773	199 185	1 067	274 030			1 515	390 072	1 773	456 467		
33	3.5	50	653	155 083	915	217 116	1 046	248 132	1 442	341 347			2 048	485 926	2 397	568 637		
36	4	55	841	182 032	1 177	254 845	1 346	291 252	1 855	400 571			2 636	570 369	3 085	667 453		
39	4	60	1 088	218 667	1 523	306 135	1 741	349 868	2 399	481 158			3 410	685 159	3 990	801 782		
42**	4.5	65	1 348	250 311	1 887	350 435	2 156	400 497	2 965	550 683			4 223	784 306	4 941	917 805		
45**	4.5	70	1 681	292 970	2 353	410 158	2 690	468 752	3 698	644 534			5 267	917 973	6 164	1 074 223		
48**	5	75	2 032	329 254	2 845	460 956	3 251	526 807	4 470	724 359			6 367	1 031 663	7 450	1 207 265		
52**	5	80	2 608	395 006	3 651	553 008	4 172	632 009	5 737	869 013			8 171	1 237 685	9 562	1 448 354		
56**	5.5	85	3 255	456 159	4 557	638 622	5 208	729 854	7 161	1 003 549			10 199	1 429 298	11 935	1 672 582		
60**	5.5	90	4 032	532 893	5 645	746 050	6 451	852 629	8 871	1 172 365			12 634	1 669 732	14 785	1 953 941		
64**	6	95	4 856	602 793	6 798	843 911	7 769	964 470	10 683	1 326 146			15 215	1 888 753	17 805	2 210 243		

Grade 8-8a up to d=16 mm, 8-8b above d=18 mm



TORQUE CONTROL GUIDE



m = 0.15 tightening torques for coated or bright fasteners fitted dry (m = average friction coefficient)

d mm	ISO mm	mm	Steel fastener grades to ISO 898-1															
			5.6		5.8		6.8		8.8		9.8		10.9		12.9			
			Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo		
1.6**	0.35	3.2	0.075	234	0.105	327	0.120	374	0.160	499	0.180	561	0.235	732	0.275	857		
2**	0.40	4	0.159	388	0.222	544	0.254	621	0.339	829	0.381	932	0.498	1 217	0.582	1 424		
2.5**	0.45	5	0.330	648	0.463	907	0.529	1 036	0.705	1 382	0.793	1 555	1.04	2 030	1.21	2 375		
3	0.50	5.5	0.57	972	0.80	1 362	0.91	1 556	1.21	2 075	1.38	2 335	1.79	3 048	2.09	3 567		
4	0.70	7	1.30	1 685	1.83	2 359	2.09	2 696	2.78	3 594	3.16	4 044	4.09	5 279	4.79	6 178		
5	0.80	8	2.59	2 759	3.62	3 862	4.14	4 414	5.5	5 886	6.27	6 626	8.1	8 645	9.5	10 116		
6	1	10	4.49	3 891	6.2	5 448	7.1	6 226	9.5	8 302	10.84	9 334	14.0	12 194	16.4	14 269		
8	1.25	13	10.9	7 145	15.2	10 003	17.4	11 432	23	15 242	26.34	17 146	34	22 388	40	26 198		
10	1.50	16	21	11 379	30	15 930	34	18 206	46	24 275	52	27 313	67	35 655	79	41 724		
12	1.75	18	37	16 594	52	23 231	59	26 550	79	35 401	90	39 835	116	51 995	136	60 845		
14	2	21	59	22 789	83	31 905	95	36 463	127	48 618	143	54 570	187	71 408	219	83 563		
16	2	24	93	31 385	130	43 939	148	50 216	198	66 955	224	75 422	291	98 340	341	115 079		
18	2.5	27	128	38 123	179	53 373	205	60 998	283	83 746			402	119 454	471	139 787		
20	2.5	30	182	49 039	254	68 655	291	78 463	402	107 941			570	153 657	667	179 811		
22	2.5	34	250	61 326	350	85 857	400	98 123	552	134 806			783	192 157	917	224 865		
24	3	36	313	70 616	438	98 863	500	112 986	691	155 489			981	221 266	1 148	258 928		
27	3	41	463	93 042	649	130 259	741	148 868	1 022	204 577			1 452	291 534	1 700	341 157		
30	3.5	46	628	113 045	880	158 263	1 005	180 872	1 387	248 811			1 969	354 209	2 305	414 500		
33	3.5	50	854	141 009	1 195	197 412	1 366	225 614	1 884	310 343			2 676	441 828	3 132	517 033		
36	4	55	1 096	165 409	1 534	231 573	1 754	264 655	2 418	363 974			3 435	518 282	4 020	606 501		
39	4	60	1 424	198 910	1 994	278 474	2 279	318 257	3 139	437 669			4 463	623 253	5 223	729 339		
42**	4.5	65	1 760	227 588	2 464	318 624	2 816	364 141	3 872	500 694			5 515	713 110	6 453	834 491		
45**	4.5	70	2 203	266 613	3 085	373 258	3 525	426 580	4 847	586 548			6 903	835 386	8 079	977 579		
48**	5	75	2 659	299 530	3 722	419 342	4 254	479 248	5 849	658 966			8 330	938 528	9 748	1 098 277		
52**	5	80	3 425	359 684	4 795	503 558	5 480	575 495	7 335	791 306			10 731	1 127 011	12 558	1 318 843		
56**	5.5	85	4 270	415 172	5 978	581 240	6 832	664 275	9 394	913 378			13 379	1 300 871	15 656	1 522 296		
60**	5.5	90	5 306	485 416	7 428	679 583	8 490	776 666	11 673	1 067 916			16 625	1 520 971	19 455	1 779 860		
64**	6	95	6 382	548 969	8 935	768 556	10 212	878 350	14 041	1 207 731			19 998	1 720 102	23 402	2 012 885		

m = 0.20 tightening torques for black or galvanised fasteners with minimal lubrication (as supplied) (m = AVERAGE friction coefficient)

d mm	ISO mm	mm	Steel fastener grades to ISO 898-1															
			5.6		5.8		6.8		8.8		9.8		10.9		12.9			
			Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo		
1.6**	0.35	3.2	0.086	210	0.120	294	0.137	335	0.183	447	0.206	503	0.269	657	0.315	769		
2**	0.40	4	0.183	349	0.256	488	0.293	558	0.390	744	0.439	837	0.573	1 093	0.671	1 279		
2.5**	0.45	5	0.383	582	0.536	815	0.612	931	0.816	1 242	0.918	1 397	1.20	1 824	1.40	2 134		
3	0.50	5.5	0.66	874	0.92	1 224	1.06	1 399	1.41	1 866	1.60	2 099	2.07	2 740	2.43	3 207		
4	0.70	7	1.51	1 514	2.11	2 120	2.42	2 422	3.22	3 230	3.66	3 635	4.74	4 744	5.5	5 552		
5	0.80	8	3.00	2 481	4.20	3 473	4.81	3 970	6.4	5 293	7.27	5 958	9.4	7 774	11.0	9 098		
6	1	10	5.2	3 498	7.2	4 893	8.3	5 598	11.1	7 464	12.57	8 392	16.3	10 962	19.1	12 828		
8	1.25	13	12.6	6 426	17.7	8 997	20	10 283	27	13 710	30.62	15 423	39	20 137	46	23 565		
10	1.50	16	25	10 238	35	14 334	40	16 382	53	21 843	61	24 575	78	32 082	92	37 542		
12	1.75	18	43	14 934	60	20 908	69	23 895	92	31 860	105	35 849	136	46 795	159	54 760		
14	2	21	69	20 514	97	28 719	111	32 822	148	43 763	167	49 142	218	64 277	255	75 218		
16	2	24	108	28 280	152	39 592	174	45 248	232	60 331	262	67 944	341	88 611	399	103 694		
18	2.5	27	149	34 324	209	48 054	239	54 919	330	75 421			469	107 549	549	125 856		
20	2.5	30	213	44 188	298	61 863	341	70 700	471	97 253			667	138 456	781	162 023		
22	2.5	34	293	55 298	411	77 418	470	88 478	648	121 574			920	173 269	1 077	202 762		
24	3	36	366	63 630	513	89 083	586	101 809	809	140 084			1 148	199 376	1 343			
27	3	41	544	83 910	762	117 474	871	134 257	1 201	184 517			1 706	262 920	1 997	307 672		
30	3.5	46	737	101 914	1 032	142 679	1 180	163 062	1 628	224 292			2 311	319 331	2 704	373 685		
33	3.5	50	1 004	127 210	1 406	178 094	1 607	203 536	2 216	279 953			3 148	398 593	3 684	466 438		
36	4	55	1 288	149 174	1 803	208 844	2 060	238 679	2 840	328 236			4 036	467 413	4 723	546 973		
39	4	60	1 677	179 487	2 348	251 282	2 683	287 179	3 697	394 919			5 255	562 393	6 150	658 119		
42**	4.5	65	2 070	205 323	2 898	287 452	3 312	328 516	4 554	451 710			6 486	643 344	7 590	752 849		
45**	4.5	70	2 596	240 641	3 635	336 897	4 154	385 025	5 712	529 410			8 136	754 008	9 520	882 350		
48**	5	75	3 130	270 321	4 383	378 449	5 009	432 514	6 887	594 706			9 809	847 006	11 478	991 177		
52**	5	80	4 041	324 763	5 657	454 668	6 465	519 620	8 889	714 478			12 661	1 017 590	14 816	1 190 797		
56**	5.5	85	5 034	374 739	7 048	524 635	8 054	599 582	11 075	824 426			15 773	1 174 182	18 458	1 374 043		
60**	5.5	90	6 266	438 337	8 772	613 672	10 026	701 340	13 785	964 342			19 634	1 373 457	22 976	1 607 237		
64**	6	95	7 533	495 676	10 546	693 947	12 052	793 082	16 572	1 090 488			23 603	1 553 119	27 620	1 817 480		

* Grade 8-8a up to d=16 mm, 8-8b above d=118 mm

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
1-88-147	61	1-86-515	10	1-89-644	11	62-241	77
0-10-151	61	1-86-536	10	1-89-646	11	62-242	77
0-11-325	60	1-86-540	11	1-89-650	11	62-243	77
0-11-983	60	1-86-541	11	1-89-655	11	62-244	77
0-15-218	63	1-86-542	11	1-89-658	11	62-245	77
10-175	59	1-86-543	11	1-89-660	11	62-246	77
10-189C	59	1-86-544	11	1-89-819	13	62-247	77
10-409	61	1-86-545	11	1-91-379	17	62-248	77
10-418	61	1-86-546	11	1-91-380	17	62-249	77
10-425	61	1-86-547	11	1-91-395	17	62-250	77
11-300H	62	1-86-589	5	1-91-396	17	62-251	77
11-301H	62	1-87-038	23	1-91-398	17	62-252	77
11-301T	62	1-87-500	17	1-92-959	17	62-253	77
11-921H	60	1-87-501	17	1-92-960	17	62-254	77
11-983A	60	1-87-502	17	1-93-637	13	62-255	77
14-125	64	1-87-504	17	1-93-638	12	62-256	77
14-163	66	1-87-505	17	20-807	64	62-257	77
14-164	66	1-87-506	17	2-65-145	77	62-258	77
14-165	66	1-87-507	17	2-65-146	77	62-259	77
14-166	66	1-87-508	17	2-65-147	77	62-260	77
14-308-23	65	1-87-709	23	2-65-148	77	62-261	77
14-312-23	65	1-87-715	14	2-65-149	77	62-262	77
14-314-23	65	1-87-718	22	2-65-150	77	62-263	77
14-318-23	65	1-87-720	14	2-65-151	77	62-264	77
14-324-23	65	1-88-146	11	2-65-152	77	62-265	77
14-330-23	65	1-88-147	11	2-65-153	77	62-266	77
14-336-23	65	1-88-148					

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
70-390E	24	84-125-23	49	93-302-1-22	16	ST90801CE	106
70-391E	24	84-126-23	49	93-303-1-22	16	ST92001CE	106
70-392E	24	84-134-1-23	50	93-304-1-22	16	ST-93001CE	106
70-393E	24	84-135-1-23	50	93-306-1-22	16	ST-95001CE	106
70-394E	24	84-168	52	93-307-1-22	16	STHT10099-8	59
70-395E	24	84-214-22	64	93-308-1-22	16	STHT1-43103	94
70-461	50	84-223-22	53	93-309-1-22	16	STHT1-43105	94
70-462	50	84-253-22	53	93-547-23ID	40	STHT1-43106	94
70-482	50	84-258-23	66	94-080	87	STHT1-43118	94
70-483	50	84-332-23	51	94-081	87	STHT30436	93
70746-S	30	84-334-23	51	94-088	87	STHT30437	93
70747-S	30	84-335-23	51	94-102	86	STHT30439	93
70748-S	30	84-338-23	52	94-103	86	STHT65145-8	77
70875-S	30	84-341-23	52	94-104	86	STHT65146-8	77
70876-S	30	84-348-23	52	94-106	86	STHT65147-8	77
70877-S	30	84-362-23	52	94-108	86	STHT65148-8	77
70-938E	23	84-363-23	52	94-149	86	STHT65149-8	77
70-939e	23	84-364-23	52	94-150	86	STHT65150-8	77
70-940E	23	84-369-1-23	53	94-151	86	STHT65151-8	77
70-941E	23	84-446-23	51	94-152	86	STHT65152-8	77
70-942E	23	84-447-23	51	94-153	86	STHT65153-8	77
70-943E	23	84-448-23	51	94-154-23	86	STHT65154-8	77
70-944E	23	84-451	69	94-156	86	STHT65157-8	76
70-946E	23	84-465-23	69	94-157	86	STHT65158-8	76
70-947E	23	84-475-22	53	94-158	85	STHT65159-8	76
70-948E	23	84-629-22	66	94-161	84	STHT65160-8	76
70-949E	23	84-632-22	66	94-162	85	STHT65162-8	76
70-950E	23	85-931-1-22	25	94-163-23	84	STHT65163-8	76
70-951E	23	85-938-1-22	25	94-171	31	STHT65164-8	76
70-952E	23	85-939-1-22	25	94-181	1	STHT65165-8	76
70-953E	23	86-375-22	15	94-190	2	STHT65166-8	76
70-954E	23	86-477	4	94-346	87	STHT65167-8	76
70-955E	23	86-478	4	94-347	87	STHT65169-8	76
70-957E	23	86-493-22	15	94-348	87	STHT65170-8	76
70-960E	23	87-431-1-23	26	94-350	87	STHT65171-8	76
70-961E	23	87-432-1-23	26	95IB56400E	103	STHT65172-8	76
70-962E	23	87-433-1-23	26	95IB56401E	103	STHT65173-8	76
70-963E	23	87-434-1-23	26	95IB56608E	103	STHT65174-8	76
70-964E	23	87-435-1-23	26	95IB56612E	103	STHT65181-8	76
70-965E	23	87-620-23	69	95IB56614E	103	STHT65182-8	76
71-641	69	87-621-23	69	96-911	25	STHT65183-8	76
71-642	69	87-622-23	69	96-913	25	STHT65186-8	76
71-643	69	87-623-23	69	96-914	25	STHT65187-8	76
71-644	69	87-624-23	69	96-915	25	STHT65188-8	76
71-645	69	87-625-23	69	96-917	25	STHT65189-8	76
71-668	70	87-626-23	69	96-918	25	STHT65190-8	76
71-669	70	87-627-23	69	96-919	25	STHT65191-8	76
71-670	70	87-712	22	96-920	25	STHT65192-8	76
71-682	25	87-796	25	96-921	25	STHT65193-8	76
71-684	24	89-435	16	96-922	25	STHT65194-8	76
71-878E	50	89-436	16	96-923	25	STHT65195-8	76
71-881E	51	89-437	16	96-924	25	STHT65196-8	76
71-882E	51	89-438	16	96-925	25	STHT65197-8	76
71-996-IN	36	89-439	16	96-927	25	STHT65198-8	76
72-060	22	89-440	16	96-928	25	STHT68010-8	80
72-061	22	89-441	16	96-929	25	STHT68012-8	79
72-062	22	89-442	16	96-930	25	STHT72991-8B	81
72-063	22	89-443	16	96-931	25	STHT72992-8B	81
72-064	22	89-444	16	96-932	25	STHT-77032	92
72-065	22	89-446	16	96-934	25	STHT-77139	92
72-066	22	89-448	16	96-936-23	24	STHT89883-8	36
72-067	24	89-449	16	96-938-23	24	STMT72794-8	2
72-068	24	89-450	16	96-939-23	24	STMT72795-8	5
72-069	24	89-452	16	96-940-23	24	STMT73588-8	110
72-070	24	89-453	16	96-941-23	24	STMT73590-8	110
72-071	24	89-454	16	96-950-23	24	STMT73591-8	110
72-072	24	89-455	16	96-951	24	STMT80012-8B	25
72-118-IN	36	89-456	16	96-952	24	STMT86202-8B	15
83-031K	87	89-458	16	96-953	24	STMT86206-8B	14
83-032K	87	89-459	16	96-954-23	24	STMT86207-8B	14
83-033K	87	89-460	16	96-955-23	24	STMT86211-8B	17
83-034K	87	89-461	16	96-956	24	STMT86411-8B	17
83-035K	87	89-509	3	96-957	24	STMT88941-8B	17
84-002-22	47	89-515-1-22	25	96-958	24	STMT88996-8B	17
84-003-22	47	89-516	3	96-959	24	STMT89934-8B	25
84-011-22	47	89-519-1-22	25	96-960-23	24	STMT89935-8B	25
84-096-23	49	89-558-1-22	25	96-961-23	24	STMT89936-8B	25
84-097-23	49	91-316	12	997694-S	30	STMT89937-8B	25
84-098-23	49	91-931	1	A50T	110	STMT89938-8B	25
84-101-23	48	91-938	4	AVT100A	110	STMT89939-8B	25
84-102-23	48	92-624	86	AVT300A	110	STMT89940-8B	25
84-105-23	48	92-625	85	E200T	110	STMT89941-8B	25
84-108-23	48	92-905	41	E340T	110	STMT89942-8B	25
84-110-23	49	92-906	41	EVT1200A	110	STMT89943-8B	25
84-111-23	49	92-908	40	EVT2000A	110	STMT89944-8B	25
84-112-23	48	93-021-22	70	EVT3000A	110	STST73595-8	40
84-113-23	48	93-222	42	EVT600A	110	STST73596-8	40
84-119-23	49	93-223	42	GVT8400	110		
84-122-23	49	93-224	42	HVT5000	110		
84-124-23	49	93-225	41	HVT7200	110		