

SAFETY DATA SHEET

1. Identification

Product identifier Other means of identification Recommended use	TRIM® MicroSol® 585XT None. Metal Working Fluids.	
Recommended restrictions		only. No other uses are advised.
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company Name	Master Chemical Corp d/b/a Master Fluid Solutions	
Address	501 West Boundary Street	
	Perrysburg, Ohio 43551-1200	
	United States	
Telephone	419-874-7902	
Website	www.masterchemical.com	
E-mail	info@masterchemical.com	
Emergency phone number	CHEMTREC	1-800-424-9300

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Causes skin irritation. Causes eye irritation.
Precautionary statement	
Prevention	Wash hands thoroughly after handling. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	30 - < 40
TRADE SECRET*		Proprietary*	5 - < 10
TRIETHANOLAMINE		102-71-6	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
Other components below re	eportable levels		40 - < 50

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air.
Skin contact	Wash affected area with mild soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	None known.
General information	Get medical attention, if needed.
5. Fire-fighting measures	

Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not taste or swallow.
Conditions for safe storage,	The product is stable and non-reactive under normal conditions of use, storage and transport.
including any incompatibilities	Store in a dry place. Store in a closed container.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
TRIETHANOLAMINE (CAS	TWA	5 mg/m3	

US. NIOSH: Pocket Guide to Components	o Chemical Hazards Type	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
Appropriate engineering controls	Use process enclosures, local exhaust levels below recommended exposure lin available when handling this product.		
Individual protection measures, Eye/face protection	such as personal protective equipmer Safety glasses.	t	
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Respiratory protection	In case of insufficient ventilation, wear s	suitable respiratory equipme	nt.
General hygiene considerations	Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants.		
9. Physical and chemical	properties		
Physical state	Liquid.		
Color	Amber		
Odor	Mild amine		
Odor threshold	Not available.		
pН	9.6 - 10		
Melting point/freezing point	5 °F (-15 °C)		
Initial boiling point and boiling range	208.4 °F (98 °C)		
Flash point	> 209.8 °F (> 98.8 °C)		
Evaporation rate	< 1 BuAc		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp Flammability limit - lower (%)	losive limits Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Soluble		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Flash point class	ASTM D93-08		
pH in aqueous solution	9.3 - 9.6		
Specific gravity	0.975 - 1.015		
10. Stability and reactivity			

10. Stability and reactivity

Reactivity

Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Incompatible materials	Strong acids. Powerful oxidizers.
Hazardous decomposition products	To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on	likely routes	of exposure
----------------	---------------	-------------

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May be irritating to the skin.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	May be irritating to the skin. May be irritating to eyes.

Information on toxicological effects

Acute toxicity	Not classified.	
Product	Species	Test Results
TRIM® MicroSol® 585XT		
Acute		
Dermal		
LD50	Rabbit	> 2000, mg/kg
Inhalation		
LC50	Rat	> 200, mg/l
Oral		
LD50	Rat	> 5000, mg/kg
Skin corrosion/irritation	May be irritating to the skin.	
Serious eye damage/eye irritation	May be irritating to eyes.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Classification not possible. Not a respiratory sensiti	zer.
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)	
Not regulated.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Classification not possible.	
Specific target organ toxicity - repeated exposure	Classification not possible.	
Aspiration hazard	Classification not possible. Not an aspiration hazard	J.
Chronic effects	None known.	
12. Ecological information	n	
Ecotoxicity	Not available.	
Persistence and degradability	No data is available on the degradability of this proc	duct.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-28-2015
Revision date	06-15-2017
Version #	03

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	Product and Company Identification: Product and Company Identification Identification: Recommended restrictions Toxicological Information: Toxicological Data Transport Information: Material Transportation Information HazReg Data: North America GHS: Classification