

i tape with 



CARTON SEALING TAPE



IntertapeTM
brand



CENTRAL[®]
brand



Carton Sealing Tape

IPG® offers full line of pressure-sensitive carton sealing tape with all three adhesive technologies: acrylic, hot melt and natural rubber. As a leader in pressure-sensitive carton sealing tape market, IPG® combines years of experience as a prime manufacturer of superior quality tape to the industrial and consumer channels.



Scan here to learn more about IPG's carton sealing tapes!

Surrounding Customers With Solutions

HOT MELT ADHESIVE 3

| | | |
|---------|---|---|
| 1100 | 3.0 mil Premium Hot Melt With Corru-Grip™ | 3 |
| 9100 | 2.5 mil Premium Hot Melt With Corru-Grip™ | 3 |
| 8100 | 2.2 mil Medium Grade Hot Melt With Corru-Grip™ | 4 |
| 7205 | 2.05 mil Medium Grade Hot Melt With Corru-Grip™ | 4 |
| 7150 | 2.0 mil Medium Grade Hot Melt | 4 |
| 7151QT | 1.95 mil Cold Temperature Medium Grade Hot Melt | 4 |
| 7100 | 1.85/1.90 mil Medium Grade Hot Melt | 4 |
| 6151QT | 1.7 mil Cold Temperature Utility Hot Melt | 5 |
| 6100 | 1.6 mil Utility Hot Melt | 5 |
| 6100LPT | 1.6 mil Label Protection Hot Melt | 5 |
| 6122 | 1.5 mil Utility Hot Melt | 5 |
| 5135 | 1.35 mil Utility Hot Melt | 5 |
| 780PET | 3.0 mil Specialty Pet Hot Melt | 5 |

NATURAL RUBBER ADHESIVE 6

| | | |
|--------|--------------------------------------|---|
| 520 | 2.8 mil Premium Natural Rubber | 6 |
| 510 | 2.3 mil Premium Natural Rubber | 6 |
| 500 | 1.9 mil Medium Grade Natural Rubber | 7 |
| 570 | 1.6 mil Utility Natural Rubber | 7 |
| 600PVC | 2.3 mil PVC Specialty Natural Rubber | 7 |
| 530PVC | 2.2 mil PVC Specialty Natural Rubber | 7 |

ACRYLIC ADHESIVE 8

| | | |
|-------|---|----|
| 341 | 3.0 mil Premium Acrylic | 8 |
| 291 | 2.5 mil Premium Acrylic | 8 |
| 400 | 2.1 mil Medium Grade Acrylic | 9 |
| 321 | 2.1 mil Medium Grade Colored Acrylic | 9 |
| 191 | 1.91 mil Medium Grade Acrylic | 9 |
| 300 | 1.85 mil Utility Acrylic | 9 |
| 170 | 1.75 mil Utility Acrylic | 10 |
| 161 | 1.61 mil Utility Acrylic | 10 |
| CTTC | 2.7 mil Clear-To-The-Core Specialty Acrylic | 10 |
| 130WS | 2.0 mil Whisper Smooth® Specialty Acrylic | 10 |

TAPE DISPENSERS 11

| | |
|----------------------------------|----|
| Pistol Grip Hand Dispensers | 11 |
| Mousetrap Hand Dispensers | 12 |
| Clamshell Hand Dispensers | 12 |
| Bag Sealers | 13 |
| Manual Definite Length Dispenser | 14 |
| Multi-Roll Desktop Dispensers | 14 |

PRINTED CARTON SEALING TAPE 15

CASE SEALING MACHINERY 15



Hot Melt Adhesive

Intertape™ brand Hot Melt Carton Sealing Tape offers the widest range of application flexibility available. They offer excellent processing performance whether manually or automatically applied. Their superior adhesion properties, holding force, tensile strength and easy unwind ensure consistent, reliable seals to variety of corrugated and linerboard boxes.

HOT MELT ADHESIVE

| Physical Properties | ASTM Test Method | 1100 | 9100 | 8100 | 7205 | 7150 | 7151QT | | 7100 | | 6151QT | | 6100 | | 6100 LPT | 6122 | | 5135 | | 780 PET | |
|--|------------------|--------|--------|--------|--------|-------|--------|-------|-------|-------|--------|-------|-------|-------|----------|-------|-------|-------|-------|---------|----|
| | | | | | | | HL | ML | HL | ML | HL | ML | HL | ML | | HL | ML | HL | ML | | |
| Peel Adhesion (oz/in width) | D-3330 | 46 | 44 | 42 | 42 | 43 | 31 | 31 | 32 | 32 | 29 | 29 | 32 | 32 | 32 | 32 | 30 | 30 | 30 | 30 | 65 |
| Tensile Strength, MD (lb/in width) | D-3759 | 32 | 28 | 25 | 22 | 22 | 27 | 22 | 27 | 22 | 25 | 19 | 25 | 19 | 19 | 23 | 19 | 23 | 19 | 55 | |
| Elongation, MD (% at break) | D-3759 | 150 | 150 | 130 | 120 | 120 | 85 | 120 | 85 | 120 | 80 | 120 | 80 | 120 | 120 | 79 | 120 | 79 | 120 | 100 | |
| Holding Power to Linerboard (min) | D-3654 | 38,000 | 23,000 | 16,000 | 14,000 | 7,000 | 2,800 | 2,800 | 6,000 | 7,000 | 2,500 | 2,500 | 5,000 | 5,000 | 4,000 | 4,000 | 4,000 | 2,000 | 2,000 | 85,000 | |



1100 3.0 MIL PREMIUM HOT MELT WITH CORRU-GRIP™

Extra heavy weight box sealing, under or overstuffed boxes, package repair and bundling

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|-------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 55m | 36 | 3.0 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 55m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 3.0 |
| | | 72mm x 914m | 4 | |



9100 2.5 MIL PREMIUM HOT MELT WITH CORRU-GRIP™

Heavy weight or bulky box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|-------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 55m | 36 | 2.5 |
| | | 48mm x 100m | | |
| | | 72mm x 55m | 24 | |
| | | 72mm x 100m | | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 2.5 |
| | | 72mm x 914m | 4 | |

* Limited sizes available in Tan as a non-stock, make-to-order item.

Hot Melt Adhesive



8100 2.2 MIL MEDIUM GRADE HOT MELT WITH CORRU-GRIP™

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 100m | 36 | 2.2 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 2.2 |
| | | 72mm x 914m | 4 | |
| | | 72mm x 1371m | 4 | |



7205 2.05 MIL MEDIUM GRADE HOT MELT WITH CORRU-GRIP™

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 100m | 36 | 2.05 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 2.05 |
| | | 72mm x 914m | 4 | |



7150 2.0 MIL MEDIUM GRADE HOT MELT

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------|-------------|--------------|-----------------|
| Hand Length | White | 48mm x 100m | 36 | 2.0 |
| Machine Length | White | 48mm x 914m | 6 | 2.0 |



7151QT 1.95 MIL COLD TEMPERATURE MEDIUM GRADE HOT MELT

Medium weight box sealing in cooler food packaging/processing and moving/storage applications

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 100m | 36 | 1.95 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 1.95 |
| | | 48mm x 1371m | 6 | |
| | | 48mm x 1500m | 6 | |
| | | 48mm x 1828m | 4 | |
| | | 72mm x 914m | 4 | |



7100 1.85/1.90 MIL MEDIUM GRADE HOT MELT

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.85 |
| | | 48mm x 100m | 36 | |
| | | 48mm x 200m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 1.90 |
| | | 48mm x 1371m | 6 | |
| | | 48mm x 1500m | 6 | |
| | | 48mm x 1828m | 4 | |
| | | 72mm x 914m | 4 | |
| | | 72mm x 1371m | 4 | |
| | | 72mm x 1500m | 4 | |

Hot Melt Adhesive



6151QT 1.7 MIL COLD TEMPERATURE UTILITY HOT MELT

Light to medium weight box sealing in cooler food packaging/processing & moving/storage applications

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 100m | 36 | 1.7 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 1.7 |
| | | 48mm x 1371m | 6 | |
| | | 48mm x 1500m | 6 | |
| | | 48mm x 1828m | 4 | |
| | | 72mm x 914m | 4 | |



6100 1.6 MIL UTILITY HOT MELT

Light to medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.6 |
| | | 48mm x 100m | 36 | |
| | | 48mm x 200m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 1.6 |
| | | 48mm x 1371m | 6 | |
| | | 48mm x 1828m | 4 | |
| | | 72mm x 914m | 4 | |
| | | 72mm x 1371m | 4 | |
| | | 72mm x 1828m | 4 | |



6100LPT 1.6 MIL LABEL PROTECTION HOT MELT

For shipping label protection, edge reinforcing, splicing, hinging, tabbing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 96mm x 66m | 18 | 1.6 |
| | | 144mm x 66m | 12 | |



6122 1.5 MIL UTILITY HOT MELT

Light weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 50m | 36 | 1.5 |
| | | 48mm x 100m | 36 | |
| | | 48mm x 914m | 6 | |
| | | 72mm x 100m | 24 | |
| | | 72mm x 914m | 4 | |



5135 1.35 MIL UTILITY HOT MELT

Light weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 50m | 36 | 1.35 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 1.35 |



780PET 3.0 MIL SPECIALTY PET HOT MELT

Extra heavy weight box sealing, under or overstuffed boxes, package repair and bundling

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------|------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 55m | 36 | 3.0 |

* Limited sizes available in Tan as a non-stock, make-to-order item.

Natural Rubber Adhesive

IPG's Central® brand Natural Rubber Carton Sealing Tape has the most aggressive adhesive available. They offer fast, positive bonding on “problem” applications such as high recycled content cartons, rough or ultra-smooth cartons, heavy ink coverage, dusty and/or dirty environments, humid conditions and temperature extremes.



NATURAL RUBBER ADHESIVE

| Physical Properties | ASTM Test Method | 520 | 510 | 500 | 570 | 600PVC | 530PVC |
|------------------------------------|------------------|-----|-----|-----|-----|--------|--------|
| Peel Adhesion (oz/in width) | D-3330 | 24 | 22 | 21 | 21 | 23 | 24 |
| Tensile Strength, MD (lb/in width) | D-3759 | 32 | 28 | 22 | 19 | 24 | 24 |
| Elongation, MD (% at break) | D-3759 | 150 | 140 | 120 | 120 | 80 | 80 |



520 2.8 MIL PREMIUM NATURAL RUBBER

Extra heavy duty box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 55m | 36 | 2.8 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 72mm x 914m | 4 | 2.8 |



510 2.3 MIL PREMIUM NATURAL RUBBER

Heavy duty box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 50m | 36 | 2.3 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 2.3 |
| | | 72mm x 914m | 4 | |

Natural Rubber Adhesive



500 1.9 MIL MEDIUM GRADE NATURAL RUBBER

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------------|-------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.9 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | White | 48mm x 100m | 36 | 1.9 |
| | Clear | 48mm x 914m | 6 | |
| | | | 72mm x 914m | 4 |



570 1.6 MIL UTILITY NATURAL RUBBER

Light to medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------------|-------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.6 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |



600PVC 2.3 MIL PVC SPECIALTY NATURAL RUBBER

Bag sealing and color code identification

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|--|------------|--------------|-----------------|
| Hand Length | Red, Yellow, Dark Blue, Green, Light Blue, Orange, White | 9mm x 164m | 96 | 2.3 |



530PVC 2.2 MIL PVC SPECIALTY NATURAL RUBBER

Light to medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------------|-------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 2.2 |
| | | 48mm x 100m | 36 | |

* Limited sizes available in Tan as a non-stock, make-to-order item.

Acrylic Adhesive

Intertape™ brand Acrylic Carton Sealing Tape is best suited for reliable, all-temperature box sealing performance (less than 40°F and greater than 120°F) where resistance to aging, weathering, UV light and yellowing are important. They also provide excellent clarity, high shear strength to prevent “flagging,” superior quick stick performance and controlled unwind to facilitate dispensing on manual or automatic case sealing machines.



ACRYLIC ADHESIVE

| Physical Properties | ASTM Test Method | 341 | 291 | 400 | | 321 | | 191 | | 300 | | 170 | | 161 | | 291 CTTC | 130 WS |
|------------------------------------|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|--------|
| | | | | HL | ML | HL | ML | HL | ML | HL | ML | HL | ML | HL | ML | | |
| Peel Adhesion (oz/in width) | D-3330 | 22 | 20 | 20 | 20 | 20 | 20 | 17 | 17 | 17 | 17 | 16 | 16 | 15 | 15 | 20 | 20 |
| Tensile Strength, MD (lb/in width) | D-3759 | 32 | 28 | 27 | 22 | 27 | 22 | 27 | 22 | 25 | 19 | 25 | 19 | 25 | 19 | 28 | 22 |
| Elongation, MD (% at break) | D-3759 | 150 | 140 | 85 | 120 | 85 | 120 | 85 | 120 | 80 | 120 | 80 | 120 | 80 | 120 | 140 | 120 |



341 3.0 MIL PREMIUM ACRYLIC

Heavy weight or bulky box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-------------|-------|------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 55m | 36 | 3.0 |
| | | 72mm x 55m | 24 | |



291 2.5 MIL PREMIUM ACRYLIC

Heavy weight or bulky box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|----------------|-------|---------------------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 55m | 36 | 2.5 |
| | | 48mm x 100m | 24 | |
| | | 72mm x 55m 72mm x 100m | | |
| Machine Length | Clear | 48mm x 914m | 6 | 2.5 |

Acrylic Adhesive



400 2.1 MIL MEDIUM GRADE ACRYLIC

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 2.1 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 2.1 |
| | | 48mm x 1371m | 6 | |
| | | 48mm x 1500m | 6 | |
| | | 48mm x 1828m | 6 | |
| | | 72mm x 914m | 4 | |



321 2.1 MIL MEDIUM GRADE COLORED ACRYLIC

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|--|-------------|--------------|-----------------|
| Hand Length | Black, Blue, Green, Orange, Red, White, Yellow | 48mm x 100m | 36 | 2.1 |
| | | 72mm x 100m | 24 | |
| Machine Length | | 48mm x 914m | 6 | 2.1 |



191 1.91 MIL MEDIUM GRADE ACRYLIC

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------|--------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 100m | 36 | 1.91 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 1.91 |
| | | 48mm x 1371m | 6 | |
| | | 72mm x 914m | 4 | |



300 1.85 MIL UTILITY ACRYLIC

Light to medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.85 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear, Tan* | 48mm x 914m | 6 | 1.85 |
| | | 48mm x 1371m | 6 | |

* Limited sizes available in Tan as a non-stock, make-to-order item.

i tape with



800-IPG-8273 / 800-474-8273

www.itape.com | E-mail: info@itape.com

Acrylic Adhesive



170 1.75 MIL UTILITY ACRYLIC

Light weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------------|--------------|--------------|-----------------|
| Hand Length | Clear, Tan* | 48mm x 50m | 36 | 1.75 |
| | | 48mm x 100m | 36 | |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 1.75 |
| | | 48mm x 1371m | 6 | |
| | | 72mm x 914m | 4 | |



161 1.61 MIL UTILITY ACRYLIC

Light weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|-----------------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 100m | 36 | 1.61 |
| | | 72mm x 100m | 24 | |
| Machine Length | Clear | 48mm x 914m | 6 | 1.61 |



291CTTC 2.7 MIL CLEAR-TO-THE-CORE SPECIALTY ACRYLIC

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|--------------------|-------|------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 50m | 36 | 2.7 |



130WS 2.0 MIL WHISPER SMOOTH® SPECIALTY ACRYLIC

Medium weight box sealing

| Type | Color | Size | Rolls/Carton | Thickness (mil) |
|--------------------|-------|-------------|--------------|-----------------|
| Hand Length | Clear | 48mm x 100m | 36 | 2.0 |
| | | 72mm x 114m | 24 | |

* Limited sizes available in Tan as a non-stock, make-to-order item.



Tape Dispensers

Finding the right dispenser type for your needs has never been easier with our full line of tape dispensers from IPG®. Our selection of dispensers ranges from general purpose to heavy-duty. Whether you're shipping, packing, sealing bags, bonding substrates or dispensing labels, we have a solution of hand-held and desktop dispensers in many sizes and types for all your needs.

Pistol Grip Hand Dispensers

Ergonomically designed to reduce fatigue and provides a comfort molded finger grip.



PREMIUM PISTOL GRIP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1973 | 2" Premium Dispenser | 3" | 2" | 5" | Blue | 30 |
| 1974 | 3" Premium Dispenser | 3" | 3" | 5" | Blue | 20 |

- Heavy steel construction
- Natural rubber roller holds tape during application
- Heavy gauge reversible steel blade
- Adjustable friction tension brake for the tape roll
- Spring loaded tape gate
- Available in 2" and 3" tape width



MEDIUM GRADE PISTOL GRIP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|---------------------------|---------------|--------------------|-----------------------|-------|-----|
| 1969 | 2" Medium Grade Dispenser | 3" | 2" | 5.5" | Blue | 24 |
| 1970 | 3" Medium Grade Dispenser | 3" | 3" | 5.75" | Blue | 24 |

- Reinforce steel frame with high impact plastic
- Natural rubber roller holds tape during application
- Heat treated steel blade
- Adjustable brake for tension control
- Plastic loading gate
- Plastic wiper
- Available in 2" and 3" tape width



UTILITY PISTOL GRIP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1984 | 2" Utility Dispenser | 3" | 2" | 5.25" | Blue | 24 |
| 1972 | 3" Utility Dispenser | 3" | 3" | 5.75" | Red | 24 |

- Lightweight steel frame with high impact plastic
- Plastic roller
- Heavy gauge reversible steel blade
- Adjustable friction tension brake for the tape roll
- Spring loaded tape gate
- Flexible poly tape wiper
- Available in 2" and 3" tape width



XTRAtape™ MEDIUM GRADE PISTOL GRIP HAND DISPENSER

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|---------|---------------------------|---------------|--------------------|-----------------------|-------|-----|
| TPX48NP | 2" Medium Grade Dispenser | 1.5" | 2" | 4.76" | Blue | 24 |

- Fit 1.5" ID core
- Reinforce steel frame with high impact plastic
- Plastic roller
- Adjustable brake for tension control
- Plastic wiper
- Available in 2" tape width

Tape Dispensers

Mousetrap Hand Dispensers

Designed to fit tape with any size core and are excellent for applying carton sealing, filament, masking, flatback tapes and more. Reduces noise and is quieter on the tape unwind.



PREMIUM MOUSETRAP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1976 | 2" Premium Mousetrap | 3" | 2" | 5.5" | Blue | 24 |
| 1983 | 3" Premium Mousetrap | 3" | 3" | 5.5" | Blue | 20 |

- Heavy duty construction
- Comfortable rubberized molded finger grip handle
- Natural rubber roller holds tape during application
- Heavy gauge steel blade
- Flexible poly tape wiper
- Durable, lightweight, ergonomically correct
- Available in 2" and 3" tape width



UTILITY MOUSETRAP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1975 | 2" Utility Mousetrap | 3" | 2" | 6" | Red | 24 |
| 1977 | 3" Utility Mousetrap | 3" | 3" | 6" | Red | 24 |

- Lightweight steel frame with high impact plastic
- Natural rubber roller holds tape during application
- Heat treated steel blade
- Plastic wiper
- Available in 2" and 3" tape width

Clamshell Hand Dispensers

Lightweight hand held device that utilizes a tape product for the closing and sealing of cartons, boxes, and packages. Easy to use, the operator can control unwind tension of the tape.



MEDIUM GRADE CLAMSHELL HAND DISPENSER

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|---------------------------|---------------|--------------------|-----------------------|-------|-----|
| 1980 | 2" Medium Grade Clamshell | 3" | 2" | 5" | Grey | 120 |

- High impact plastic
- Hardened steel blade
- Blade guard for operator protection
- Available in 2" tape width



UTILITY MOUSETRAP HAND DISPENSERS

| Style | Description | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1978 | 2" Utility Clamshell | 1.5" | 2" | 2.45" | Red | 450 |
| 1979 | 2" Utility Clamshell | 3" | 2" | 4.5" | Red | 324 |

- Red plastic
- Available in 2" tape width
- Available for 3" ID core and 1.5" ID core

Tape Dispensers

Bag Sealers

Ideally suited for packing produce, small parts, candy, newspapers, bakery products, and more. Uses $\frac{3}{8}$ " polyvinyl (PVC) tape and comes equipped with a bag trimmer.



STEEL FRAME BAG SEALER

| Style | Description | Dimension (L x W x H) | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|------------------------|-----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1988 | Steel Frame Bag Sealer | 8.6" x 2.9" x 6.0" | 3" | 0.375" | 6" | Blue | 1 |

- Heavy metal construction
- Mounting bracket
- Heat treated steel blade



STAINLESS FRAME BAG SEALER

| Style | Description | Dimension (L x W x H) | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------------|-----------------------|---------------|--------------------|-----------------------|--------|-----|
| 1989 | Stainless Steel Bag Sealer | 8.6" x 2.9" x 6.0" | 3" | 0.375" | 6" | Chrome | 1 |

- Stainless steel frame for food and clean room operation
- Mounting bracket
- Heat treated steel blade



Tape Dispensers

Definite Length Dispenser

Durable, easy to use table top design can be used with most types of tapes.



MANUAL DEFINITE LENGTH DISPENSER

| Style | Description | Dimension (L x W x H) | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------------------|-----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1987 | Manual Definite Length Dispenser | 10.5" x 6.5" x 7.5" | 3" | 3" | 7.5" | Blue | 1 |

- Steel and high impact plastic
- Can feed up to 8" of tape with each pull of the handle
- Operator can accurately control the length of tape fed
- To cut the tape the operator pulls the tape up against the blade
- Small table top design

Multi-Roll Desktop Dispensers

Durable, small table top design, can be used with most types of tapes.



3" WIDE MULTI-ROLL DESKTOP DISPENSER

| Style | Description | Dimension (L x W x H) | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|----------------------|-----------------------|---------------|--------------------|-----------------------|-------|-----|
| 1990 | 3" Desktop Dispenser | 9.0" x 3.25" x 5.0" | 3" | 3" | 5" | Green | 1 |

- Steel and high impact plastic
- Heavy duty construction with weighted base
- Can use a combination of 1", 2" and 3" tape roll widths
- Tape separators included for multiple roll applications



6" & 12" WIDE MULTI-ROLL DESKTOP DISPENSERS

| Style | Description | Dimension (L x W x H) | Core Diameter | Max. width of tape | Max. diameter of tape | Color | MOQ |
|-------|-----------------------|------------------------|---------------|--------------------|-----------------------|-------|-----|
| 1991 | 6" Desktop Dispenser | 12.5" x 8.63" x 7.25" | 3" | 6" | 7" | Blue | 1 |
| 1992 | 12" Desktop Dispenser | 12.5" x 14.75" x 7.25" | 3" | 12" | 7" | Blue | 1 |

- Steel and high impact plastic
- Dispense tape and label on same dispenser
- Allow rolls up to 7" in diameter
- Easy to change one roll at a time



Printed Carton Sealing Tape



Custom printed tape improves the overall appearance and impact of your packages by adding logos, QR codes, and messaging for your company and products. IPG® offers a wide variety of cost-efficient custom printed and standard designs.

Case Sealing Machinery

IPG® is a major integrated provider of both pressure-sensitive tape and case sealing machinery. We are committed to providing timely system solutions and have wide variety of standard case sealing machinery for quick delivery.

The modular design of each Interpack™ case taper combined with superior features and materials will provide flawless performance for many years to come. Standard machines are available in every drive style and can be outfitted with either 2” or 3” wide HSD 2000-ET II taping heads. Heavy duty, dual column construction, oversized gearmotors, and low maintenance are the hallmarks of the Interpack™ machinery line.

Learn more about IPG's machinery line: www.itape.com/interpack





i tape with

CORPORATE PROFILE

Intertape Polymer Group® Inc. (IPG®) is an acknowledged leader in the packaging industry. Leveraging its advanced manufacturing and technologies, extensive research and development capabilities and a comprehensive strategic acquisition program, the company believes it has assembled the broadest and deepest range of products in the industry. IPG® is widely recognized for its development and manufacture of specialized polyolefin, plastic and paper-based packaging products, as well as complementary packaging systems for industrial and retail use. Additionally, IPG® is a woven and flexible intermediate bulk container (FIBC) manufacturer. Its performance products, including tapes and cloths, are designed for demanding aerospace, automotive and industrial applications and are sold to a broad range of industry/specialty distributors, retail stores and large end-users in diverse industries.



800-IPG-8273 / 800-474-8273

www.itape.com | Tape Technical Help: 877-447-4832 | E-mail: info@itape.com

